

ALABAMA DEPARTMENT OF
ENVIRONMENTAL MANAGEMENT

IN THE MATTER OF:

ROAR, L.L.C.

Demolition of Commercial Property
Tuscaloosa, Tuscaloosa County, Alabama

****Proposed****

ORDER NO: 20-____-AP

FINDINGS

Pursuant to the provisions of the Alabama Environmental Management Act, Ala. Code §§ 22-22A-1 to 22- 22A-17, *as amended*, the Alabama Air Pollution Control Act, Ala. Code §§ 22-28-1 to 22-28-23, *as amended*, the Alabama Department of Environmental Management (hereinafter, the “Department” or “ADEM”) Administrative Code of Regulations (hereinafter, “ADEM Admin. Code R.”) promulgated pursuant thereto, and the federal Clean Air Act, 42 U.S.C. 7401 to 7671q, *as amended*, the Department makes the following FINDINGS:

1. ROAR, L.L.C. (hereinafter, “Owner”), is the owner of real property located at 1211 8th Street, 810 12th Avenue, and 805 Red Drew Avenue in Tuscaloosa, Tuscaloosa County, Alabama (hereinafter, the “Site”).

2. The Department is a duly constituted department of the State of Alabama pursuant to Ala. Code §§ 22-22A-1 to 22-22A-17, *as amended*.

3. Pursuant to Ala. Code § 22-22A-4(n), *as amended*, the Department is the state air pollution control agency for the purposes of the federal Clean Air Act, 42 U.S.C. 7401 to 7671q, *as amended*. In addition, the Department is authorized to administer and

enforce the provisions of the Alabama Air Pollution Control Act, Ala. Code §§ 22-28-1 to 22-28-23, *as amended*.

4. The U.S. Environmental Protection Agency's National Emission Standard for Hazardous Air Pollutants (NESHAP), found at 40 C.F.R. Part 61, Subpart M, is incorporated by reference in ADEM Admin. Code r. 335-3-11-.02(12).

5. 40 C.F.R. §61.141 defines Regulated asbestos-containing material (RACM) as (a) Friable asbestos material, (b) Category I nonfriable ACM that has become friable, (c) Category I nonfriable ACM that will be or has been subjected to sanding, grinding, cutting, or abrading, or (d) Category II nonfriable ACM that has a high probability of becoming or has become crumbled, pulverized, or reduced to powder by the forces expected to act on the material in the course of demolition or renovation operations regulated by this subpart.

6. 40 C.F.R. § 61.145(a)(1) states that in a facility being demolished, all the requirements of paragraphs (b) and (c) of this section apply, except as provided in paragraph (a)(3) of this section, if the combined amount of RACM is at least 260 linear feet on pipes, at least 160 square feet on other facility components, or at least 35 cubic feet off facility components where the length or area could not be measured previously.

7. 40 C.F.R. § 61.145(b)(3)(i) requires the owner or operator of a demolition or renovation activity for a subject facility to provide written Notice of Intention to Demolish or Renovate (hereinafter, "Notice") at least ten workdays before demolition, asbestos stripping or removal work, or any other activity which disturbs the asbestos.

8. 40 C.F.R. § 61.145(c)(1) requires the removal of all RACM from a facility being demolished or renovated before any activity begins that would break up, dislodge, or similarly disturb the material or preclude access to the material for subsequent removal.

9. ADEM Admin. Code r. 335-3-11-.05(1) states that any person, firm, organization, or corporation who is the owner or operator of any asbestos removal project for which notification is required pursuant to the requirements of rule 335-3-11-.02(12) shall ensure that the parties executing the asbestos removal project are certified by the Department.

10. On September 20, 2019, the Department learned through an onsite inspection that Barnes Excavating Company, Inc. was performing demolition activities without the Department having received the required notification, in violation of ADEM. Admin. Code r. 335-3-11-.02(12).

11. On October 1, 2019, the Department issued a Notice of Violation to Barnes Excavating Company, Inc. based upon the previous site inspection concerning demolition at the Site.

12. On October 30, 2019, the Department received a response to the Violation letter. The response stated that Owner contracted Barnes Excavating Company, Inc. to perform the demolition activities on the Site. The response also stated the demolition began on September 4, 2019, and ended on September 19, 2019. An Alabama Accredited Asbestos Inspector had not performed a recent thorough asbestos inspection prior to demolition.

13. Pursuant to Ala. Code § 22-22A-5(18)c., *as amended*, in determining the amount of any penalty, the Department must give consideration to the seriousness of the violation, including any irreparable harm to the environment and any threat to the health or safety of the public; the standard of care manifested by such person; the economic benefit which delayed compliance may confer upon such person; the nature, extent and degree of success of such person's efforts to minimize or mitigate the effects of such

violation upon the environment; such person's history of previous violations; and the ability of such person to pay such penalty. Any civil penalty assessed pursuant to this authority shall not exceed \$25,000.00 for each violation, provided however, that the total penalty assessed in an order issued by the Department shall not exceed \$250,000.00. Each day such violation continues shall constitute a separate violation. In arriving at this civil penalty, the Department has considered the following:

A. SERIOUSNESS OF THE VIOLATION: Owner failed to have performed the required asbestos inspection of the Site and failed to submit the required notification to the Department prior to demolishing the buildings. The Department considers these violations to be serious.

B. THE STANDARD OF CARE: There appeared to be no care taken by Owner to comply with the applicable requirements of the ADEM Admin. Code.

C. ECONOMIC BENEFIT WHICH DELAYED COMPLIANCE MAY HAVE CONFERRED: Owner likely derived economic benefit by not performing the required asbestos inspection nor notifying the Department before demolishing the building.

D. EFFORTS TO MINIMIZE OR MITIGATE THE EFFECTS OF THE VIOLATION UPON THE ENVIRONMENT: There were no efforts by Owner to mitigate possible effects of these violations upon the environment.

E. HISTORY OF PREVIOUS VIOLATIONS: Owner has no known prior history with the Department for violating demolition/asbestos regulations.

F. THE ABILITY TO PAY: Owner has not alleged an inability to pay the civil penalty.

G. OTHER FACTORS: The Department has carefully considered the six statutory penalty factors enumerated in Ala. Code § 22-22A-5(18)c., *as amended*, as well

as the need for timely and effective enforcement, and has concluded that a civil penalty herein is appropriate (*See* "Attachment A" which is hereby made a part of these Findings).

ORDER

Based upon the foregoing FINDINGS and pursuant to Ala. Code §§22-22A-5(10), 22-22A-5(12), 22-22-5(18), and 22-28-18, *as amended*, it is hereby ORDERED:

A. That, not later than forty-five days after the issuance of this Order, Owner shall pay to the Department a civil penalty in the amount of \$3,000.00 for the violations cited herein. Said penalty shall be made payable to the Alabama Department of Environmental Management by certified or cashier's check and shall be submitted to:

Office of General Counsel
Alabama Department of
Environmental Management
P.O. Box 301463
Montgomery, Alabama 36130-1463

B. That, immediately upon receipt of this Order and continuing thereafter, Owner shall ensure immediate and future compliance with 40 C.F.R. Part 61, Subpart M, as adopted in ADEM Admin. Code r. 335-3-11-.02, particularly as it applies to renovation and demolition operations.

C. That, should any provision of this Order be declared by a court of competent jurisdiction or the Environmental Management Commission to be inconsistent with Federal or State law and therefore unenforceable, the remaining provisions hereof shall remain in full force and effect.

D. Except as otherwise set forth herein, this Order is not and shall not be interpreted to be a permit or modification of an existing permit under federal, State or local law, and shall not be construed to waive or relieve Owner of their obligations to comply in the future with any permit or other written direction from the Department.

E. That, issuance of this Administrative Order does not preclude the Department from seeking criminal fines or other appropriate sanctions or relief against Owner for the violations cited herein.

F. That, failure to comply with the provisions of this Administrative Order shall constitute cause for commencement of legal action by the Department against Owner for recovery of additional civil penalties, criminal fines, or other appropriate sanctions or relief.

ORDERED and ISSUED this ____ day of _____, 2020.

Lance R. LeFleur, Director
Alabama Department of Environmental
Management
1400 Coliseum Boulevard
Montgomery, Alabama 36110-2059
(334) 271-7700

CERTIFICATE OF SERVICE

I, Ronald W. Gore, do hereby certify that I have served this Proposed Administrative Order upon the person(s) listed below by sending the same, postage paid, through the United States Mail **91 7199 9991 7039 2980 5892** with instructions to forward and return receipt, to:

Mr. Jay Evans
ROAR, L.L.C.
P.O. Box 20303
Tuscaloosa, Alabama 35402

DONE this the 10th day of January, 2020.



Ronald W. Gore
Chief - Air Division
Alabama Department of
Environmental Management

ATTACHMENT A

ROAR, L.L.C.

Demolition of Commercial Property Tuscaloosa, Tuscaloosa County

Violation*	Number of Violations*	Seriousness of Violation*	Standard of Care*	History of Previous Violations*	
Failure to notify the Department before demolishing the Site	1	\$500	\$500	\$0	
Failure to have Site inspected by an Alabama certified asbestos inspector	1	\$500	\$500		Total of Three Factors
TOTAL PER FACTOR		\$1,000	\$1,000	\$0	\$2,000

Adjustments to Amount of Initial Penalty	
Mitigating Factors (-)	
Ability to Pay (-)	
Other Factors (+/-)	
Total Adjustments (+/-) <i>Enter at Right</i>	\$0

Economic Benefit (+)	\$1,000
Amount of Initial Penalty	\$3,000
Total Adjustments (+/-)	\$0
FINAL PENALTY	\$3,000.00

Footnotes

* See the "Department's Findings" portion of the Order for a detailed description of each violation and the penalty factors.