LANCE R. LEFLEUR DIRECTOR



KAY IVEY GOVERNOR

Alabama Department of Environmental Management adem.alabama.gov

JUNE 18, 2020 1400 Coliseum Blvd. 36110-2400 Post Office Box 301463 Montgomery, Alabama 36130-1463 (334) 271-7700 FAX (334) 271-7950

MR JASON COUNCILL VICE PRESIDENT AND GENERAL MANAGER KMG CHEMICALS 300 THROCKMORTON STREET FORT WORTH TX 76102

RE: DRAFT PERMIT NPDES PERMIT NUMBER: AL0084085

Dear Mr. Councill:

Transmitted herein is a draft of the referenced permit.

We would appreciate your comments on the permit within 30 days of the date of this letter. Please direct any comments of a technical or administrative nature to the undersigned.

By copy of this letter and the draft permit, we are also requesting comments within the same time frame from EPA.

Please be aware that Part I.C.1.c of your permit requires that you apply for participation in the Department's web-based electronic environmental (E2) reporting system for submittal of DMRs immediately upon issuance of this permit unless valid justification as to why you cannot participate is submitted in writing. After issuance of the permit, hard copy DMRs may be used only with written approval from the Department. The E2 DMR system allows ADEM to electronically validate, acknowledge receipt, and upload data to the state's central wastewater database. This improves the accuracy of reported compliance data and reduces costs to both the regulated community and ADEM. The Permittee Participation Package may be downloaded online at <u>https://e2.adem.alabama.gov/npdes</u> or you may obtain a hard copy by submitting a written request or by e-mailing e2admin@adem.alabama.gov.

The Alabama Department of Environmental Management encourages you to voluntarily consider pollution prevention practices and alternatives at your facility. Pollution Prevention may assist you in complying with effluent limitations, and possibly reduce or eliminate monitoring requirements.

Should you have any questions, please contact Wayne Holt by e-mail at WHolt@adem.alabama.gov or by phone at (334) 271-7847.

Sincere

Scott Ramsey, Chief Industrial Section Industrial/Municipal Branch Water Division

Enclosure:

Draft Permit

pc via website:

Montgomery Field Office EPA Region IV U.S. Fish & Wildlife Service AL Historical Commission

Advisory Council on Historic Preservation Department of Conservation and Natural Resources

Birmingham Branch 110 Vulcan Road Birmingham, AL 35209-4702 (205) 942-6168 (205) 941-1603 (FAX) Decatur Branch 2715 Sandlin Road, S.W. Decatur, AL 35603-1333 (256) 353-1713 (256) 340-9359 (FAX)



Mobile Branch 2204 Perimeter Road Mobile, AL 36615-1131 (251) 450-3400 (251) 479-2593 (FAX) Mobile-Coastal 3664 Dauphin Street, Suite B Mobile, AL 36608 (251) 304-1176 (251) 304-1189 (FAX)





NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

PERMITTEE: KMG BERNUTH

FACILITY LOCATION: 2901 3RD STREET TUSCALOOSA, AL 35401

PERMIT NUMBER: AL0084085

RECEIVING WATERS: 001: BLACK WARRIOR RIVER (VIA TUSCALOOSA MS4 SYSTEM)

In accordance with and subject to the provisions of the Federal Water Pollution Control Act, as amended, 33 U.S.C. SI251-1388 (the "FWPCA"), the Alabama Water Pollution Control Act, as amended, Code of Alabama 1975, SI2-22-14 (the "AWPCA"), the Alabama Environmental Management Act, as amended, Code of Alabama 1975, SI2-22-14 (the "AWPCA"), the Alabama Environmental Management Act, as amended, Code of Alabama 1975, SI2-22-14 (the "AWPCA"), the Alabama Environmental Management Act, as amended, Code of Alabama 1975, SI2-22-17, and rules and regulations adopted thereunder, and subject further to the terms and conditions set forth in this permit, the Permittee is hereby authorized to discharge into the above-named receiving waters.

ISSUANCE DATE:

EFFECTIVE DATE:

EXPIRATION DATE:

Draft Alabama Department of Environmental Management

INDUSTRIAL SECTION NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMIT

TABLE OF CONTENTS

PART I	DISCHARGE LIMITATIONS, CONDITIONS, AND REQUIREMENTS	1
А.	DISCHARGE LIMITATIONS AND MONITORING REQUIREMENTS	1
В.	DISCHARGE MONITORING AND RECORD KEEPING REQUIREMENTS	2
	1. Representative Sampling	
	 Test Procedures	
	 Records Retention and Production 	
	5. Monitoring Equipment and Instrumentation	3
C.	DISCHARGE REPORTING REQUIREMENTS	
	1. Reporting of Monitoring Requirements	
D	2. Noncompliance Notification OTHER REPORTING AND NOTIFICATION REQUIREMENTS	
D.		
	 Anticipated Noncompliance	
	3. Updating Information	6
	 Duty to Provide Information	
	 6. Permit Issued Based On Estimated Characteristics 	
E.	SCHEDULE OF COMPLIANCE	7
PART II	OTHER REQUIREMENTS, RESPONSIBILITIES, AND DUTIES	8
А.	OPERATIONAL AND MANAGEMENT REQUIREMENTS	
	1. Facilities Operation and Maintenance	
	 Best Management Practices	
B.	OTHER RESPONSIBILITIES	
D.	1. Duty to Mitigate Adverse Impacts	
	 Right of Entry and Inspection 	
C.	BYPASS AND UPSET	8
	1. Bypass	
_	2. Upset	
D.	DUTY TO COMPLY WITH PERMIT, RULES, AND STATUTES	
	Duty to Comply Removed Substances	
	 Loss or Failure of Treatment Facilities	
	4. Compliance with Statutes and Rules	
E.	PERMIT TRANSFER, MODIFICATION, SUSPENSION, REVOCATION, AND REISSUANCE	
	 Duty to Reapply or Notify of Intent to Cease Discharge	
	 Change in Discharge	
	4. Permit Modification and Revocation	
	 Permit Termination	
	 Request for Permit Action Does Not Stay Any Permit Requirement 	
F.	COMPLIANCE WITH TOXIC POLLUTANT STANDARD OR PROHIBITION	12
G.	DISCHARGE OF WASTEWATER GENERATED BY OTHERS	12
PART III	OTHER PERMIT CONDITIONS	13
А.	CIVIL AND CRIMINAL LIABILITY	
В.	OIL AND HAZARDOUS SUBSTANCE LIABILITY	
C.	PROPERTY AND OTHER RIGHTS	13
D.	AVAILABILITY OF REPORTS	
Е.	EXPIRATION OF PERMITS FOR NEW OR INCREASED DISCHARGES	
F.	COMPLIANCE WITH WATER QUALITY STANDARDS	
G.	GROUNDWATER	
H.	DEFINITIONS	
I.	SEVERABILITY	
PART IV	ADDITIONAL REQUIREMENTS, CONDITIONS, AND LIMITATIONS	
A. D	BEST MANAGEMENT PRACTICES (BMP) PLAN REQUIREMENTS	
В.	STORMWATER FLOW MEASUREMENT AND SAMPLING REQUIREMENTS	19

PART I DISCHARGE LIMITATIONS, CONDITIONS, AND REQUIREMENTS

A. DISCHARGE LIMITATIONS AND MONITORING REQUIREMENTS

During the period beginning on the effective date of this permit and lasting through the expiration date of this permit, the permittee is authorized to discharge from the following point source(s) outfall(s), described more fully in the permittee's application:

DSN001Q: Stomwater associated with the production of wood preserving chemicals. 3/

Such discharge shall be limited and monitored by the permittee as specified below:

	DISCHARGE	LIMITATIONS	<u>S</u>			MONITORING F	REQUIREMENTS 1/	
EFFLUENT CHARACTERISTIC	<u>Monthly</u> Average	<u>Daily</u> <u>Maximum</u>	<u>Daily</u> <u>Minimum</u>	<u>Monthly</u> <u>Average</u>	<u>Daily</u> <u>Maximum</u>	<u>Measurement</u> <u>Frequency 2/</u>	Sample Type	<u>Seasonal</u>
рН	-	-	6.0 S.U.	-	9.0 S.U.	Quarterly	Grab	-
Solids, Total Suspended	-	-	-	-	REPORT mg/l	Quarterly	Grab	-
Oil & Grease	-	-	-	-	15 mg/l	Quarterly	Grab	-
Pentachlorophenol	-	-	-	-	REPORT mg/l	Quarterly	Grab	-
4,4-DDT (P,P-DDT)	-	-	-	-	REPORT mg/l	Quarterly	Grab	-
Methoxychlor	-	-	-	-	REPORT mg/l	Quarterly	Grab	-
Flow, In Conduit or Thru Treatment Plant	-	REPORT MGD	-	-	-	Quarterly	Estimate	-
Chemical Oxygen Demand (COD)	-	-	-	-	REPORT mg/l	Quarterly	Grab	-

THE DISCHARGE SHALL HAVE NO SHEEN, AND THERE SHALL BE NO DISCHARGE OF VISIBLE OIL, FLOATING SOLIDS OR VISIBLE FOAM IN OTHER THAN TRACE AMOUNTS.

- 1/ Samples collected to comply with the monitoring requirements specified above shall be collected at the following location: At the nearest accessible location just prior to discharge and after final treatment. Unless otherwise specified, composite samples shall be time composite samples collected using automatic sampling equipment or a minimum of eight (8) equal volume grab samples collected over equal time intervals. All composite samples shall be collected for the total period of discharge not to exceed 24 hours.
- 2/ If only one sampling event occurs during a month, the sample result shall be reported on the discharge monitoring report as both the monthly average and daily maximum value for all parameters with a monthly average limitation.

3/ See Part IV.A for Best Management Practices (BMP) Plan Requirements.

4/ See Part IV.B for Stormwater Measurement and Sampling Requirements.

B. DISCHARGE MONITORING AND RECORD KEEPING REQUIREMENTS

1. Representative Sampling

Samples and measurements taken as required herein shall be representative of the volume and nature of the monitored discharge and shall be in accordance with the provisions of this permit.

2. Test Procedures

For the purpose of reporting and compliance, permittees shall use one of the following procedures:

- a. For parameters with an EPA established Minimum Level (ML), report the measured value if the analytical result is at or above the ML and report "0" for values below the ML. Test procedures for the analysis of pollutants shall conform to 40 CFR Part 136 and guidelines published pursuant to Section 304(h) of the FWPCA, 33 U.S.C. Section 1314(h). If more than one method for analysis of a substance is approved for use, a method having a minimum level lower than the permit limit shall be used. If the minimum level of all methods is higher than the permit limit, the method having the lowest minimum level shall be used and a report of less than the minimum level shall be reported as zero and will constitute compliance; however, should EPA approve a method with a lower minimum level during the term of this permit the permit the newly approved method.
- b. For pollutants parameters without an established ML, an interim ML may be utilized. The interim ML shall be calculated as 3.18 times the Method Detection Level (MDL) calculated pursuant to 40 CFR Part 136, Appendix B.

Permittees may develop an effluent matrix-specific ML, where an effluent matrix prevents attainment of the established ML. However, a matrix specific ML shall be based upon proper laboratory method and technique. Matrix-specific MLs must be approved by the Department, and may be developed by the permittee during permit issuance, reissuance, modification, or during compliance schedule.

In either case the measured value should be reported if the analytical result is at or above the ML and "0" reported for values below the ML.

c. For parameters without an EPA established ML, interim ML, or matrix-specific ML, a report of less than the detection limit shall constitute compliance if the detection limit of all analytical methods is higher than the permit limit using the most sensitive EPA approved method. For the purpose of calculating a monthly average, "0" shall be used for values reported less than the detection limit.

The Minimum Level utilized for procedures A and B above shall be reported on the permittee's DMR. When an EPA approved test procedure for analysis of a pollutant does not exist, the Director shall approve the procedure to be used.

3. Recording of Results

For each measurement or sample taken pursuant to the requirements of this permit, the permittee shall record the following information:

- a. The facility name and location, point source number, date, time and exact place of sampling;
- b. The name(s) of person(s) who obtained the samples or measurements;
- c. The dates and times the analyses were performed;
- d. The name(s) of the person(s) who performed the analyses;
- e. The analytical techniques or methods used, including source of method and method number; and
- f. The results of all required analyses.
- 4. Records Retention and Production

The permittee shall retain records of all monitoring information, including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation, copies of all reports required by the permit, and records of all data used to complete the above reports or the application for this permit, for a period of at least three years from the date of the sample measurement, report or application. This period may be extended by request of the Director at any time. If litigation or other enforcement action, under the AWPCA and/or the FWPCA, is ongoing which involves any of the above records, the records shall be kept until the litigation is resolved. Upon the written request of the Director or his designee, the permittee shall provide the Director with a copy of any record required to be retained by this paragraph. Copies of these records shall not be submitted unless requested.

All records required to be kept for a period of three years shall be kept at the permitted facility or an alternate location approved by the Department in writing and shall be available for inspection.

5. Monitoring Equipment and Instrumentation

All equipment and instrumentation used to determine compliance with the requirements of this permit shall be installed, maintained, and calibrated in accordance with the manufacturer's instructions or, in the absence of manufacturer's instructions, in accordance with accepted practices. The permittee shall develop and maintain quality assurance procedures to ensure proper operation and maintenance of all equipment and instrumentation. The quality assurance procedures shall include the proper use, maintenance, and installation, when appropriate, of monitoring equipment at the plant site.

C. DISCHARGE REPORTING REQUIREMENTS

- 1. Reporting of Monitoring Requirements
 - a. The permittee shall conduct the required monitoring in accordance with the following schedule:

MONITORING REQUIRED MORE FREQUENTLY THAN MONTHLY AND MONTHLY shall be conducted during the first full month following the effective date of coverage under this permit and every month thereafter.

QUARTERLY MONITORING shall be conducted at least once during each calendar quarter. Calendar quarters are the periods of January through March, April through June, July through September, and October through December. The permittee shall conduct the quarterly monitoring during the first complete calendar quarter following the effective date of this permit and is then required to monitor once during each quarter thereafter. Quarterly monitoring may be done anytime during the quarter, unless restricted elsewhere in this permit, but it should be submitted with the last DMR due for the quarter, i.e., (March, June, September and December DMR's).

SEMIANNUAL MONITORING shall be conducted at least once during the period of January through June and at least once during the period of July through December. The permittee shall conduct the semiannual monitoring during the first complete calendar semiannual period following the effective date of this permit and is then required to monitor once during each semiannual period thereafter. Semiannual monitoring may be done anytime during the semiannual period, unless restricted elsewhere in this permit, but it should be submitted with the last DMR for the month of the semiannual period, i.e. (June and December DMR's).

ANNUAL MONITORING shall be conducted at least once during the period of January through December. The permittee shall conduct the annual monitoring during the first complete calendar annual period following the effective date of this permit and is then required to monitor once during each annual period thereafter. Annual monitoring may be done anytime during the year, unless restricted elsewhere in this permit, but it should be submitted with the December DMR.

b. The permittee shall submit discharge monitoring reports (DMRs) on the forms provided by the Department and in accordance with the following schedule:

REPORTS OF MORE FREQUENTLY THAN MONTHLY AND MONTHLY TESTING shall be submitted on a **monthly** basis. The first report is due on the **28th day of (MONTH, YEAR)**. The reports shall be submitted so that they are received by the Department no later than the 28th day of the month following the reporting period.

REPORTS OF QUARTERLY TESTING shall be submitted on a **quarterly** basis. The first report is due on the **28th day of [Month, Year].** The reports shall be submitted so that they are received by the Department no later than the 28th day of the month following the reporting period.

REPORTS OF SEMIANNUAL TESTING shall be submitted on a semiannual basis. The reports are due on the 28th day of JANUARY and the 28th day of JULY. The reports shall be submitted so that they are received by the Department no later than the 28th day of the month following the reporting period.

REPORTS OF ANNUAL TESTING shall be submitted on an annual basis. The first report is due on the 28th day of JANUARY. The reports shall be submitted so that they are received by the Department no later than the 28th day of the month following the reporting period.

- c. Except as allowed by Provision I.C.1.c.(1) or (2), the permittee shall submit all Discharge Monitoring Reports (DMRs) required by Provision I.C.1.b by utilizing the Department's web-based Electronic Environmental (E2) Reporting System.
 - (1) If the permittee is unable to complete the electronic submittal of DMR data due to technical problems originating with the Department's E2 Reporting system (this could include entry/submittal issues with an entire set of DMRs or individual parameters), the permittee is not relieved of their obligation to submit DMR data to the Department by the date specified in Provision I.C.1.b, unless otherwise directed by the Department.

If the E2 Reporting System is down on the 28th day of the month in which the DMR is due or is down for an extended period of time, as determined by the Department, when a DMR is required to be submitted, the permittee may submit the data in an alternate manner and format acceptable to the Department. Preapproved alternate acceptable methods include faxing, e-mailing, mailing, or hand-delivery of data such that they are received by the required reporting date. Within 5 calendar days of the E2 Reporting System resuming operation, the permittee shall enter the data into the E2 Reporting System, unless an alternate timeframe is approved by the Department. An attachment should be included with the E2 DMR submittal verifying the original submittal date (date of the fax, copy of the dated e-mail, or hand-delivery stamped date), if applicable.

(2) The permittee may submit a request to the Department for a temporary electronic reporting waiver for DMR submittals. The waiver request should include the permit number; permittee name; facility/site name; facility address; name, address, and contact information for the responsible official or duly authorized representative; a detailed statement regarding the basis for requesting such a waiver; and the duration for which the waiver is requested. Approved electronic reporting waivers are not transferrable.

Permittees with an approved electronic reporting waiver for DMRs may submit hard copy DMRs for the period that the approved electronic reporting waiver request is effective. The permittee shall submit the Department-approved DMR forms to the address listed in Provision I.C.1.e.

- (3) If a permittee is allowed to submit a hard copy DMR, the DMR must be legible and bear an original signature. Photo and electronic copies of the signature are not acceptable and shall not satisfy the reporting requirements of this permit.
- (4) If the permittee, using approved analytical methods as specified in Provision I.B.2, monitors any discharge from a point source for a limited substance identified in Provision I.A. of this permit more frequently than required by this permit, the results of such monitoring shall be included in the calculation and reporting of values on the DMR and the increased frequency shall be indicated on the DMR.
- (5) In the event no discharge from a point source identified in Provision I.A. of this permit and described more fully in the permittee's application occurs during a monitoring period, the permittee shall report "No Discharge" for such period on the appropriate DMR.
- d. All reports and forms required to be submitted by this permit, the AWPCA and the Department's Rules, shall be electronically signed (or, if allowed by the Department, traditionally signed) by a "responsible official" of the permittee as defined in ADEM Administrative Code Rule 335-6-6-.09 or a "duly authorized representative" of such official as defined in ADEM Administrative Code Rule 335-6-6-.09 and shall bear the following certification:

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

e. Discharge Monitoring Reports required by this permit, the AWPCA, and the Department's Rules that are being submitted in hard copy shall be addressed to:

Alabama Department of Environmental Management Permits and Services Division Environmental Data Section Post Office Box 301463 Montgomery, Alabama 36130-1463

Certified and Registered Mail containing Discharge Monitoring Reports shall be addressed to:

Alabama Department of Environmental Management Permits and Services Division Environmental Data Section 1400 Coliseum Boulevard Montgomery, Alabama 36110-2400

All other correspondence and reports required to be submitted by this permit, the AWPCA, and the Department's Rules shall be addressed to:

Alabama Department of Environmental Management

f.

Water Division Post Office Box 301463 Montgomery, Alabama 36130-1463

Certified and Registered Mail shall be addressed to:

Alabama Department of Environmental Management Water Division 1400 Coliseum Boulevard Montgomery, Alabama 36110-2400

- g. If this permit is a re-issuance, then the permittee shall continue to submit DMRs in accordance with the requirements of their previous permit until such time as DMRs are due as discussed in Part I.C.1.b above.
- 2. Noncompliance Notification
 - a. 24-Hour Noncompliance Reporting

The permittee shall report to the Director, within 24-hours of becoming aware of the noncompliance, any noncompliance which may endanger health or the environment. This shall include but is not limited to the following circumstances:

- (1) does not comply with any daily minimum or maximum discharge limitation for an effluent characteristic specified in Provision I. A. of this permit which is denoted by an "(X)";
- (2) threatens human health or welfare, fish or aquatic life, or water quality standards;
- (3) does not comply with an applicable toxic pollutant effluent standard or prohibition established under Section 307(a) of the FWPCA, 33 U.S.C. Section 1317(a);
- (4) contains a quantity of a hazardous substance which has been determined may be harmful to public health or welfare under Section 311(b)(4) of the FWPCA, 33 U.S.C. Section 1321(b)(4);
- (5) exceeds any discharge limitation for an effluent characteristic as a result of an unanticipated bypass or upset; and
- (6) is an unpermitted direct or indirect discharge of a pollutant to a water of the state (unpermitted discharges properly reported to the Department under any other requirement are not required to be reported under this provision).

The permittee shall orally report the occurrence and circumstances of such discharge to the Director within 24-hours after the permittee becomes aware of the occurrence of such discharge. In addition to the oral report, the permittee shall submit to the Director or Designee a written report as provided in Part I.C.2.c no later than five (5) days after becoming aware of the occurrence of such discharge.

- b. If for any reason, the permittee's discharge does not comply with any limitation of this permit, the permittee shall submit to the Director or Designee a written report as provided in Part I.C.2.c below, such report shall be submitted with the next Discharge Monitoring Report required to be submitted by Part I.C.1 of this permit after becoming aware of the occurrence of such noncompliance.
- c. Any written report required to be submitted to the Director or Designee by Part I.C.2 a. or b. shall be submitted using a Noncompliance Notification Form (ADEM Form 421) available on the Department's website (<u>http://adem.alabama.gov/DeptForms/Form421.pdf</u>) and include the following information:
 - (1) A description of the discharge and cause of noncompliance;
 - (2) The period of noncompliance, including exact dates and times or, if not corrected, the anticipated time the noncompliance is expected to continue; and
 - (3) A description of the steps taken and/or being taken to reduce or eliminate the noncomplying discharge and to prevent its recurrence.

D. OTHER REPORTING AND NOTIFICATION REQUIREMENTS

1. Anticipated Noncompliance

The permittee shall give the Director written advance notice of any planned changes or other circumstances regarding a facility which may result in noncompliance with permit requirements.

2. Termination of Discharge

The permittee shall notify the Director, in writing, when all discharges from any point source(s) identified in Provision I. A. of this permit have permanently ceased. This notification shall serve as sufficient cause for instituting procedures for modification or termination of the permit.

- 3. Updating Information
 - a. The permittee shall inform the Director of any change in the permittee's mailing address, telephone number or in the permittee's designation of a facility contact or office having the authority and responsibility to prevent and abate violations of the AWPCA, the Department's Rules, and the terms and conditions of this permit, in writing, no later than ten (10) days after such change. Upon request of the Director or his designee, the permittee shall furnish the Director with an update of any information provided in the permit application.
 - b. If the permittee becomes aware that it failed to submit any relevant facts in a permit application, or submitted incorrect information in a permit application or in any report to the Director, it shall promptly submit such facts or information with a written explanation for the mistake and/or omission.
- 4. Duty to Provide Information

The permittee shall furnish to the Director, within a reasonable time, any information which the Director or his designee may request to determine whether cause exists for modifying, revoking and re-issuing, suspending, or terminating this permit, in whole or in part, or to determine compliance with this permit.

- 5. Cooling Water and Boiler Water Additives
 - a. The permittee shall notify the Director in writing not later than thirty (30) days prior to instituting the use of any biocide corrosion inhibitor or chemical additive in a cooling or boiler system, not identified in the application for this permit, from which discharge is allowed by this permit. Notification is not required for additives that do not contain a heavy metal(s) as an active ingredient and that pass through a wastewater treatment system prior to discharge nor is notification required for additives that should not reasonably be expected to cause the cooling water or boiler water to exhibit toxicity as determined by analysis of manufacturer's data or testing by the permittee. Such notification shall include:
 - (1) name and general composition of biocide or chemical;
 - (2) 96-hour median tolerance limit data for organisms representative of the biota of the waterway into which the discharge will ultimately reach;
 - (2) quantities to be used;
 - (3) frequencies of use;
 - (4) proposed discharge concentrations; and
 - (6) EPA registration number, if applicable.
 - b. The use of a biocide or additive containing tributyl tin, tributyl tin oxide, zinc, chromium or related compounds in cooling or boiler system(s), from which a discharge regulated by this permit occurs, is prohibited except as exempted below. The use of a biocide or additive containing zinc, chromium or related compounds may be used in special circumstances if (1) the permit contains limits for these substances, or (2) the applicant demonstrates during the application process that the use of zinc, chromium or related compounds as a biocide or additive will not pose a reasonable potential to violate the applicable State water quality standards for these substances. The use of any additive, not identified in this permit or in the application for this permit or not exempted from notification under this permit is prohibited, prior to a determination by the Department that permit modification to control discharge of the additive.
- 6. Permit Issued Based On Estimated Characteristics

- a. If this permit was issued based on estimates of the characteristics of a process discharge reported on an EPA NPDES Application Form 2D (EPA Form 3510-2D), the permittee shall complete and submit an EPA NPDES Application Form 2C (EPA Form 3510-2C) no later than two years after the date that discharge begins. Sampling required for completion of the Form 2C shall occur when a discharge(s) from the process(s) causing the new or increased discharge is occurring. If this permit was issued based on estimates concerning the composition of a stormwater discharge(s), the permittee shall perform the sampling required by EPA NPDES Application Form 2F (EPA Form 3510-2F) no later than one year after the industrial activity generating the stormwater discharge has been fully initiated.
- b. This permit shall be reopened if required to address any new information resulting from the completion and submittal of the Form 2C and or 2F.

E. SCHEDULE OF COMPLIANCE

1. The permittee shall achieve compliance with the discharge limitations specified in Provision I. A. in accordance with the following schedule:

COMPLIANCE SHALL BE ATTAINED ON THE EFFECTIVE DATE OF THIS PERMIT

2. No later than 14 calendar days following a date identified in the above schedule of compliance, the permittee shall submit either a report of progress or, in the case of specific actions being required by identified dates, a written notice of compliance or noncompliance. In the latter case, the notice shall include the cause of noncompliance, any remedial actions taken, and the probability of meeting the next scheduled requirement.

PART II OTHER REQUIREMENTS, RESPONSIBILITIES, AND DUTIES

A. OPERATIONAL AND MANAGEMENT REQUIREMENTS

1. Facilities Operation and Maintenance

The permittee shall at all times properly operate and maintain all facilities and systems of treatment and control (and related appurtenances) which are installed or used by the permittee to achieve compliance with the conditions of the permit. Proper operation and maintenance includes effective performance, adequate funding, adequate operator staffing and training, and adequate laboratory and process controls, including appropriate quality assurance procedures. This provision requires the operation of backup or auxiliary facilities only when necessary to achieve compliance with the conditions of the permit.

- 2. Best Management Practices
 - a. Dilution water shall not be added to achieve compliance with discharge limitations except when the Director or his designee has granted prior written authorization for dilution to meet water quality requirements.
 - b. The permittee shall prepare, implement, and maintain a Spill Prevention, Control and Countermeasures (SPCC) Plan in accordance with 40 C.F.R. Section 112 if required thereby.
 - c. The permittee shall prepare, submit for approval and implement a Best Management Practices (BMP) Plan for containment of any or all process liquids or solids, in a manner such that these materials do not present a significant potential for discharge, if so required by the Director or his designee. When submitted and approved, the BMP Plan shall become a part of this permit and all requirements of the BMP Plan shall become requirements of this permit.
- 3. Spill Prevention, Control, and Management

The permittee shall provide spill prevention, control, and/or management sufficient to prevent any spills of pollutants from entering a water of the state or a publicly or privately owned treatment works. Any containment system used to implement this requirement shall be constructed of materials compatible with the substance(s) contained and which shall prevent the contamination of groundwater and such containment system shall be capable of retaining a volume equal to 110 percent of the capacity of the largest tank for which containment is provided.

B. OTHER RESPONSIBILITIES

1. Duty to Mitigate Adverse Impacts

The permittee shall promptly take all reasonable steps to mitigate and minimize or prevent any adverse impact on human health or the environment resulting from noncompliance with any discharge limitation specified in Provision I. A. of this permit, including such accelerated or additional monitoring of the discharge and/or the receiving waterbody as necessary to determine the nature and impact of the noncomplying discharge.

2. Right of Entry and Inspection

The permittee shall allow the Director, or an authorized representative, upon the presentation of proper credentials and other documents as may be required by law to:

- a. enter upon the permittee's premises where a regulated facility or activity or point source is located or conducted, or where records must be kept under the conditions of the permit;
- b. have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit;
- c. inspect any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under the permit; and
- d. sample or monitor, for the purposes of assuring permit compliance or as otherwise authorized by the AWPCA, any substances or parameters at any location.

C. BYPASS AND UPSET

1. Bypass

- a. Any bypass is prohibited except as provided in b. and c. below:
- b. A bypass is not prohibited if:
 - (1) It does not cause any discharge limitation specified in Provision I. A. of this permit to be exceeded;

- (2) It enters the same receiving stream as the permitted outfall; and
- (3) It is necessary for essential maintenance of a treatment or control facility or system to assure efficient operation of such facility or system.
- c. A bypass is not prohibited and need not meet the discharge limitations specified in Provision I. A. of this permit if:
 - (1) It is unavoidable to prevent loss of life, personal injury, or severe property damage;
 - (2) There are no feasible alternatives to the bypass, such as the use of auxiliary treatment facilities, retention of untreated wastes, or maintenance during normal periods of equipment downtime (this condition is not satisfied if adequate back-up equipment should have been installed in the exercise of reasonable engineering judgment to prevent a bypass which occurred during normal periods of equipment downtime or preventive maintenance); and
 - (3) The permittee submits a written request for authorization to bypass to the Director at least ten (10) days prior to the anticipated bypass (if possible), the permittee is granted such authorization, and the permittee complies with any conditions imposed by the Director to minimize any adverse impact on human health or the environment resulting from the bypass.
- d. The permittee has the burden of establishing that each of the conditions of Provision II.C.1.b. or c. have been met to qualify for an exception to the general prohibition against bypassing contained in a. and an exemption, where applicable, from the discharge limitations specified in Provision I. A. of this permit.

2. Upset

- a. A discharge which results from an upset need not meet the discharge limitations specified in Provision I. A. of this permit if:
 - (1) No later than 24-hours after becoming aware of the occurrence of the upset, the permittee orally reports the occurrence and circumstances of the upset to the Director or his designee; and
 - (2) No later than five (5) days after becoming aware of the occurrence of the upset, the permittee furnishes the Director with evidence, including properly signed, contemporaneous operating logs, or other relevant evidence, demonstrating that (i) an upset occurred; (ii) the permittee can identify the specific cause(s) of the upset; (iii) the permittee's facility was being properly operated at the time of the upset; and (iv) the permittee promptly took all reasonable steps to minimize any adverse impact on human health or the environment resulting from the upset.
- b. The permittee has the burden of establishing that each of the conditions of Provision II. C.2.a. of this permit have been met to qualify for an exemption from the discharge limitations specified in Provision I.A. of this permit.

D. DUTY TO COMPLY WITH PERMIT, RULES, AND STATUTES

- 1. Duty to Comply
 - a. The permittee must comply with all conditions of this permit. Any permit noncompliance constitutes a violation of the AWPCA and the FWPCA and is grounds for enforcement action, for permit termination, revocation and reissuance, suspension, modification; or denial of a permit renewal application.
 - b. The necessity to halt or reduce production or other activities in order to maintain compliance with the conditions of the permit shall not be a defense for a permittee in an enforcement action.
 - c. The discharge of a pollutant from a source not specifically identified in the permit application for this permit and not specifically included in the description of an outfall in this permit is not authorized and shall constitute noncompliance with this permit.
 - d. The permittee shall take all reasonable steps, including cessation of production or other activities, to minimize or prevent any violation of this permit or to minimize or prevent any adverse impact of any permit violation.
 - e. Nothing in this permit shall be construed to preclude and negate the permittee's responsibility or liability to apply for, obtain, or comply with other ADEM, Federal, State, or Local Government permits, certifications, licenses, or other approvals.
- 2. Removed Substances

Solids, sludges, filter backwash, or any other pollutant or other waste removed in the course of treatment or control of wastewaters shall be disposed of in a manner that complies with all applicable Department Rules.

3. Loss or Failure of Treatment Facilities

Upon the loss or failure of any treatment facilities, including but not limited to the loss or failure of the primary source of power of the treatment facility, the permittee shall, where necessary to maintain compliance with the discharge limitations specified in Provision I. A. of this permit, or any other terms or conditions of this permit, cease, reduce, or otherwise control production and/or all discharges until treatment is restored. If control of discharge during loss or failure of the primary source of power is to be accomplished by means of alternate power sources, standby generators, or retention of inadequately treated effluent, the permittee must furnish to the Director within six months a certification that such control mechanisms have been installed.

- 4. Compliance with Statutes and Rules
 - a. This permit has been issued under ADEM Administrative Code, Chapter 335-6-6. All provisions of this chapter, that are applicable to this permit, are hereby made a part of this permit. A copy of this chapter may be obtained for a small charge from the Office of General Counsel, Alabama Department of Environmental Management, 1400 Coliseum Blvd., Montgomery, AL 36130.
 - b. This permit does not authorize the noncompliance with or violation of any Laws of the State of Alabama or the United States of America or any regulations or rules implementing such laws. FWPCA, 33 U.S.C. Section 1319, and Code of Alabama 1975, Section 22-22-14.

E. PERMIT TRANSFER, MODIFICATION, SUSPENSION, REVOCATION, AND REISSUANCE

- 1. Duty to Reapply or Notify of Intent to Cease Discharge
 - a. If the permittee intends to continue to discharge beyond the expiration date of this permit, the permittee shall file a complete permit application for reissuance of this permit at least 180 days prior to its expiration. If the permittee does not intend to continue discharge beyond the expiration of this permit, the permittee shall submit written notification of this intent which shall be signed by an individual meeting the signatory requirements for a permit application as set forth in ADEM Administrative Code Rule 335-6-6-.09.
 - b. Failure of the permittee to apply for reissuance at least 180 days prior to permit expiration will void the automatic continuation of the expiring permit provided by ADEM Administrative Code Rule 335-6-6-.06 and should the permit not be reissued for any reason any discharge after expiration of this permit will be an unpermitted discharge.
- 2. Change in Discharge
 - a. The permittee shall apply for a permit modification at least 180 days in advance of any facility expansion, production increase, process change, or other action that could result in the discharge of additional pollutants or increase the quantity of a discharged pollutant such that existing permit limitations would be exceeded or that could result in an additional discharge point. This requirement applies to pollutants that are or that are not subject to discharge limitations in this permit. No new or increased discharge may begin until the Director has authorized it by issuance of a permit modification or a reissued permit.
 - b. The permittee shall notify the Director as soon as it is known or there is reason to believe:
 - (1) That any activity has occurred or will occur which would result in the discharge on a routine or frequent basis, of any toxic pollutant which is not limited in this permit, if that discharge will exceed the highest of the following notification levels:
 - (a) one hundred micrograms per liter;
 - (b) two hundred micrograms per liter for acrolein and acrylonitrile; five hundred micrograms per liter for 2,4-dinitrophenol and for 2-methyl-4,6-dini-trophenol; and one milligram per liter for antimony;
 - (c) five times the maximum concentration value reported for that pollutant in the permit application; or
 - (2) That any activity has occurred or will occur which would result in any discharge, on a non-routine or infrequent basis, of a toxic pollutant which is not limited in the permit, if that discharge will exceed the highest of the following notification levels:
 - (a) five hundred micrograms per liter;
 - (b) one milligram per liter for antimony;
 - (c) ten times the maximum concentration value reported for that pollutant in the permit application.

3. Transfer of Permit

This permit may not be transferred or the name of the permittee changed without notice to the Director and subsequent modification or revocation and reissuance of the permit to identify the new permittee and to incorporate any other changes as may be required under the FWPCA or AWPCA. In the case of a change in name, ownership or control of the permittee's premises only, a request for permit modification in a format acceptable to the Director is required at least 30 days prior to the change. In the case of a change in name, ownership or control of the permittee's premises accompanied by a change or proposed change in effluent characteristics, a complete permit application is required to be submitted to the Director at least 180 days prior to the change. Whenever the Director is notified of a change in name, ownership or control, he may decide not to modify the existing permit and require the submission of a new permit application.

- 4. Permit Modification and Revocation
 - a. This permit may be modified or revoked and reissued, in whole or in part, during its term for cause, including but not limited to, the following:
 - (1) If cause for termination under Provision II. E. 5. of this permit exists, the Director may choose to revoke and reissue this permit instead of terminating the permit;
 - (2) If a request to transfer this permit has been received, the Director may decide to revoke and reissue or to modify the permit; or
 - (3) If modification or revocation and reissuance is requested by the permittee and cause exists, the Director may grant the request.
 - b. This permit may be modified during its term for cause, including but not limited to, the following:
 - (1) If cause for termination under Provision II. E. 5. of this permit exists, the Director may choose to modify this permit instead of terminating this permit;
 - (2) There are material and substantial alterations or additions to the facility or activity generating wastewater which occurred after permit issuance which justify the application of permit conditions that are different or absent in the existing permit;
 - (3) The Director has received new information that was not available at the time of permit issuance and that would have justified the application of different permit conditions at the time of issuance;
 - (4) A new or revised requirement(s) of any applicable standard or limitation is promulgated under Sections 301(b)(2)(C), (D), (E), and (F), and 307(a)(2) of the FWPCA;
 - (5) Errors in calculation of discharge limitations or typographical or clerical errors were made;
 - (6) To the extent allowed by ADEM Administrative Code, Rule 335-6-6-.17, when the standards or regulations on which the permit was based have been changed by promulgation of amended standards or regulations or by judicial decision after the permit was issued;
 - (7) To the extent allowed by ADEM Administrative Code, Rule 335-6-6-.17, permits may be modified to change compliance schedules;
 - (8) To agree with a granted variance under 30l(c), 30l(g), 30l(h), 30l(k), or 3l6(a) of the FWPCA or for fundamentally different factors;
 - (9) To incorporate an applicable 307(a) FWPCA toxic effluent standard or prohibition;
 - (10) When required by the reopener conditions in this permit;
 - (11) When required under 40 CFR 403.8(e) (compliance schedule for development of pretreatment program);
 - (12) Upon failure of the state to notify, as required by Section 402(b)(3) of the FWPCA, another state whose waters may be affected by a discharge permitted by this permit;
 - (13) When required to correct technical mistakes, such as errors in calculation, or mistaken interpretations of law made in determining permit conditions; or
 - (14) When requested by the permittee and the Director determines that the modification has cause and will not result in a violation of federal or state law, regulations or rules.

5. Permit Termination

This permit may be terminated during its term for cause, including but not limited to, the following:

- a. Violation of any term or condition of this permit;
- b. The permittee's misrepresentation or failure to disclose fully all relevant facts in the permit application or during the permit issuance process or the permittee's misrepresentation of any relevant facts at any time;
- c. Materially false or inaccurate statements or information in the permit application or the permit;
- d. A change in any condition that requires either a temporary or permanent reduction or elimination of the permitted discharge;
- e. The permittee's discharge threatens human life or welfare or the maintenance of water quality standards;
- f. Permanent closure of the facility generating the wastewater permitted to be discharged by this permit or permanent cessation of wastewater discharge;
- g. New or revised requirements of any applicable standard or limitation that is promulgated under Sections 301(b)(2)(C), (D), (E), and (F), and 307(a)(2) of the FWPCA that the Director determines cannot be complied with by the permittee; or
- h. Any other cause allowed by the ADEM Administrative Code, Chapter 335-6-6.

6. Permit Suspension

This permit may be suspended during its term for noncompliance until the permittee has taken action(s) necessary to achieve compliance.

7. Request for Permit Action Does Not Stay Any Permit Requirement

The filing of a request by the permittee for modification, suspension or revocation of this permit, in whole or in part, does not stay any permit term or condition.

F. COMPLIANCE WITH TOXIC POLLUTANT STANDARD OR PROHIBITION

If any applicable effluent standard or prohibition (including any schedule of compliance specified in such effluent standard or prohibition) is established under Section 307(a) of the FWPCA, 33 U.S.C. Section 1317(a), for a toxic pollutant discharged by the permittee and such standard or prohibition is more stringent than any discharge limitation on the pollutant specified in Provision I. A. of this permit, or controls a pollutant not limited in Provision I. A. of this permit, this permit shall be modified to conform to the toxic pollutant effluent standard or prohibition and the permittee shall be notified of such modification. If this permit has not been modified to conform to the toxic pollutant effluent standard or prohibition before the effective date of such standard or prohibition, the permittee shall attain compliance with the requirements of the standard or prohibition within the time period required by the standard or prohibition and shall continue to comply with the standard or prohibition until this permit is modified or reissued.

G. DISCHARGE OF WASTEWATER GENERATED BY OTHERS

The discharge of wastewater, generated by any process, facility, or by any other means not under the operational control of the permittee or not identified in the application for this permit or not identified specifically in the description of an outfall in this permit is not authorized by this permit.

PART III OTHER PERMIT CONDITIONS

A. CIVIL AND CRIMINAL LIABILITY

1. Tampering

Any person who falsifies, tampers with, or knowingly renders inaccurate any monitoring device or method required to be maintained or performed under the permit shall, upon conviction, be subject to penalties as provided by the AWPCA.

2. False Statements

Any person who knowingly makes any false statement, representation, or certification in any record or other document submitted or required to be maintained under this permit, including monitoring reports or reports of compliance or noncompliance shall, upon conviction, be subject to penalties as provided by the AWPCA.

- 3. Permit Enforcement
 - a. Any NPDES permit issued or reissued by the Department is a permit for the purpose of the AWPCA and the FWPCA and as such any terms, conditions, or limitations of the permit are enforceable under state and federal law.
 - b. Any person required to have a NPDES permit pursuant to ADEM Administrative Code Chapter 335-6-6 and who discharges pollutants without said permit, who violates the conditions of said permit, who discharges pollutants in a manner not authorized by the permit, or who violates applicable orders of the Department or any applicable rule or standard of the Department, is subject to any one or combination of the following enforcement actions under applicable state statutes.
 - (1) An administrative order requiring abatement, compliance, mitigation, cessation, clean-up, and/or penalties;
 - (2) An action for damages;
 - (3) An action for injunctive relief; or
 - (4) An action for penalties.
 - c. If the permittee is not in compliance with the conditions of an expiring or expired permit the Director may choose to do any or all of the following provided the permittee has made a timely and complete application for reissuance of the permit:
 - (1) initiate enforcement action based upon the permit which has been continued;
 - (2) issue a notice of intent to deny the permit reissuance. If the permit is denied, the owner or operator would then be required to cease the activities authorized by the continued permit or be subject to enforcement action for operating without a permit;
 - (3) reissue the new permit with appropriate conditions; or
 - (4) take other actions authorized by these rules and AWPCA.
- 4. Relief from Liability

Except as provided in Provision II.C.1 (Bypass) and Provision II.C.2 (Upset), nothing in this permit shall be construed to relieve the permittee of civil or criminal liability under the AWPCA or FWPCA for noncompliance with any term or condition of this permit.

B. OIL AND HAZARDOUS SUBSTANCE LIABILITY

Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the permittee from any responsibilities, liabilities or penalties to which the permittee is or may be subject under Section 311 of the FWPCA, 33 U.S.C. Section 1321.

C. PROPERTY AND OTHER RIGHTS

This permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize any injury to persons or property or invasion of other private rights, trespass, or any infringement of federal, state, or local laws or regulations, nor does it authorize or approve the construction of any physical structures or facilities or the undertaking of any work in any waters of the state or of the United States.

D. AVAILABILITY OF REPORTS

Except for data determined to be confidential under <u>Code of Alabama</u> 1975, Section 22-22-9(c), all reports prepared in accordance with the terms of this permit shall be available for public inspection at the offices of the Department. Effluent data shall not be considered confidential.

E. EXPIRATION OF PERMITS FOR NEW OR INCREASED DISCHARGES

- 1. If this permit was issued for a new discharger or new source, this permit shall expire eighteen months after the issuance date if construction of the facility has not begun during the eighteen-month period.
- 2. If this permit was issued or modified to allow the discharge of increased quantities of pollutants to accommodate the modification of an existing facility and if construction of this modification has not begun during the eighteen month period after issuance of this permit or permit modification, this permit shall be modified to reduce the quantities of pollutants allowed to be discharged to those levels that would have been allowed if the modification of the facility had not been planned.
- 3. Construction has begun when the owner or operator has:
 - a. begun, or caused to begin as part of a continuous on-site construction program:
 - (1) any placement, assembly, or installation of facilities or equipment; or
 - (2) significant site preparation work including clearing, excavation, or removal of existing buildings, structures, or facilities which is necessary for the placement, assembly, or installation of new source facilities or equipment; or
 - b. entered into a binding contractual obligation for the purpose of placement, assembly, or installation of facilities or equipment which are intended to be used in its operation within a reasonable time. Options to purchase or contracts which can be terminated or modified without substantial loss, and contracts for feasibility, engineering, and design studies do not constitute a contractual obligation under the paragraph. The entering into a lease with the State of Alabama for exploration and production of hydrocarbons shall also be considered beginning construction.

F. COMPLIANCE WITH WATER QUALITY STANDARDS

- 1. On the basis of the permittee's application, plans, or other available information, the Department has determined that compliance with the terms and conditions of this permit should assure compliance with the applicable water quality standards.
- 2. Compliance with permit terms and conditions notwithstanding, if the permittee's discharge(s) from point sources identified in Provision I. A. of this permit cause or contribute to a condition in contravention of state water quality standards, the Department may require abatement action to be taken by the permittee in emergency situations or modify the permit pursuant to the Department's Rules, or both.
- 3. If the Department determines, on the basis of a notice provided pursuant to this permit or any investigation, inspection or sampling, that a modification of this permit is necessary to assure maintenance of water quality standards or compliance with other provisions of the AWPCA or FWPCA, the Department may require such modification and, in cases of emergency, the Director may prohibit the discharge until the permit has been modified.

G. GROUNDWATER

Unless specifically authorized under this permit, this permit does not authorize the discharge of pollutants to groundwater. Should a threat of groundwater contamination occur, the Director may require groundwater monitoring to properly assess the degree of the problem and the Director may require that the Permittee undertake measures to abate any such discharge and/or contamination.

H. DEFINITIONS

- 1. Average monthly discharge limitation means the highest allowable average of "daily discharges" over a calendar month, calculated as the sum of all "daily discharges" measured during a calendar month divided by the number of "daily discharges" measured during that month (zero discharge days shall not be included in the number of "daily discharges" measured and a less than detectable test result shall be treated as a concentration of zero if the most sensitive EPA approved method was used).
- 2. Average weekly discharge limitation means the highest allowable average of "daily discharges" over a calendar week, calculated as the sum of all "daily discharges" measured during a calendar week divided by the number of "daily discharges" measured during that week (zero discharge days shall not be included in the number of "daily discharges" measured and a less than detectable test result shall be treated as a concentration of zero if the most sensitive EPA approved method was used).
- 3. Arithmetic Mean means the summation of the individual values of any set of values divided by the number of individual values.

- 4. AWPCA means the Alabama Water Pollution Control Act.
- 5. BOD means the five-day measure of the pollutant parameter biochemical oxygen demand.
- 6. Bypass means the intentional diversion of waste streams from any portion of a treatment facility.
- 7. CBOD means the five-day measure of the pollutant parameter carbonaceous biochemical oxygen demand.
- 8. Daily discharge means the discharge of a pollutant measured during any consecutive 24-hour period in accordance with the sample type and analytical methodology specified by the discharge permit.
- 9. Daily maximum means the highest value of any individual sample result obtained during a day.
- 10. Daily minimum means the lowest value of any individual sample result obtained during a day.
- 11. Day means any consecutive 24-hour period.
- 12. Department means the Alabama Department of Environmental Management.
- 13. Director means the Director of the Department.
- 14. Discharge means "[t]he addition, introduction, leaking, spilling or emitting of any sewage, industrial waste, pollutant or other wastes into waters of the state". <u>Code of Alabama</u> 1975, Section 22-22-1(b)(8).
- 15. Discharge Monitoring Report (DMR) means the form approved by the Director to accomplish reporting requirements of an NPDES permit.
- 16. DO means dissolved oxygen.
- 17. 8HC means 8-hour composite sample, including any of the following:
 - a. The mixing of at least 5 equal volume samples collected at constant time intervals of not more than 2 hours over a period of not less than 8 hours between the hours of 6:00 a.m. and 6:00 p.m. If the sampling period exceeds 8 hours, sampling may be conducted beyond the 6:00 a.m. to 6:00 p.m. period.
 - b. A sample continuously collected at a constant rate over period of not less than 8 hours between the hours of 6:00 a.m. and 6:00 p.m. If the sampling period exceeds 8 hours, sampling may be conducted beyond the 6:00 a.m. to 6:00 p.m. period.
- 18. EPA means the United States Environmental Protection Agency.
- 19. FC means the pollutant parameter fecal coliform.
- 20. Flow means the total volume of discharge in a 24-hour period.
- 21. FWPCA means the Federal Water Pollution Control Act.
- 22. Geometric Mean means the Nth root of the product of the individual values of any set of values where N is equal to the number of individual values. The geometric mean is equivalent to the antilog of the arithmetic mean of the logarithms of the individual values. For purposes of calculating the geometric mean, values of zero (0) shall be considered one (1).
- 23. Grab Sample means a single influent or effluent portion which is not a composite sample. The sample(s) shall be collected at the period(s) most representative of the discharge.
- 24. Indirect Discharger means a nondomestic discharger who discharges pollutants to a publicly owned treatment works or a privately owned treatment facility operated by another person.
- 25. Industrial User means those industries identified in the Standard Industrial Classification manual, Bureau of the Budget 1967, as amended and supplemented, under the category "Division D Manufacturing" and such other classes of significant waste producers as, by regulation, the Director deems appropriate.
- 26. MGD means million gallons per day.
- 27. Monthly Average means, other than for fecal coliform bacteria, the arithmetic mean of the entire composite or grab samples taken for the daily discharges collected in one month period. The monthly average for fecal coliform bacteria is the geometric mean of daily discharge samples collected in a one month period. The monthly average for flow is the arithmetic mean of all flow measurements taken in a one month period.

- 28. New Discharger means a person, owning or operating any building, structure, facility or installation:
 - a. from which there is or may be a discharge of pollutants;
 - b. that did not commence the discharge of pollutants prior to August 13, 1979, and which is not a new source; and
 - c. which has never received a final effective NPDES permit for dischargers at that site.
- 29. NH3-N means the pollutant parameter ammonia, measured as nitrogen.
- 30. Permit application means forms and additional information that is required by ADEM Administrative Code Rule 335-6-6-.08 and applicable permit fees.
- 31. Point source means "any discernible, confined and discrete conveyance, including but not limited to any pipe, channel, ditch, tunnel, conduit, well, discrete fissure, container, rolling stock, concentrated animal feeding operation, or vessel or other floating craft, . . . from which pollutants are or may be discharged." Section 502(14) of the FWPCA, 33 U.S.C. Section 1362(14).
- 32. Pollutant includes for purposes of this permit, but is not limited to, those pollutants specified in <u>Code of Alabama</u> 1975, Section 22-22-1(b)(3) and those effluent characteristics specified in Provision I. A. of this permit.
- 33. Privately Owned Treatment Works means any devices or system which is used to treat wastes from any facility whose operator is not the operator of the treatment works, and which is not a "POTW".
- 34. Publicly Owned Treatment Works means a wastewater collection and treatment facility owned by the State, municipality, regional entity composed of two or more municipalities, or another entity created by the State or local authority for the purpose of collecting and treating municipal wastewater.
- 35. Receiving Stream means the "waters" receiving a "discharge" from a "point source".
- 36. Severe property damage means substantial physical damage to property, damage to the treatment facilities which causes them to become inoperable, or substantial and permanent loss of natural resources which can reasonably be expected to occur in the absence of a bypass. Severe property damage does not mean economic loss caused by delays in production.
- 37. Significant Source means a source which discharges 0.025 MGD or more to a POTW or greater than five percent of the treatment work's capacity, or a source which is a primary industry as defined by the U.S. EPA or which discharges a priority or toxic pollutant.
- 38. Solvent means any virgin, used or spent organic solvent(s) identified in the F-Listed wastes (F001 through F005) specified in 40 CFR 261.31 that is used for the purpose of solubilizing other materials.
- 39. TKN means the pollutant parameter Total Kjeldahl Nitrogen.
- 40. TON means the pollutant parameter Total Organic Nitrogen.
- 41. TRC means Total Residual Chlorine.
- 42. TSS means the pollutant parameter Total Suspended Solids.
- 43. 24HC means 24-hour composite sample, including any of the following:
 - a. the mixing of at least 12 equal volume samples collected at constant time intervals of not more than 2 hours over a period of 24 hours;
 - b. a sample collected over a consecutive 24-hour period using an automatic sampler composite to one sample. As a minimum, samples shall be collected hourly and each shall be no more than one twenty-fourth (1/24) of the total sample volume collected; or
 - c. a sample collected over a consecutive 24-hour period using an automatic composite sampler composited proportional to flow.
- 44. Upset means an exceptional incident in which there is an unintentional and temporary noncompliance with technology-based permit discharge limitations because of factors beyond the reasonable control of the permittee. An upset does not include noncompliance to the extent caused by operational error, improperly designed treatment facilities, inadequate treatment facilities, lack of preventive maintenance, or careless or improper operation.

- 45. Waters means "[a]ll waters of any river, stream, watercourse, pond, lake, coastal, ground or surface water, wholly or partially within the state, natural or artificial. This does not include waters which are entirely confined and retained completely upon the property of a single individual, partnership or corporation unless such waters are used in interstate commerce." <u>Code of Alabama</u> 1975, Section 22-22-1(b)(2). Waters "include all navigable waters" as defined in Section 502(7) of the FWPCA, 22 U.S.C. Section 1362(7), which are within the State of Alabama.
- 46. Week means the period beginning at twelve midnight Saturday and ending at twelve midnight the following Saturday.
- 47. Weekly (7-day and calendar week) Average is the arithmetic mean of all samples collected during a consecutive 7-day period or calendar week, whichever is applicable. The calendar week is defined as beginning on Sunday and ending on Saturday. Weekly averages shall be calculated for all calendar weeks with Saturdays in the month. If a calendar week overlaps two months (i.e., the Sunday is in one month and the Saturday in the following month), the weekly average calculated for the calendar week shall be included in the data for the month that contains the Saturday.

I. SEVERABILITY

The provisions of this permit are severable, and if any provision of this permit or the application of any provision of this permit to any circumstance is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.

PART IV ADDITIONAL REQUIREMENTS, CONDITIONS, AND LIMITATIONS

A. BEST MANAGEMENT PRACTICES (BMP) PLAN REQUIREMENTS

1. BMP Plan

The permittee shall develop and implement a Best Management Practices (BMP) Plan which prevents, or minimizes the potential for, the release of pollutants from ancillary activities, including material storage areas; plant site runoff; in-plant transfer, process and material handling areas; loading and unloading operations, and sludge and waste disposal areas, to the waters of the State through plant site runoff; spillage or leaks; sludge or waste disposal; or drainage from raw material storage.

2. Plan Content

The permittee shall prepare and implement a best management practices (BMP) plan, which shall:

- a. Establish specific objectives for the control of pollutants:
 - (1) Each facility component or system shall be examined for its potential for causing a release of significant amounts of pollutants to waters of the State due to equipment failure, improper operation, natural phenomena such as rain or snowfall, etc.
 - (2) Where experience indicates a reasonable potential for equipment failure (e.g., a tank overflow or leakage), natural condition (e.g. precipitation), or circumstances to result in significant amounts of pollutants reaching surface waters, the plan should include a prediction of the direction, rate of flow, and total quantity of pollutants which could be discharged from the facility as a result of each condition or circumstance.
- b. Establish specific best management practices to meet the objectives identified under paragraph a. of this section, addressing each component or system capable of causing a release of significant amounts of pollutants to the waters of the State, and identifying specific preventative or remedial measures to be implemented;
- c. Establish a program to identify and repair leaking equipment items and damaged containment structures, which may contribute to contaminated stormwater runoff. This program must include regular visual inspections of equipment, containment structures and of the facility in general to ensure that the BMP is continually implemented and effective;
- d. Prevent the spillage or loss of fluids, oil, grease, gasoline, etc. from vehicle and equipment maintenance activities and thereby prevent the contamination of stormwater from these substances;
- e. Prevent or minimize stormwater contact with material stored on site;
- f. Designate by position or name the person or persons responsible for the day to day implementation of the BMP;
- g. Provide for routine inspections, on days during which the facility is manned, of any structures that function to prevent stormwater pollution or to remove pollutants from stormwater and of the facility in general to ensure that the BMP is continually implemented and effective;
- h. Provide for the use and disposal of any material used to absorb spilled fluids that could contaminate stormwater;
- i. Develop a solvent management plan, if solvents are used on site. The solvent management plan shall include as a minimum lists of the solvents on site; the disposal method of solvents used instead of dumping, such as reclamation, contract hauling; and the procedures for assuring that solvents do not routinely spill or leak into the stormwater;
- j. Provide for the disposal of all used oils, hydraulic fluids, solvent degreasing material, etc. in accordance with good management practices and any applicable state or federal regulations;
- k. Include a diagram of the facility showing the locations where stormwater exits the facility, the locations of any structure or other mechanisms intended to prevent pollution of stormwater or to remove pollutants from stormwater, the locations of any collection and handling systems;

- 1. Provide control sufficient to prevent or control pollution of stormwater by soil particles to the degree required to maintain compliance with the water quality standard for turbidity applicable to the waterbody(s) receiving discharge(s) under this permit;
- m. Provide spill prevention, control, and/or management sufficient to prevent or minimize contaminated stormwater runoff. Any containment system used to implement this requirement shall be constructed of materials compatible with the substance(s) contained and shall prevent the contamination of groundwater. The containment system shall also be capable of retaining a volume equal to 110 percent of the capacity of the largest tank for which containment is provided;
- n. Provide and maintain curbing, diking or other means of isolating process areas to the extent necessary to allow segregation and collection for treatment of contaminated stormwater from process areas;
- o. Be reviewed by plant engineering staff and the plant manager; and
- p. Bear the signature of the plant manager.
- 3. Compliance Schedule

The permittee shall have reviewed (and revised if necessary) and fully implemented the BMP plan as soon as practicable but no later than six months after the effective date of this permit.

- 4. Department Review
 - a. When requested by the Director or his designee, the permittee shall make the BMP available for Department review.
 - b. The Director or his designee may notify the permittee at any time that the BMP is deficient and require correction of the deficiency.
 - c. The permittee shall correct any BMP deficiency identified by the Director or his designee within 30 days of receipt of notification and shall certify to the Department that the correction has been made and implemented.
- 5. Administrative Procedures
 - a. A copy of the BMP shall be maintained at the facility and shall be available for inspection by representatives of the Department.
 - b. A log of the routine inspection required above shall be maintained at the facility and shall be available for inspection by representatives of the Department. The log shall contain records of all inspections performed for the last three years and each entry shall be signed by the person performing the inspection.
 - c. The permittee shall provide training for any personnel required to implement the BMP and shall retain documentation of such training at the facility. This documentation shall be available for inspection by representatives of the Department. Training shall be performed prior to the date that implementation of the BMP is required.
 - d. BMP Plan Modification. The permittee shall amend the BMP plan whenever there is a change in the facility or change in operation of the facility which materially increases the potential for the ancillary activities to result in a discharge of significant amounts of pollutants.
 - e. BMP Plan Review. The permittee shall complete a review and evaluation of the BMP plan at least once every three years from the date of preparation of the BMP plan. Documentation of the BMP Plan review and evaluation shall be signed and dated by the Plant Manager.

B. STORMWATER FLOW MEASUREMENT AND SAMPLING REQUIREMENTS

- 1. Stormwater Flow Measurement
 - a. All stormwater samples shall be collected from the discharge resulting from a storm event that is greater than 0.1 inches.
 - b. The total volume of stormwater discharged for the event must be monitored, including the date and duration (in hours) and rainfall (in inches) for storm event(s) sampled. The duration between the storm

event sampled and the end of the previous measurable (greater than 0.1 inch rainfall) storm event must be a minimum of 72 hours. This information must be recorded as part of the sampling procedure and records retained according to Part I.B. of this permit.

- c. The volume may be measured using flow measuring devices, or estimated based on a modification of the Rational Method using total depth of rainfall, the size of the drainage area serving a stormwater outfall, and an estimate of the runoff coefficient of the drainage area. This information must be recorded as part of the sampling procedure and records retained according to Part I.B. of this permit.
- 2. Stormwater Sampling
 - a. A grab sample, if required by this permit, shall be taken during the first thirty minutes of the discharge (or as soon thereafter as practicable); and a flow-weighted composite sample, if required by this permit, shall be taken for the entire event or for the first three hours of the event.
 - b. All test procedures will be in accordance with part I.B. of this permit.

ADEM PERMIT RATIONALE

PREPARED DATE: June 16, 2020 PREPARED BY: Wayne Holt

Permittee Name: KMG Bernuth

Facility Name: KMG Bernuth

Permit Number: AL0084085

PERMIT IS INITIAL ISSUANCE

DISCHARGE SERIAL NUMBERS & DESCRIPTIONS: DSN001: Stomwater associated with the production of wood preserving chemicals.

INDUSTRIAL CATEGORY: NON-CATEGORICAL

MAJOR: N

STREAM INFORMATION:

Receiving Stream:	Black Warrior River (via Tuscaloosa MS4 system)
Classification:	Fish & Wildlife
River Basin:	Black Warrior River Basin
7Q10:	160 cfs
1Q10:	52 cfs
Annual Average Flow:	7602 cfs
303(d) List:	No
Impairment:	N/A
TMDL:	No

DISCUSSION:

KMG Bernuth produces *DuraTreat-40* (DT-40), a wood preservative. This permit is for the discharge of stormwater only.

ADEM Administrative Rule 335-6-10-.12 requires applicants to new or expanded discharges to Tier II waters demonstrate that the proposed discharge is necessary for important economic or social development in the area in which the waters are located. The application submitted by the facility is for a new discharge to Tier II waters. Therefore, the applicant is required to demonstrate that the discharge is necessary for economic and social development. An anti-degradation analysis is attached.

40 CFR 455 Subpart C regulates discharges associated with pesticide formulating, packaging, and repackaging operations with some exceptions listed in its subparts. One of the exceptions is stormwater [Reference: 40 CFR 455.40(c)]. EPA has not promulgated specific guidelines for the discharges covered under the proposed permit. Proposed permit limits are based on Best Professional Judgment. The proposed frequencies are based on a review of site specific conditions and an evaluation of similar facilities.

0010. Ctomarrotom	aggregated w	rith that	and duration	of wood	man a a m time of	ahamiaala
001Q: Stomwater	associated w	/iin ine i	production	or wooa	preserving (chemicais.

<u>Parameter</u>	<u>Monthly Avg</u> <u>Loading</u>	<u>Daily Max</u> Loading	<u>Daily Min</u> Concentration	<u>Monthly Avg</u> Concentration	<u>Daily Max</u> <u>Concentration</u>	<u>Sample</u> Frequency	Sample Type	<u>Basis*</u>
pH	-	-	6.0 S.U.	-	9.0 S.U.	Quarterly	Grab	WQBEL/ BPJ
Solids, Total Suspended	-	-	-	-	REPORT mg/l	Quarterly	Grab	BPJ
Oil & Grease	-	-	-	-	15 mg/l	Quarterly	Grab	BPJ
Pentachlorophenol	-	-	-	-	REPORT mg/l	Quarterly	Grab	BPJ
4,4-DDT (P,P-DDT)	-	-	-	-	REPORT mg/l	Quarterly	Grab	BPJ
Methoxychlor	-	-	-	-	REPORT mg/l	Quarterly	Grab	BPJ
Flow, In Conduit or Thru Treatment Plant	-	REPORT MGD	_	_	-	Quarterly	Estimate	BPJ
Chemical Oxygen Demand (COD)	-	-	_	_	REPORT mg/l	Quarterly	Grab	BPJ

*Basis for Permit Limitation

- BPJ Best Professional Judgment
 WQBEL Water Quality Based Effluent Limits
 EGL Federal Effluent Guideline Limitations
- ٠
- 303(d) 303(d) List of Impaired Waters TMDL Total Maximum Daily Load Requirements •

Discussion

Best Professional Judgment (BPJ)

The parameters of concern for this facility are based on the parameters of concern listed in EPA form 2F and from the current permit. These parameters are consistent with similar facilities in the state and have been proven to be reflective of the operations at this facility. The parameters with specific limits are discussed below:

<u>рН</u>

ADEM Administrative Code, Division 6 Regulations, specifically 335-6-10-.09– Specific Water Quality for Fish & Wildlife classified streams states: "Sewage, industrial waste or other wastes shall not cause the pH to deviate more than one unit from then normal or natural pH, nor be less than 6.0, nor greater than 8.5 standard units." In view of the high ratio of stream flow as compared to effluent flow from the facility's storm events, it is believed the upper limit of 9.0 s.u. will be protective of water quality and is being proposed in this permit issuance.

Oil & Grease

The daily maximum limit for Oil and Grease should prevent the occurrence of a visible sheen in the stream and has been shown to be achievable through the use of proper BMPs.

Pentachlorophenol, Methoxychlor, and 4,4-DDT (P,P-DDT)

Based on BPJ and review of the facility's application, the pollutants Pentachlorophenol, Methoxychlor, and 4,4-DDT (P,P-DDT) are proposed to be monitored as indicators to the effectiveness of the facility's BMP's (see BMPs, below).

Best Management Practices (BMPs)

Best Management Practices (BMPs) are believed to be the most effective way to control the contamination of stormwater from areas of industrial activities. This facility is required to maintain a BMP plan. The requirements of the BMP plan call for minimization of stormwater contact with waste materials, products and by-products, and for prevention of spills or loss of fluids from equipment maintenance activities. The effectiveness of the BMPs will be measured through the monitoring of the pollutants of concern.

ANTIDEGRADATION RATIONALE

Permit Number:	AL0084085
Facility Name:	KMG Chemicals
Receiving water:	Black Warrior River (via Tuscaloosa MS4 system)
Stream Category:	Tier 2 as defined by ADEM Admin. Code 335-6-1012
Discharge Description:	-

The following preliminary determination was prepared in accordance with ADEM Admin. Code 335-6-10-.12 (7) (c):

The Department has reviewed the information submitted by applicant in accordance with ADEM Admin. Code 335-6-10-.12 (9). The applicant has demonstrated that there are no alternative options which are economically feasible or technically viable. In the case of technically viable options, the applicant has shown them to be cost prohibitive through the alternatives analysis required by the permit application.

The permit applicant has indicated that the following economic and/or social benefits will result from the issuance of this permit:

- The facility has hired 7 employees at this location. The permitted discharge will allow the continuance of the employees' positions.
- The facility expects to continue to pay over \$300,000.00 in state and local taxes.

The Department has determined that the discharge as proposed by the permit applicant is necessary for important economic and social development in the area in which the receiving water is located.

Prepared By:	Wayne Holt
Date:	June 17, 2020



KMG-Bernuth, Inc. 2901 3rd Street Tuscaloosa, AL 35401

April 1, 2020

Mr. Wayne Holt Industrial Permit Section Water Division – Industrial/Municipal Branch Alabama Department of Environmental Management 1400 Coliseum Boulevard Montgomery, AL 36110-2400



RE: Individual NPDES Permit Application- Supplemental Pages KMG-Bernuth (KMG Chemicals, Inc. Tuscaloosa)

Dear Mr. Holt:

Enclosed with this letter are supplemental pages containing original signatures for the application submitted both electronically and via FedEx without original signatures on March 31, 2020.

If you have any questions regarding the enclosed pages, please do not hesitate to contact me at (205) 758-0448, or Mr. Josh Haar, P.E., Trinity Consultants, at (404) 751-0244.

Sincerely,7 KMG-BERNUTH Brian Sims

Brian Sims Plant Manager

Enclosure

cc: Allen Franc, Cabot Microelectronics Lindsay Edgar, Cabot Microelectronics

SECTION K - APPLICATION CERTIFICATION

The information contained in this form must be certified by a responsible official as defined in ADEM Administrative Code r. 335-6-6-.09 "signatories to permit applications and reports" (see below).

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment for knowing violations."

Signature of Responsible Official:	flel	Date Signed: 3/30	20
Name and Title: Jason Councill,	Vice President and General	Manager	/

If the Responsible Official signing this application is <u>not</u> identified in Section A.7, provide the following information:

Mailing Address:

City:_

Phone Number:

___State:_____


335-6-6-.09 SIGNATORIES TO PERMIT APPLICATIONS AND REPORTS.

(1) The application for an NPDES permit shall be signed by a responsible official, as indicated below:

- (a) In the case of a corporation, by a principal executive officer of at least the level of vice president, or a manager assigned or delegated in accordance with corporate procedures, with such delegation submitted in writing if required by the Department, who is responsible for manufacturing, production, or operating facilities and is authorized to make management decisions which govern the operation of the regulated facility;
- (b) In the case of a partnership, by a general partner;
- (c) In the case of a sole proprietorship, by the proprietor; or
- (d) In the case of a municipal, state, federal, or other public entity, by either a principal executive officer, or ranking elected official.

Zip:

EP	EPA Identification Number ALD981923832		er NPDES Permit Numb		icility Name G - Bernuth	Form Approved 03/05/19 OMB No. 2040-0004	
SECTIO	N 11. CH	ECKLI	ST AND CERTIFICATION STATE	MENT (40 CFR 122.22	(a) and (d))		
	11.1	For ea	umn 1 below, mark the sections of ach section, specify in Column 2 ar ot all applicants are required to pro	ny attachments that you			
			Column 1	and the second second		Column 2	
		\checkmark	Section 1: Activities Requiring a	n NPDES Permit	w/ attachments		
			Section 2: Name, Mailing Addre	ss, and Location	w/ attachments		
			Section 3: SIC Codes		w/ attachments		
			Section 4: Operator Information		w/ attachments		
E			Section 5: Indian Land		w/ attachments		
			Section 6: Existing Environment	al Permits	w/ attachments		
Checklist and Certification Statement			Section 7: Map	V	w/ topographic map	w/ additional attachments	
tion St			Section 8: Nature of Business	E			
tificat			Section 9: Cooling Water Intake	Structures	w/ attachments		
nd Cer			Section 10: Variance Requests		w/ attachments		
list ar			Section 11: Checklist and Certif	ication Statement	w/ attachments		
Chec	11.2	l certi in acc inform direct belief	ication Statement fy under penalty of law that this do ordance with a system designed to nation submitted. Based on my inq ly responsible for gathering the info true, accurate, and complete. I ar ling the possibility of fine and impri	o assure that qualified p uiry of the person or pe ormation, the information n aware that there are s	personnel properly g rsons who manage i in submitted is, to th significant penalties	ather and evaluate the the system, or those persons e best of my knowledge and	
		Name (print or type first and last name)			ficial title		
		Jason Councill			e President and Ger	neral Manager	
		Signature			Date signed 3/30/20		



EPA Identification Number ALD981923832			NPDES Permit Number		ity Name - Bernuth	Form Approved 03/05/1 OMB No. 2040-000			
			R DISCHARGES (40 CFR 122.26(c						
Leno	5.1	I certify under presence of i discharges are	r penalty of law that the outfall(s)	covered by this ver, I certify th	by this application have been tested or evaluated for the evaluated for the entity that the outfalls identified as having non-stormwate				
		Signature	Hell	/	Date signed 3/30/20				
Irge	5.2	Provide the te	sting information requested in the tal	ble below.					
er Discha		Outfall Number	Description of Testing Met	hod Used	Date(s) of Testing	Onsite Drainage Poin Directly Observed During Test			
Non-Stormwater Discharges		001	Visual Inspection	1	03/26/2020	001			
Significant Leaks or Spills	N 6. SIG 6.1		(S OR SPILLS (40 CFR 122.26(c)(1 significant leaks or spills of toxic or h		ants in the last three years.				
CTIO			RMATION (40 CFR 122.26(c)(1)(i)(E determine the pollutants and parame		nuired to monitor and in tu	m the tables you must			
ion			cants need to complete each table.	stera you are rec	quired to monitor and, in th	in, the tables you hidst			
rmat	7.1		source or new discharge?	ion of		anardina autorization of			
Discharge Information			See instructions regarding submiss ted data.	ion of	No → See instructions re actual data.	egarding submission of			
arge	Tables	A, B, C, and D							
sch	7.2	Have you com	ppleted Table A for each outfall?						
	1	Yes			No				

EPA Identification Number ALD981923832			NPDES Permit Number		ty Name Bernuth	Form Approved 03/05/1 OMB No. 2040-000		
CTION	NON	STORMWAT	ER DISCHARGES (40 CFR 122.26(-)(1)(i)(C))				
	5.1	l certify under presence of discharges a	er penalty of law that the outfall(s)	covered by this	by this application have been tested or evaluated for the tify that the outfalls identified as having non-stormwate S Form 2C, 2D, or 2E application.			
		Jason Council	I		Vice President and G	eneral Manager		
		Signature	Zall	/	Date signed 3/30/20			
rges	5.2	Provide the t	esting information requested in the ta	ble below.				
Non-Stormwater Discharges		Outfall Number	Description of Testing Me	thod Used	Date(s) of Testing	Onsite Drainage Poin Directly Observed During Test		
ormwate		001	Visual Inspectio	n	03/26/2020	001		
ks or Spills	6. SIGI 6.1		VKS OR SPILLS (40 CFR 122.26(c)(v significant leaks or spills of toxic or		ants in the last three years.			
5	See the	instructions to te. Not all appl Is this a new Yes	DRMATION (40 CFR 122.26(c)(1)(i)(b determine the pollutants and paramicants need to complete each table. source or new discharge? See instructions regarding submis ated data.	eters you are rec	uired to monitor and, in tu No → See instructions r actual data.			
0	Tablas	A, B, C, and I						
larg	7.2		mpleted Table A for each outfall?		and the second			

	EPA Identification Number NPDES ALD981923832		DES Permit Number	Facility Name KMG - Bernuth	Form Approved 03/05/19 OMB No. 2040-0004			
SECTIO	0N 10. CH 10.1	IECKLIST AND CERTIFICATION STATEMENT (40 CFR 122.22(a) and (d)) In Column 1 below, mark the sections of Form 2F that you have completed and are submitting with your applic each section, specify in Column 2 any attachments that you are enclosing to alert the permitting authority. Note all applicants are required to complete all sections or provide attachments.						
		Column 1		Column 2				
		Section 1	w/ attachments (e.g., r	esponses for additional outfa	alls)			
		Section 2	w/ attachments					
		Section 3	w/ site drainage map					
Ŧ		Section 4	w/ attachments					
		Section 5	w/ attachments					
		Section 6	w/ attachments					
Checklist and Certification Statement		Section 7	Table A	w/ small business ex	kemption request			
ion S			Table B	w/ analytical results	as an attachment			
tificati			Table C	✓ Table D				
d Cert		Section 8	w/attachments					
ist an		Section 9	w/attachments (e.g., re	esponses for additional conta	act laboratories or firms)			
heck		Section 10						
0	10.2	Certification Statemen	t					
		I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.						
		Name (print or type first	and last name)	Official title				
		Jason Councill		Vice President and Gen	eral Manager			
		Signature	lill	Date signed $3/30/20$				

	Identificatio		DES Permit Number Facility Name Form Approved 03/05/19 KMG - Bernuth OMB No. 2040-0004	
SECTIO			CATION STATEMENT (40 CFR 122.22(a) and (d))	
Checklist and Certification Statement	10.1	In Column 1 below, mark the sections of Form 2F that you have completed and are submitting with your application. For each section, specify in Column 2 any attachments that you are enclosing to alert the permitting authority. Note that not all applicants are required to complete all sections or provide attachments.		
		Column 1	Column 2	
		Section 1	w/ attachments (e.g., responses for additional outfalls)	
		Section 2	w/ attachments	
		Section 3	w/ site drainage map	
		Section 4	w/ attachments	
		Section 5	w/ attachments	
		Section 6	w/ attachments	
		Section 7	Table A w/ small business exemption request	
			Table B w/ analytical results as an attachment	
			Table C I Table D	
		Section 8	w/attachments	
		Section 9	w/attachments (e.g., responses for additional contact laboratories or firms)	
		Section 10		
	10.2	Certification Statement		
		I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.		
		Name (print or type first	t and last name) Official title	
		Jason Councill	Vice President and General Manager	
		Signature	Cill Date signed 3/3=/20	

R#20-51342

AL0084085

KMG-Bernuth, Inc. 2901 3rd Street Tuscaloosa, AL 35401



1

March 30, 2020

Mr. Wayne Holt Industrial Permit Section Water Division – Industrial/Municipal Branch Alabama Department of Environmental Management 1400 Coliseum Boulevard Montgomery, AL 36110-2400

RE: Individual NPDES Permit Application KMG-Bernuth (KMG Chemicals, Inc. Tuscaloosa)

Dear Mr. Holt:

KMG Chemicals, Inc. Tuscaloosa (KMG) received an Inquiry Letter from the Alabama Department of Environmental Management (ADEM) in December 2019 regarding stormwater permitting applicability for the facility located in Tuscaloosa, Alabama (Tuscaloosa facility). In February 2020, KMG provided a response to ADEM identifying the internal evaluation determination being completed for stormwater permitting applicability for an Individual National Pollutant Discharge Elimination (NPDES) Permit application preparation for the Tuscaloosa facility.

Based upon internal sampling results, KMG has concluded that an Individual NPDES Permit is required and is submitting the enclosed permit application. Please note that the entity named on the application is KMG-Bernuth, rather than KMG Chemicals, Inc. Tuscaloosa. KMG Chemicals was the name of the Parent Company for the Tuscaloosa Facility prior to the acquisition by Cabot Microelectronics in November 2018. KMG-Bernuth is the subsidiary that produces wood preservatives and now operates the Tuscaloosa Facility. This application is being submitted by March 31, 2020, in accordance with the Notice of Violation (NOV) issued by ADEM this month. Also, enclosed with the permit application is the required permit application fee of \$5,615.

If you have any questions regarding the permit application, please do not hesitate to contact me at (205) 758-0448, or Mr. Josh Haar, P.E., Trinity Consultants, at (404) 751-0244.

Sincerely, KMG-BERNUTH **Brian Sims**

MAR 3 1 2020

Mr. Wayne Holt – Page 2 March 30, 2020

Plant Manager

Enclosure

1

ι

cc: Allen Franc, Cabot Microelectronics Lindsay Edgar, Cabot Microelectronics

ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT (ADEM) NPDES INDIVIDUAL PERMIT APPLICATION SUPPLEMENTARY INFORMATION FOR INDUSTRIAL FACILITIES

Instructions: This form should be used to submit the required supplementary information for an application for an NPDES individual permit for industrial facilities. The completed application should be submitted to ADEM in duplicate. If insufficient space is available to address any item, please continue on an attached sheet of paper. Please mark "N/A" in the appropriate box when an item is not applicable to the applicant. Please type or print legibly in blue or black ink. Mail the completed application to:

		ADEM-Water Division Industrial Section P O Box 301463 Montgomery, AL 36130-1463	
		PURPOSE OF THIS APPLICATION	
	Initial Permit Application for New Facility*	Initial Permit Application for Ex	sisting Facility*
	Modification of Existing Permit	Reissuance of Existing Permit	
	Revocation & Reissuance of Existing Per	mit * An application for participation in the A submitted to allow permittee to electroni	DEM's Electronic Environmental (E2) Reporting must be ically submit reports as required.
SE	CTION A - GENERAL INFORMATION		
1.	Facility Name: KMG - Bernuth	· · · · · · · · · · · · · · · · · · ·	
	a. Operator Name: KMG - Bernu	Jth	· · · · · · · · · · · · · · · · · · ·
	 b. Is the operator identified in A.1.a, the If no, provide name and address of the facility. N / A 		No ng the operator's scope of responsibility for the
	N1 /	A	RECEIVED
2.	NPDES Permit Number: AL <u>N</u> /		ermit application)
3.	SID Permit Number (if applicable): IU	<u>N/ A</u>	MAR 3 1 2020
4.	NPDES General Permit Number (if applic	able): ALG <u>N / A</u>	WATER DIVISION
5.	Facility Physical Location: (Attach a map Street: 2901 3rd Street	with location marked; street, route no. o	or other specific identifier)
	City: Tuscaloosa	ty: Tuscaloosa State: AL	Zip: 35401
	Facility Location (Front Gate): Latitude:		ongitude: -87.576230
0	Facility Mailing Address: 2901 3rd S	treet	
6.	City: Tuscaloosa	ty: TuscaloosaAL	Zip: 35401
7.	Responsible Official (as described on the	last page of this application): Vice President and General I	
	City: Fort Worth	State: Texas	_{Zip:} 76102
	Phone Number: 281-299-5488	Email Address: jcouncill@	
8.	Designated Facility Contact:		
	Name and Title: Brian Sims, Pla	nt Manager	
	Phone Number: 205-758-0448	Email Address: bsims@kr	ngchemicals.com

9.	9. Designated Discharge Monitoring Report (DMR) Contact: Name and Title: Brian Sims, Plant Manager	
	Phone Number: 205-758-0448 Email Address: bsims@ki	mgchemicals.com
10.	10. Type of Business Entity:	
	Corporation General Partnership Limited Partnership Limited L Other (Please Specify)	iability Company Sole Proprietorship
11.	11. Complete this section if the Applicant's business entity is a Corporation	
	a) <u>Location of Incorporation</u> : Address: 251 Little Falls Drive	
	City: Wilmington County: New Castle State: Dela	aware _{Zip:} 19808-1674
	b) Parent Corporation of Applicant: Name: Cabot Microelectronics Corporation (CMC) Address: 870 N. Commons Drive	
	City: Aurora	Zip: 60504
	c) Subsidiary Corporation(s) of Applicant:	and a second
	Name:	
	Address:	
	City:State:	Zip:
	d) <u>Corporate Officers</u> :	
	Name: David H. Li, President and CEO	
	Address: 870 N. Commons Drive	
	City: Aurora	Zip: 60504
	Name:	
	Address:	
	City:State:	Zip:
	e) Agent designated by the corporation for purposes of service: Name: Brian Sims	
	Address: 2901 3rd Street	
	City: Tuscaloosa State: AL	Zip: 35401
12.	12. If the Applicant's business entity is a Partnership, please list the general partners.	
	Name:Name:	
	Address: Address:	
	City:State:Zip: City:	State:Zip:

1

13. If the Applicant's business entity is a Proprietorship, please enter the proprietor's information.

Name:			
Address:			
City:	State:	Zip:	

14. Permit numbers for Applicant's previously issued NPDES Permits and identification of any other State of Alabama Environmental Permits presently held by the Applicant, its parent corporation, or subsidiary corporations within the State of Alabama:


Permit Name	Permit Number	Held By
Air Permit	413-0119-X001	KMG Chemicals
EPA ID No.	ALD981923832	KMG Chemicals, Inc.

15. Identify all Administrative Complaints, Notices of Violation, Directives, Administrative Orders, or Litigation concerning water pollution, if any, against the Applicant, its parent corporation or subsidiary corporations within the State of Alabama within the past five years (attach additional sheets if necessary):

Facility Name	Permit Number	Type of Action	Date of Action
KMG Chemicals, Inc.	N/A	Inquiry Letter	12/18/2019
KMG Chemicals - Tuscaloosa	N/A	Notice of Violation	3/16/2020

SECTION B - BUSINESS ACTIVITY

1. Indicate applicable Standard Industrial Classification (SIC) Codes for all processes. If more than one applies, list in order of importance:



2. If your facility conducts or will be conducting any of the processes listed below (regardless of whether they generate wastewater, waste sludge, or hazardous waste), place a check beside the category of business activity (check all that apply):

Industrial Categories

	Aluminum Forming Asbestos Manufacturing		Metal Molding and Casting Metal Products	
	Battery Manufacturing		Nonferrous Metals Forming	
	Can Making		Nonferrous Metals Manufacturing	
	Canned and Preserved Fruit and Vegetables		Oil and Gas Extraction	
	Canned and Preserved Seafood		Organic Chemicals Manufacturing	
	Cement Manufacturing		Paint and Ink Formulating	
	Centralized Waste Treatment		Paving and Roofing Manufacturing	
	Carbon Black		Pesticides Manufacturing	
	Coal Mining		Petroleum Refining	
	Coil Coating		Phosphate Manufacturing	
	Copper Forming		Photographic	
	Electric and Electronic Components Manufacturing		Pharmaceutical	
	Electroplating		Plastic & Synthetic Materials	
	Explosives Manufacturing		Plastics Processing Manufacturing	
Ē	Feedlots		Porcelain Enamel	
	Ferroalloy Manufacturing	Ē	Pulp, Paper, and Fiberboard Manufacturing	
	Fertilizer Manufacturing		Rubber	
Π	Foundries (Metal Molding and Casting)		Soap and Detergent Manufacturing	
Ē	Glass Manufacturing		Steam and Electric	
n	Grain Mills	Ē	Sugar Processing	
	Gum and Wood Chemicals Manufacturing	Ē.	Textile Mills	
Ē	Inorganic Chemicals		Timber Products	
	Iron and Steel		Transportation Equipment Cleaning	
Ē	Leather Tanning and Finishing		Waste Combustion	
	Metal Finishing		Other (specify) Pesticide Chemicals Formulating and Packaging	
H I	Meat Products	-		

A facility with processes inclusive in these business areas may be covered by Environmental Protection (EPA) categorical standards. These facilities are termed "categorical users" and should skip to question 2 of Section C.

3. Give a brief description of all operations at this facility including primary products or services (attach additional sheets if necessary):

See attached

SECTION C - WASTEWATER DISCHARGE INFORMATION

Facilities that checked activities in B.2 and are considered Categorical Industrial Users should skip to C.2 of this section.

1. For Non-Categorical Users Only: Provide wastewater flows for each of the processes or proposed processes. Using the process flow schematic (Figure 1), enter the description that corresponds to each process. (The flow schematic should include all treatment units as well as monitoring and discharge points). [New facilities should provide estimates for each discharge.]

Process Description	Last 12 Months (gals/day) Highest Month Avg. Flow	Highest Flow Year of Last 5 (gals/day) Monthly Avg. Flow	Discharge Type (batch, continuous, intermittent)
N/A - Stormwater only			

If batch	discharge occurs or will occur, i	ndicate: [new facili	ties may estimate.]	
a.	Number of batch discharges:		per day	
b.	Average discharge per batch:		(GPD)	
C.	Time of batch discharges	(days of week)	at(hours o	f day)
d.	Flow rate:		gallons/minute	
e.	Percent of total discharge:			
	Non-Process Discharge non-contact cooling w		Last 12 Months (gals/day) ghest Month Avg. Flow	Highest Flow Year of Last 5 (gals/day) Monthly Avg. Flow

2. Complete this Section only if you are subject to Categorical Standards and plan to directly discharge the associated wastewater to a water of the State. If Categorical wastewater is discharged exclusively via an indirect discharge to a public or privately-owned treatment works, check "Yes" in the appropriate space below and proceed directly to part 2.c.

2 Yes

For Categorical Users: Provide the wastewater discharge flows or production (whichever is applicable by the effluent guidelines) for each of your processes or proposed processes. Using the process flow schematic (Figure 1, pg 14), enter the description that corresponds to each process. [New facilities should provide estimates for each discharge.]

2d.	Regulated Process	Applicable Category	Applicable Subpart		e of Discharge Flow continuous, intermittent)
	N/A - Stormwater Only				
2b.	Process Description	Last 12 Months (gals/day), (lbs/day), etc. Highest Month Average*	Highest Flow Year of (gals/day), (lbs/day Monthly Averag), etc.	Discharge Type (batch, continuous, intermittent)
If batch	* Reported values should example, flow (MGD), prod	luction (pounds per day), e	etc.	productio	n-based standard. For
a.	Number of batch discharge	s:	_per day		
b.	Average discharge per bate	ch:	(GPD)		
C.	Time of batch discharges	(days of week)	_at(hours of day)		-
d.	Flow rate:	gallons	s/minute		
e.	Percent of total discharge:				

2c.	Non categorical	· · (t 12 Months gals/day) Month Avg. Flow	•	Flow Year (gals/day) hthly Avg. I		Discharge Type (batch, continuous, intermittent)
	N/A						
lf batc		ccur. indical	te: Inew facilities may	estimate.1			
a				_			
b	. Average discharge per b	atch: _		_ (GPD)			
C.	. Time of batch discharge	s(da	ys of week)	ət(i	nours of da	y)	
d	. Flow rate:		gallons/	minute			
e							
2d.							
	Non-Process I		(ga	12 Months IIs/day) onth Avg. Fl	w	_ (gal	/ Year of Last 5 s/day) Avg. Flow
	N/A - stormwater	only					
							1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.
All Ap	plicants must complete C	.3 – C.6.					
	Do you share an outfall with For each shared outfall, pro		-	No (lfno, co	ntinue to C	.4)	
	Applicantic		ermittee/Facility	NPD Permit		Wher	e is sample collected by Applicant?
4. D	o you have, or plan to have	, automatic	sampling equipment	or continuou	s wastewa	ter flow meterir	ng equipment at this facility?
	C	urrent:	Flow Metering Sampling Equipmer	Tes Tes	No No	N/A N/A	
	PI	anned:	Flow Metering Sampling Equipmer	Yes	No No	N/A N/A	
	so, please attach a schema le equipment below:	tic diagram	of the sewer system	indicating the	e present o	r future locatio	n of this equipment and describ
	re any process changes or e] Yes I No (If no, conti		planned during the n	ext three yea	rs that cou	ld alter wastew	ater volumes or characteristics

Briefly describe these changes and their anticipated effects on the wastewater volume and characteristics:

.

1

÷

.

6.	List the trade name and	chemical composition	of all biocides and	corrosion inhibitors used:
----	-------------------------	----------------------	---------------------	----------------------------

	Trade Name		Chemical Co	mposition
	Clayton Coil Guard 350	Sodium r	metabisulfite 768	31-57-4 (6-10 %)
	(Boiler condensate is Not discharged to Stormwater)	Sodium hydroxide 1310-73-2 (6-9%)		
		Acrylate/a	acrylamide copo	lymer Mixture (1-3%)
For ea	ach biocide and/or corrosion inhibitor used, please include the fo	ollowing infor	mation:	
(2 (3 (4	 96-hour median tolerance limit data for organisms representa ultimately reach, quantities to be used, frequencies of use, proposed discharge concentrations, and EPA registration number, if applicable 	ative of the b	viota of the waterwa	ay into which the discharge will
	ION D – WATER SUPPLY Sources (check as many as are applicable):			
	Private Well		Surface Water	
			Other (Specify):	City of Tuscaloosa
	MORE THAN ONE WELL OR SURFACE INTAKE, PROVIDE			
Ci	ity: <.001 MGD* Well:MGD* Well Depth	1:F	Ft. Latitude:	Longitude:
S	urface Intake Volume:MGD* Intake Elevation	n in Relation	to Bottom:	Ft.
In	take Elevation:Ft. Latitude: L	Longitude:		
N	amo of Surface Mater Sources			
	ame of Surface Water Source:			
*	MGD – Million Gallons per Day			
Comp	ng Water Intake Structure Information lete D.1 and D.2 if your water supply is provided by an outs	side source	and not by an on	
1.	er industry, municipality, etc) Does the provider of your source water operate a surface wate		_	site water intake structure? (e.
	er industry, municipality, etc) Does the provider of your source water operate a surface wate (If yes, continue, if no, go to Section E.)		_	site water intake structure? (e.
	er industry, municipality, etc) Does the provider of your source water operate a surface wate	er intake? Y	_	
	er industry, municipality, etc) Does the provider of your source water operate a surface wate (If yes, continue, if no, go to Section E.)	er intake? Y	es No No	
1.	er industry, municipality, etc) Does the provider of your source water operate a surface wate (If yes, continue, if no, go to Section E.) a) Name of Provider:	er intake? Yo b) Lo ch provides v	es No No cation of Provider:	for human consumption or which
1. 2. Only t	er industry, municipality, etc) Does the provider of your source water operate a surface wate (If yes, continue, if no, go to Section E.) a) Name of Provider: c) Latitude:Longitude: Is the provider a public water system (defined as a system whice	ch provides v (If yes, go to	Ves No No hocation of Provider:	for human consumption or which continue.)
1. 2. Only t	er industry, municipality, etc) Does the provider of your source water operate a surface wate (If yes, continue, if no, go to Section E.) a) Name of Provider: c) Latitude: Longitude: Is the provider a public water system (defined as a system whic provides only treated water, not raw water)? Yes No to be completed if you have a cooling water intake structure	ch provides v (If yes, go to e or the prov	Ves No No hocation of Provider:	for human consumption or which continue.)
1. 2. Only t and do 3.	er industry, municipality, etc) Does the provider of your source water operate a surface wate (If yes, continue, if no, go to Section E.) a) Name of Provider: c) Latitude: Longitude: Is the provider a public water system (defined as a system whic provides only treated water, not raw water)? Yes No to be completed if you have a cooling water intake structure oes not treat the raw water.	ch provides v (If yes, go to e or the prov	Ves No	for human consumption or which continue.) r supply uses an intake structu
1. 2. Only t and da 3. 4.	er industry, municipality, etc) Does the provider of your source water operate a surface water (If yes, continue, if no, go to Section E.) a) Name of Provider: c) Latitude: Longitude: Is the provider a public water system (defined as a system which provides only treated water, not raw water)? Yes No to be completed if you have a cooling water intake structure oes not treat the raw water. Is any water withdrawn from the source water used for cooling Using the average monthly measurements over any 12-month	b) Lo b) Lo ch provides w (If yes, go to e or the prov g? Yes h period, appl	Ves No No ocation of Provider:	for human consumption or which continue.) r supply uses an intake structu rcentage of water withdrawn is
1. 2. Only t 3. 4. 5.	er industry, municipality, etc) Does the provider of your source water operate a surface water (If yes, continue, if no, go to Section E.) a) Name of Provider: c) Latitude: Longitude: Is the provider a public water system (defined as a system which provides only treated water, not raw water)? Yes No to be completed if you have a cooling water intake structure oes not treat the raw water. Is any water withdrawn from the source water used for cooling Using the average monthly measurements over any 12-month used exclusively for cooling purposes?% Does the cooling water consist of treated effluent that would of	b) Lo b) Lo ch provides w (If yes, go to e or the prov g? Yes h period, approvide otherwise be o	Ves No No ocation of Provider:	for human consumption or which continue.) r supply uses an intake structu rcentage of water withdrawn is

7. W	/hen was the intake installed?
(F	Please provide dates for all major construction/installation of intake components including screens)
	/hat is the maximum intake volume?
9. V (a	/hat is the average intake volume?
10. W	/hat is the actual intake flow (AIF) as defined in 40 CFR §125.92(a)?MGD
11.H	ow is the intake operated? (e.g., continuously, intermittently, batch)
12. W	/hat is the mesh size of the screen on your intake?
13. W	/hat is the intake screen flow-through area?
14. W	/hat is the through-screen design intake flow velocity?ft/sec
15. W	/hat is the through-screen actual velocity (in ft/sec)?ft/sec
16. W	/hat is the mechanism for cleaning the screen? (e.g., does it rotate for cleaning)
17. D	o you have any additional fish detraction technology on your intake? 🗌 Yes 🛛 No
	ave there been any studies to determine the impact of the intake on aquatic organisms? Yes No (If yes, please rovide.)
19. At	ttach a site map showing the location of the water intake in relation to the facility, shoreline, water depth, etc.

SECTION E - WASTE STORAGE AND DISPOSAL INFORMATION

Provide a description of the location of all sites involved in the storage of solids or liquids that could be accidentally discharged to a water of the state, either directly or indirectly via such avenues as storm water drainage, municipal wastewater systems, etc., which are located at the facility for which the NPDES application is being made. Where possible, the location should be noted on a map and included with this application:

Description of Storage Location
All Hazardous Waste Accumulation areas are indoors

Provide a description of the location of the ultimate disposal sites of solid or liquid waste by-products (such as sludges) from any wastewater treatment system located at the facility.

Description of Waste	Quantity (Ibs/day)	Disposal Method*
N/A		

*Indicate which wastes identified above are disposed of at an off-site treatment facility and which are disposed of on-site. If any wastes are sent to an off-site centralized waste treatment facility, identify the waste and the facility.

SECTION F - COASTAL ZONE INFORMATION

Is the discharge(s) located within the 10-foot elevation contour and within the limits of Mobile or Baldwin County? 🗌 Yes	No No
If yes, complete items F.1 – F.12:	
Yes	No

- 1. Does the project require new construction?.....
- 2. Will the project be a source of new air emissions?

		Yes	No
3.	Does the project involve dredging and/or filling of a wetland area or water way?		
	If Yes, has the Corps of Engineers (COE) permit been received? COE Project No		
4.	Does the project involve wetlands and/or submersed grassbeds?		
5.	Are oyster reefs located near the project site?		
	If Yes, include a map showing project and discharge location with respect to oyster reefs		
6.	Does the project involve the site development, construction and operation of an energy facility as defined in ADEM Admin. Code r. 335-8-102(bb)?		
7.	Does the project involve mitigation of shoreline or coastal area erosion?		
8.	Does the project involve construction on beaches or dune areas?		
9.	Will the project interfere with public access to coastal waters?		
10.	Does the project lie within the 100-year floodplain?		
11.	Does the project involve the registration, sale, use, or application of pesticides?		
12.	Does the project propose or require construction of a new well or to alter an existing groundwater well to pump more than 50 gallons per day (GPD)?		
	If yes, has the applicable permit for groundwater recovery or for groundwater well installation been obtained?		

SECTION G - ANTI-DEGRADATION EVALUATION

In accordance with 40 CFR §131.12 and the ADEM Admin. Code r. 335-6-10-.04 for anti-degradation, the following information must be provided, if applicable. It is the applicant's responsibility to demonstrate the social and economic importance of the proposed activity. If further information is required to make this demonstration, attach additional sheets to the application.

- 1. Is this a new or increased discharge that began after April 3, 1991? Yes No If yes, complete G.2 below. If no, go to Section H.
- 2. Has an Anti-Degradation Analysis been previously conducted and submitted to the Department for the new or increased discharge referenced in G.1?
 Yes No

If yes, do not complete this section. If no, and the discharge is to a Tier II waterbody as defined in ADEM Admin. Code r. 335-6-10-.12(4), complete G.2.A – G.2.F below and ADEM Forms 311 and 313 (attached). ADEM Form 313 must be provided for each alternative considered technically viable.

Information required for new or increased discharges to high quality waters:

A. What environmental or public health problem will the discharger be correcting?

The discharge is stormwater associated with industrial activities related to chemical processing, storage, loading and unloading.

B. How much will the discharger be increasing employment (at its existing facility or as the result of locating a new facility)?

The discharge will allow the facility to continue to employ its current workforce of seven employees.

C. How much reduction in employment will the discharger be avoiding?

7 employees

D. How much additional state or local taxes will the discharger be paying?

The discharge will allow the facility to continue paying over \$300,000 in state and local taxes.

E. What public service to the community will the discharger be providing?

The discharge will allow the facility to continue to employ its current workforce and pay taxes.

F. What economic or social benefit will the discharger be providing to the community?

The discharge will allow the facility to continue to employ its current workforce and pay taxes. This injects a significant amount of capital into the local economy.

SECTION H - EPA Application Forms

All Applicants must submit EPA permit application forms. More than one application form may be required from a facility depending on the number and types of discharges or outfalls found. The EPA application forms are found on the Department's website at http://www.adem.alabama.gov/programs/water/waterforms.cnt. The EPA application forms must be submitted in duplicate as follows:

- 1. All applicants must submit Form 1.
- Applicants for existing industrial facilities (including manufacturing facilities, commercial facilities, mining activities, and silvicultural activities) which discharge process wastewater must submit Form 2C.
- 3. Applicants for new industrial facilities which propose to discharge process wastewater must submit Form 2D.
- 4. Applicants for new and existing industrial facilities which discharge only non-process wastewater (i.e., non-contact cooling water and/or sanitary wastewater) must submit Form 2E.
- Applicants for new and existing facilities whose discharge is composed entirely of storm water associated with industrial activity must submit Form 2F, unless exempted by § 122.26(c)(1)(ii). If the discharge is composed of storm water and nonstorm water, the applicant must also submit Forms 2C, 2D, and/or 2E, as appropriate (in addition to Form 2F).

SECTION I - ENGINEERING REPORT/BMP PLAN REQUIREMENTS

See ADEM 335-6-6-.08(i) & (j)

SECTION J- RECEIVING WATERS

Outfall No.	Receiving Water(s)	303(d) Segment	? Included in TMDL?*
001	Black Warrior River (via Tuscaloosa MS4 system)	Yes XN	o Yes XNo
		Yes N	o Yes No
		Yes N	o 🗌 Yes 🗌 No
		Yes N	o Yes No
		Yes N	o Yes No

*If a TMDL Compliance Schedule is requested, the following should be attached as supporting documentation:

(1) Justification for the requested Compliance Schedule (e.g. time for design and installation of control equipment, etc.);

(2) Monitoring results for the pollutant(s) of concern which have not previously been submitted to the Department (sample collection dates, analytical results (mass and concentration), methods utilized, MDL/ML, etc. should be submitted as available);

(3) Requested interim limitations, if applicable;

(4) Date of final compliance with the TMDL limitations; and,

(5) Any other additional information available to support requested compliance schedule.

SECTION K – APPLICATION CERTIFICATION

The information contained in this form must be certified by a responsible official as defined in ADEM Administrative Code r. 335-6-6-.09 "signatories to permit applications and reports" (see below).

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment for knowing violations."

Signature of Responsible Official:	6	kal	1		Date Signed: 3/30/20	
			-	10 111		

Name and Title: Jason Councill, Vice President and General Manager	Name and Title. Ja	ason Councill,	cill, Vice President	and General	Manager
--	--------------------	----------------	----------------------	-------------	---------

If the Responsible Official signing this application is not identified in Section A.7, provide the following information:

Mailing Address:

City:___

_____State:____

Phone Number:_____

Email Address:

335-6-6-.09 SIGNATORIES TO PERMIT APPLICATIONS AND REPORTS.

- (1) The application for an NPDES permit shall be signed by a responsible official, as indicated below:
 - (a) In the case of a corporation, by a principal executive officer of at least the level of vice president, or a manager assigned or delegated in accordance with corporate procedures, with such delegation submitted in writing if required by the Department, who is responsible for manufacturing, production, or operating facilities and is authorized to make management decisions which govern the operation of the regulated facility;

_____Zip: _____

- (b) In the case of a partnership, by a general partner;
- (c) In the case of a sole proprietorship, by the proprietor; or
- (d) In the case of a municipal, state, federal, or other public entity, by either a principal executive officer, or ranking elected official.

ATTACHMENT

ADEM Form 187 Section B

3. Give a brief description of all operations at this facility including primary products or services.

The Facility produces DuraTreat-40 (DT-40) wood preservative. The facility is not regulated under the "Pesticide Chemicals Formulating and Packaging Categorical Pretreatment Standard" (40 CFR 455, Subpart C) as the facility does not discharge process water or non-process wastewater. Section 455.40(C) specifically excludes stormwater from the pretreatment standard. DT-40 solution is produced on a batch basis using heat and circulation to dissolve solid pentachlorophenol (PCP) blocks in a solvent. PCP blocks are received via truck and stored onsite while awaiting processing. The PCP blocks are packaged with both an outer and inner liner. Solvents are received via truck and unloaded into one of four (4) solvent storage tanks. The facility utilizes combinations of four (4) different solvents depending on customer specifications. DT-40 solution is pumped to one of three (3) DT-40 Storage Tanks prior to being transported off-site by truck. The inner liners that contained PCP blocks are triple rinsed in a small vessel with solvent which is then returned via tote for use in DT-40 production.

Section C

6. List the trade name or chemical composition of all biocides and corrosion inhibitors used:

For each biocide and/or corrosion inhibitor used, please include the following information:

Name	Chemical Composition	48-hour median tolerance limit data ¹	Quantities to be used	Frequencies of use	Proposed discharge concentrations	EPA registration number, if applicable
Clayton Coil Guard 350	Sodium metabisulfite 7681- 57-4 (6-10 %) Sodium hydroxide 1310-73-2 (6-9%) Acrylate/acrylamide copolymer Mixture (1-3%)	Fish LD50 salmo gardineri 96 hours 150-220	220 gallons /year	Continuous	No Discharge to Stormwater	Not Applicable

 1. 48-haur median tolerance limit data for organisms representative of the biota of the waterway into which the discharge will ultimately reach. For freshwater, the fathead minnow (pimephales promelas) and cladoceran (Ceriodaphnia dubia) are the required test organisms. As this chemical is not discharged to stormwater, KMG requests that ADEM accept alternate ecotoxicity data.

Attachment 1 to Supplementary Form ADEM Form 311

Alternatives Analysis

Applicant/Project: KMG - Bernuth

All new or expanded discharges (except discharges eligible for coverage under general permits) covered by the NPDES permitting program are subject to the provisions of ADEM's antidegradation policy. Applicants for such discharges to Tier 2 waters are required to demonstrate "... that the proposed discharge is necessary for important economic or social development." As a part of this demonstration, the applicant must complete an evaluation of the discharge alternatives listed below, including a calculation of the total annualized project costs for each technically feasible alternative (using ADEM Form 312 for public-sector projects and ADEM Form 313 for private-sector projects). Alternatives with total annualized project costs that are less than 110% of the total annualized project costs for the Tier 2 discharge proposal are considered viable alternatives.

Alternative	Viable	Non-Viable	Comment
1 Land Application		x	Space for land application is limited at the facility.
2 Pretreatment/Discharge to POTW	x		See Attached
3 Relocation of Discharge		x	Due to area topography, any relocated discharge will eventually reach the Black Warrior River.
4 Reuse/Recycle		x	Facility requires a high water quality standard that could not leasibly be met with recycled atom water.
5 Process/Treatment Alternatives		x	The topography and evailable space at the site is not conducive to collection for treatment.
6 On-site/Sub-surface Disposal		x	Elevation of the alle and proximity to the Black Warrior River limit the visibility of underground injection.
(other project-specific alternatives			
considered by the applicant; attach			
additional sheets if necessary)			
7			
8			
9			

Pursuant to ADEM Administrative Code Rule 335-6-3-.04, I certify on behalf of the applicant that I have completed an evaluation of the discharge alternatives identified above, and reached the conclusions indicated.

Signature: Rychil Bauman P.E. (Professional Engineer) Date: 3-28-2020

(Supporting documentation to be attached, referenced, or otherwise handled as appropriate.)

ADEM Form 311 3/02

ATTACHMENT

ADEM Form 311

Alternative Analysis - In accordance with the requirement to consider discharge alternatives, the option of stormwater collection and discharge to the POTW has been evaluated.

Collection of stormwater from industrial operations on the northern portion of the facility could be accomplished via the installation of a properly sized and located french drain and sump pump system. This system would need to be located along the northern edge of the industrial section of the property and sized for a sufficient rain event (25 yr 24 hour storm) to ensure there is no discharge of stormwater from these activities. Additionally, containment curbing may be needed for areas where a french drain cannot be installed. The sump system would pump all collected stormwater to the bulk tank containment area, which would need expanded capacity as well as an upgraded pump to contain the additional stormwater flow and then discharge to the City of Tuscaloosa Publicly Owned Treatment Works (POTW).

As noted on ADEM Form 313 the estimated total annualized project costs are \$65,580. Additional considerations beyond costs are whether the City of Tuscaloosa POTW would accept the additional volume of concentrated strormwater and any additional permitting requirements (such as a State Indirect Discharge Permit) that may be necessary based on the additional volume or characteristics of stormwater flow.

Industrial operations on the southern portion of the site (including the area surrounding the 10-Block Dissolver Building and the concrete containment area surrounding bulk storage tanks) are surrounded by an earthen berm that is capable of containing all stormwater flows within the berm. As there is no anticipated discharge for stormwater from the southern portion of the plant, it is not included in this analysis.

Calculation of Total Annualized Project Costs for Private-Sector Projects

Capital Costs to be Financed (Supplied by applicant)	\$ 100,000 ₍₁₎
Interest rate for Financing (Expressed as a decimal)	.09 (i)
Time Period of Financing (Assume 10 years [*])	10 years (n)
Annualization Factor = $\frac{i}{(1+i)^{10}-1} + i$	0.1558 (2)
Annualized Capital Cost [Calculate: (1) x (2)]	\$ 15,580 ₍₃₎
Annual Cost of Operation and Maintenance (including but not limited to monitoring, inspection, permitting fees, waste disposal charges, repair, administration and replacement)**	\$ 50,000 ₍₄₎
Total Annual Cost of Pollution Control Project [(3)+(4)]	\$ 65,580 ₍₅₎

* While actual payback schedules may differ across projects and companies, assume equal annual payments over a 10-year period for consistency in comparing projects.

** For recurring costs that occur less frequently than once a year, pro rate the cost over the relevant number of years (e.g., for pumps replaced once every three years, include one-third of the cost in each year).

ADEM Form 313 8/02

	A Identification	ation Number 923832	NPDES Permit Number		acility Name G - Bernuth	Form Approved 03/05/ OMB No. 2040-00						
Form 1 PDES	S€FPA			ion for NPDES P	ntal Protection Age ermit to Discharge	Wastewater						
ECTIO	ION 1. ACTIVITIES REQUIRING AN NPDES PERMIT (40 CFR 122.21(f) and (f)(1))											
	1.1		Required to Submit Form 1									
	1.1.1	Is the facility a ne treatment works If yes, STOP. Do Form 1. Complete	NOT complete	d <u>1.1.2</u> No	Is the facility a ne treating domesti If yes, STOP. Do complete Form 1. Form 2S.	NOT NO						
	1.2	Applicants Required to Submit Form 1										
IPDES Permit	1.2.1	operation or a co production facili ☐ Yes → Co	ncentrated animal feeding oncentrated aquatic animal ity? omplete Form 1 V N of Form 2B.		commercial, minin currently dischar ☐ Yes → Cor	cisting manufacturing, g, or silvicultural facility that is ging process wastewater? nplete Form I No nd Form 2C.						
Activities Requiring an NPDES Permit	1.2.3	mining, or silvicul commenced to c ☐ Yes → Co	omplete Form 1 🔽 N		commercial, minin discharges only ☐ Yes → Con	w or existing manufacturing, g, or silvicultural facility that nonprocess wastewater? mplete Form v No and Form 2E.						
Activities	1.2.5	discharge is comp associated with discharge is comp non-stormwater ✓ Yes → Co an un 40	and Form 2D. 1 and Form 2E. ne facility a new or existing facility whose 1 sharge is composed entirely of stormwater 1 ociated with industrial activity or whose 1 sharge is composed of both stormwater and 1 otated with industrial activity or whose 1 sharge is composed of both stormwater and 1 ociated with industrial activity or whose 1 sharge is composed of both stormwater and 1 ociated with industrial activity or whose 1 sharge is composed of both stormwater and 1 ociated with industrial activity or whose 1 with stormwater? No and Form 2F unless exempted by 40 CFR 122.26(b)(14)(x) or (b)(15). 1									
CTIO			RESS, AND LOCATION (40	CFR 122.21(f)(2)								
	2.1	Facility Name	11 m									
		KMG - Bernuth										
ion	2.2	EPA Identificatio	n Number									
Name, Mailing Address, and Location		ALD981923832										
and	2.3	Facility Contact	Contra de la contra de la									
ess,		Name (first and la	ist) Title		F	hone number						
Vddr		Brian Sims	Plant Ma	inager	(2	05) 758-0448						
f Bu		Email address										
Aaili		bsims@kmgchemicals.com										
ne, l	2.4	Facility Mailing	A DECEMBER OF									
Nar		Street or P.O. box	(
		2901 3rd Street										
		City or town Tuscaloosa	State	FRE		IP code						
-		Tuscalousa		ECEI								
Form 35	10-1 (revi	sed 3-19)	And	MAR 3 1	2020	Pa						

	A Identific ALD981	ation Number 923832	NPDES Permit Number	Facility Name KMG - Bernuth	Form Approved 03/05/19 OMB No. 2040-0004				
s, b	2.5	Facility Location							
Name, Mailing Address, and Location Continued		Street, route number, or other specific identifier 2901 3rd Street							
Mailing cation (County name Tuscaloosa	County co	de (if known)					
Name, and Lo		City or town Tuscaloosa	State AL		ZIP code 35401				
SECTIO	N 3. SIC	AND NAICS CODES	(40 CFR 122.21(f)(3))	and shall be set of the					
	3.1	SIC Code	s) Description	on (optional)					
		2879	Pesticides a	and Agricultural Chemicals, not e	lsewhere classified				
SIC and NAICS Codes									
N N	3.2	NAICS Cod	e(s) Descriptio	on (optional)					
ilC and		325320	Pesticides a	and other Agricultural Chemical I	Manufacturing				
	4.1	PERATOR INFORMATION (40 CFR 122.21(f)(4)) Name of Operator KMG - Bernuth							
rmation	4.2	Is the name you listed in Item 4.1 also the owner?							
Info	4.3	Operator Status							
Operator Information		Public—federal	Public—sta Other (spec		er public (specify)				
	4.4	Phone Number of C							
		(205) 758-0448							
Ę	4.5	Operator Address							
Operator Information Continued		Street or P.O. Box 2901 3rd Street							
ator Inform Continued		City or town	State		ZIP code				
oerato Co		Tuscaloosa Email address of ope	erator		35401				
ō									
SECTIO	N 5. IND	IAN LAND (40 CFR 1	22.21(f)(5))						
Indian Land	5.1	Is the facility located	on Indian Land?						
Ind La		Yes INO							

	A Identifica	and the second second second second	Permit Number	Number Facility Name KMG - Bernuth		Form Approved 03/05/19 OMB No. 2040-0004			
Court and the second		STING ENVIRONMENTAL PE	RMITS (40 CFR 12	2.21(f)(
	6.1	Existing Environmental Permits (check all that apply and print or type the corresponding permit number for each)							
Existing Environmental Permits		NPDES (discharges to su water)		A (hazan 819238	dous wastes) 32	UIC (underground injection of fluids)			
ng Envirol Permits		PSD (air emissions)			t program (CAA)	NESHAPs (CAA)			
Existi		Ocean dumping (MPRSA) Dredg	je or fill	(CWA Section 404)	✓ Other (specify) 413-0119-X001			
SECTIO	N 7. MA	P (40 CFR 122.21(f)(7))		125					
Map	7.1	specific requirements.)			uired information to th quirements in Form 2	is application? (See instructions for			
SECTIO	N 8 NA	TURE OF BUSINESS (40 CFR							
SECHO	8.1	Describe the nature of your bi							
Nature of Business		The Facility produces DuraTre Chemicals Formulating and Pa does not discharge process w from the pretreatment standa Solid pentachlorophenol (PCP processing. The PCP blocks ar railcar and unloaded into one solvents depending on custom	eat-40 (DT-40) woo ackaging Categoric ater or non-proces ard. DT-40 solution) blocks in a solver e packaged with be of four (4) solvent ner specifications. -site by truck. The	al Pretre s waster is produ- nt. PCP bo oth an o storage DT-40 so inner lin	atment Standard" (40 water. Section 455.40 uced on a batch basis locks are received via uter and inner liner. S tanks. The facility util plution is pumped to o ers that contained PC	not regulated under the "Pesticide CFR 455, Subpart C) as the facility (C) specifically excludes stormwater using heat and circulation to dissolve truck and stored onsite while awaiting olvents are received via truck and izes combinations of four (4) different one of three (3) DT-40 Storage Tanks P blocks are triple rinsed in a small of			
SECTIO	N 9. CO	OLING WATER INTAKE STRU	A CONTRACTOR OF A CONTRACT	122.21(f)(9))				
	9.1	Does your facility use cooling	water?						
er		☐ Yes	to Item 10.1.						
Cooling Water Intake Structures	9.2	Identify the source of cooling water. (Note that facilities that use a cooling water intake structure as described at 40 CFR 125, Subparts I and J may have additional application requirements at 40 CFR 122.21(r). Consult with your NPDES permitting authority to determine what specific information needs to be submitted and when.)							
SECTIO	N 10. VA	RIANCE REQUESTS (40 CFR	122.21(f)(10))						
	10.1	Do you intend to request or re	new one or more o			10 CFR 122.21(m)? (Check all that at a submitted and			
Variance Requests		Fundamentally differen Section 301(n))	t factors (CWA		Water quality related 302(b)(2))	effluent limitations (CWA Section			
Variance		Non-conventional pollu Section 301(c) and (g)			Thermal discharges	(CWA Section 316(a))			
-		✓ Not applicable							

EP	A Identifica ALD9819		er NPDES Permit Number			lity Name - Bernuth	Form Approved 03/05/1 OMB No. 2040-000		
SECTIO	N 11. CH	ECKLIS	T AND CERTIFICATION STATEMENT (4	0 CFR 122	.22(a) and (d))			
	11.1	For eac	In Column 1 below, mark the sections of Form 1 that you h. For each section, specify in Column 2 any attachments that that not all applicants are required to provide attachments.						
		Column 1					Column 2		
			Section 1: Activities Requiring an NPDES	S Permit		w/ attachments			
			Section 2: Name, Mailing Address, and L	ocation		w/ attachments			
	5		Section 3: SIC Codes			w/ attachments			
Checklist and Certification Statement			Section 4: Operator Information			w/ attachments			
		\checkmark	Section 5: Indian Land			w/ attachments			
			Section 6: Existing Environmental Permit	s		w/ attachments			
			Section 7: Map		1	w/ topographic map	W additional attachments		
			Section 8: Nature of Business			w/ attachments			
tificat		\checkmark	Section 9: Cooling Water Intake Structure	es		w/ attachments			
nd Cer		\checkmark	Section 10: Variance Requests			w/ attachments			
list ar			Section 11: Checklist and Certification St	atement		w/ attachments			
heck	11.2	Certification Statement							
0		I certify under penalty of law that this document and all attachments were prepared under my direction or supervision accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment for knowing violations.					ther and evaluate the ne system, or those persons best of my knowledge and		
		Name	(print or type first and last name)		Offici	al title			
		Jason C	ouncill		/ice F	President and Gene	eral Manager		
		Signatu	re A Cill			signed 30/20			

EPA Identi ALD98	fication 1 819238		NPDES Permit N	lumber			acility Name G - Bernuth		Form Approved 03 OMB No. 2040	
Form 2F IPDES	€,E	PA	STORMWA		ation for NP	DES Pe	al Protection Ag rmit to Discharg	e Wastewa		тү
ECTION 1.	OUTF	ALL LOCA	TION (40 CFR 122.21(g		CONAICOL	Sales	COLLED WITH	- INDOON	NAL AOTIN	AN NOT
A STREET OF THE OWNER OF THE OWNE		Provide inf	formation on each of the	and the second se	outfalls in the	e table l	below			
		Outfall Number	Receiving Water Na	ime		Latitud	e		Longitude	
ç		001	Black Warrior River (vi	a City	33°	12′	35″	87°	34' 3	5″
ocatio					٥	,	"	0	,	"
Outfall Location					0	,	"	٥	,	"
NO				-	o	,	"	0	,	"
		_			o	,	"	0	,	"
			S (40 CFR 122.21(g)(6))		٥	,	"	٥	,	"
2		Are you presently required by any federal, state, or local authority to meet an implementation s upgrading, or operating wastewater treatment equipment or practices or any other environment affect the discharges described in this application? Yes ✓ Briefly identify each applicable project in the table below.							n 3.	
			Identification and ription of Project		ed Outfalls fall numbers)		Source(s) of Disc	harge	Final Comp	liance Date
				(100000					Required	Projecte
Improvements										
2	2.3	Have you a that may a	attached sheets describi ffect your discharges) th	ng any ao at you no	dditional wate w have unde ☑ No	er pollut erway of	planned? (Optio	nal Item)	a Tataninga	al projects
PA Form 3510	-2F (Rev						No.	3 1 202	o U	Page

a.

	EPA Identification Number ALD981923832		NPDES Permit Number	NPDES Permit Number Facility Name KMG - Bernuth		Form Approved 03/05/1 OMB No. 2040-000				
ECTION	3. SITE	DRAINAGE	MAP (40 CFR 122.26(c)(1)(i)(A)							
ae	3.1	Have you at	Have you attached a site drainage map containing all required information to this application? (See instructions for specific guidance.)							
Drainaç Map		Ves Yes		No No						
CTION	4. POL	LUTANT SOU	RCES (40 CFR 122.26(c)(1)(i)(E	3))						
	4.1									
		Outfall	Impervious Surface	Area	a Drained					
		Number	(within a mile radius of th	e facility) specify units	(within a mile radius of	of the facility) specify units				
		001	0.5	acres	2	acres				
				specify units		specify units				
1 11				specify units		specify units				
11 1				specify units		specify units				
2.1.22				specify units		specify units				
				specify units		specify units				
Pollutant Sources	4.3	Provide the	ocation and a description of exis	ting structural and non-	structural control measures	to reduce pollutants in				
Station 1			unoff. (See instructions for speci	fic guidance.)						
				Stormwater Treatme	ent	Cadaa				
		Outfall Number		Control Measures and T	reatment	Codes				
						from Exhibit 2F–1 (list)				
		001	SPCC Plan			Exhibit 2F–1				
		001	SPCC Plan BMP Plan			Exhibit 2F-1 (list)				
						Exhibit 2F-1 (list) N/A				

	dentificatio	n Number	NPDES Permit Number		ility Name - Bernuth	Form Approved 03/05/1 OMB No. 2040-000			
			DISCULADOES /40 OED 400 00/			and the state of the local			
	5.1	N STORMWATER DISCHARGES (40 CFR 122.26(c)(1)(i)(C)) I certify under penalty of law that the outfall(s) covered by presence of non-stormwater discharges. Moreover, I certify discharges are described in either an accompanying NPDES F Name (print or type first and last name) Jason Councill Signature			d by this application have been tested or evaluated for sertify that the outfalls identified as having non-stormwa				
ges	5.2	Provide the testing information requested in the table below.							
Non-Stormwater Discharges	U.L.	Outfall Number	Description of Testing Metho		Date(s) of Testing	Onsite Drainage Point Directly Observed During Test			
tormwate		001	Visual Inspection		03/26/2020	001			
Significant Leaks or Spills	6.1	Describe any sig	OR SPILLS (40 CFR 122.26(c)(1)(nificant leaks or spills of toxic or ha	zardous pollut	ants in the last three years.				
6	See the	e instructions to det	ATION (40 CFR 122.26(c)(1)(i)(E)) ermine the pollutants and parameter		quired to monitor and, in tur	n, the tables you must			
ation			ts need to complete each table.						
Discharge Information	7.1		rce or new discharge? ee instructions regarding submissio data.	in of 🔽	No → See instructions re actual data.	garding submission of			
arge		A, B, C, and D				in the second			
isch	7.2	Have you comple	eted Table A for each outfall?						
		V Yes			No				

	Identificatio		NPDES Permit Number		lity Name - Bernuth	Form Approved 03/05/1 OMB No. 2040-000	
	7.3	Is the facility s wastewater?	ubject to an effluent limitation guide	eline (ELG) or eff	luent limitations in an	NPDES permit for its process	
		Yes		\checkmark	No → SKIP to Item	17.5.	
	7.4	indirectly in an	pleted Table B by providing quanti ELG and/or (2) subject to effluent		NPDES permit for the		
		Yes			No		
	7.5		r have reason to believe any pollu	tants in Exhibit 2	F-2 are present in the	e discharge?	
		✓ Yes			No → SKIP to Item		
	7.6	provided quan	d all pollutants in Exhibit 2F–2 that itative data or an explanation for the titative data or an explanation for the titation of titation of the titation of the titation of the titation of the titation of titation of titation of the titation of titation of the titation of			re present in the discharge and	
		✓ Yes			No		
	7.7		for a small business exemption un	der the criteria sp	pecified in the Instruct	tions?	
	-		SKIP to Item 7.18,	\checkmark	No		
	7.8	Do you know o	r have reason to believe any pollut	ants in Exhibit 2	F-3 are present in the	e discharge?	
		V Yes			No → SKIP to Item	7.10.	
tinued	7.9	Have you listed Table C?	d all pollutants in Exhibit 2F–3 that	you know or hav	e reason to believe a	re present in the discharge in	
Con		V Yes			No		
tion	7.10	Do you expect	any of the pollutants in Exhibit 2F-	-3 to be discharg	ed in concentrations of	of 10 ppb or greater?	
orma		✓ Yes			No → SKIP to Item	7.12.	
Discharge Information Continued	7.11		ded quantitative data in Table C for of 10 ppb or greater?	or those pollutants	s in Exhibit 2F–3 that	you expect to be discharged in	
sch		Yes			No		
ā	7.12	Do you expect acrolein, acrylonitrile, 2,4-dinitrophenol, or 2-methyl-4,6-dinitrophenol to be discharged in concentrations of 100 ppb or greater?					
		Yes		\checkmark	No → SKIP to Item	7.14.	
	7.13	Have you prov discharged in o	ded quantitative data in Table C for concentrations of 100 ppb or greater	or the pollutants id er?	dentified in Item 7.12	that you expect to be	
		Yes			No		
	7.14		ded quantitative data or an explan oncentrations less than 10 ppb (or				
		✓ Yes			No		
	7.15	Do you know o	r have reason to believe any pollut	ants in Exhibit 2	-4 are present in the	discharge?	
		Yes		\checkmark	No → SKIP to Item	7.17.	
	7.16	Have you listed explanation in	f pollutants in Exhibit 2F–4 that you Table C?	I know or believe	e to be present in the	discharge and provided an	
		🗌 Yes			No		
	7.17	Have you prov	ded information for the storm even	t(s) sampled in T	able D?		
		✓ Yes			No		

	Identificatio		ES Permit Number	Facility Name MG - Bernuth	Form Approved 03/05/19 OMB No. 2040-0004					
	Used o	r Manufactured Toxics								
Discharge Information Continued	7.18	Is any pollutant listed on E manufactured as an interr Ves	nce used or n 8.							
formatio	7.19		ncluding TCDD if applicable. 4.	7.						
arge In		1. Pentachlorophenol 2.	5.	8.						
Discha		3.	6.	9.	1					
	N 8. BIO 8.1	Do you have any knowled any of your discharges or	ING DATA (40 CFR 122.21(g)(11)) dge or reason to believe that any bio on a receiving water in relation to y	logical test for acute or chronic t our discharge within the last thre ☑ No → SKIP to Sectio	e years?					
estin	8.2	Yes ✓ No → SKIP to Section 9. Identify the tests and their purposes below.								
Biological Toxicity Testing Data	0.2	Test(s)	Purpose of Test(s)	Submitted to NPDES Permitting Authority?	Date Submitted					
cal To				Yes No						
siologi				Yes No						
ш				Yes No						
SECTIC	9.1		RMATION (40 CFR 122.21(g)(12)) reported in Section 7 (on Tables A t	hrough C) performed by a contr						
		Provide information for each contract laboratory or consulting firm below.								
	9.2	Provide information for ea	Laboratory Number 1	Laboratory Number 2	Laboratory Number 3					
rmation		Name of laboratory/firm	Waypoint Analytical	Pace Analytical						
Contract Analysis Information		Laboratory address	2790 Whitten Rd Memphis, TN 38133	3516 Greensboro Avenue Tuscaloosa, AL 35401						
Contrac		Phone number	(901) 213-2400	(205) 614-6630						
		Pollutant(s) analyzed	COD, Nitrate+Nitrite-N, Oil&Grease, TSS, TKN, Total N, P, Pesticides, VOC	BOD, 5 day						

EPA	EPA Identification Number NPDE		NPDES Permit Number	Facility Name	Form Approved 03/05/19 OMB No. 2040-0004			
	ALD98192			KMG - Bernuth	01115 110. 2010 0001			
SECTIO	0N 10. CH 10.1	IECKLIST AND CERTIFICATION STATEMENT (40 CFR 122.22(a) and (d)) In Column 1 below, mark the sections of Form 2F that you have completed and are submitting with your applicat each section, specify in Column 2 any attachments that you are enclosing to alert the permitting authority. Note t all applicants are required to complete all sections or provide attachments.						
		Column 1		Column 2	nd pala			
		Section 1	w/ attachment	s (e.g., responses for additional outf	alls)			
		Section 2	w/ attachment	S				
		Section 3	w/ site drainag	je map				
		Section 4	w/ attachment	S				
tement		Section 5	w/ attachment	S				
		Section 6	w/ attachment	S				
		Section 7	Table A	w/ small business e	xemption request			
on Sta			✓ Table B	w/ analytical results	as an attachment			
Checklist and Certification Statement			✓ Table C	Table D				
		Section 8	w/attachments	3				
st and	· · · ·	Section 9	w/attachments	(e.g., responses for additional cont	act laboratories or firms)			
heckli		Section 10						
Ū	10.2	Certification Statem	ent					
		accordance with a s submitted. Based on for gathering the info	ystem designed to assure the my inquiry of the person or pe rmation, the information subn a that there are significant per	d all attachments were prepared un at qualified personnel properly gat arsons who manage the system or th nitted is, to the best of my knowled gatties for submitting false information	her and evaluate the information hose persons directly responsible ge and belief, true, accurate, and			
		Name (print or type fi	rst and last name)	Official title				
		Jason Councill		Vice President and Gen	eral Manager			
		Signature	n 11	Date signed				
	-0	Ch	-all	3/30/20				

	EPA Identification Number NF ALD981923832					Form Approved 03/05/19 OMB No. 2040-0004	
TAE You	BLE A. CONVENTIONAL AND NON CON must provide the results of at least one a	IVENTIONAL PARAMETER nalysis for every pollutant in	this table. Complete)(1)(i)(E)(3)) ¹ one table for each outfall.	. See instructions for a	ditional details and requ	irements.
		Maximum Dail (specify u	y Discharge	Average Dail (specify	y Discharge	Number of Storm Events Sampled	Source of Information
	Pollutant or Parameter	Grab Sample Taken During First 30 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 30 Minutes	Flow-Weighted Composite		(new source/new dischargers only; use codes in instructions)
1.	Oil and grease	< 1.5 mg/L (MQL)				1	
2.	Biochemical oxygen demand (BOD5)	3.9 mg/L (0.65 lbs)				1	
3.	Chemical oxygen demand (COD)	< 15.0 mg/L (MQL)				1	
4.	Total suspended solids (TSS)	10 mg/L (1.67 lbs)				1	
5.	Total phosphorus	< 0.500 mg/L (MQL)				1	
6.	Total Kjeldahl nitrogen (TKN)	< 1.00 mg/L (MQL)				1	
7.	Total nitrogen (as N)	0.202 mg/L (0.034 lbs		-		1	
	pH (minimum)	6.67				1	
8.	pH (maximum)	6367	States The second		Service Man	1	

¹ Sampling shall be conducted according to sufficiently sensitive test procedures (i.e., methods) approved under 40 CFR 136 for the analysis of pollutants or pollutant parameters or required under 40 CFR chapter I, subchapter N or O. See instructions and 40 CFR 122.21(e)(3).

This page intentionally left blank.

EPA Identification Number	NPDES Permit Number	Facility Nam		Outfall Number		Form Approved 03/05/1 OMB No. 2040-000
ALD981923832		KMG - Bern	uth	001		01010 140. 2040-000
ABLE B. CERTAIN CONVENTIONAL						
ist each pollutant that is limited in an eff acility is operating under an existing NPI	luent limitation guideline (ELG) t DES permit). Complete one table	hat the facility is subjected for each outfall. See	ect to or any pollutant lister the instructions for addition	d in the facility's NPDE onal details and require	ES permit for its process ements.	wastewater (if the
	Maximum Dai (specify	ly Discharge units)	Average Daily (specify		Number of Storm	Source of Information
Pollutant and CAS Number (if availa	ble) Grab Sample Taken During First 30 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 30 Minutes	Flow-Weighted Composite	Events Sampled	(new source/new dischargers only; use codes in instructions)

¹ Sampling shall be conducted according to sufficiently sensitive test procedures (i.e., methods) approved under 40 CFR 136 for the analysis of pollutants or pollutant parameters or required under 40 CFR chapter I, subchapter N or O. See instructions and 40 CFR 122.21(e)(3).

This page intentionally left blank.

r`

1

(specify units) (specify units) Number of Storm Infor Pollutant and CAS Number (if available) Grab Sample Taken Flow-Weighted Grab Sample Taken Flow-Weighted During First Composite During First Composite Composite Flow-Weighted Composite Composite State Flow-Weighted Events Sampled Infor	o. 2040-000
List each pollutant shown in Exhibits 2F–2, 2F–3, and 2F–4 that you know or have reason to believe is present. Complete one table for each outfall. See the instructions for addited tables and requirements. Pollutant and CAS Number (if available) Maximum Daily Discharge (specify units) Average Daily Discharge (specify units) Number of Storm Events Sampled Sout Inform (new structions for addited table) 4, 4' - DDT 0.0581 ug/L(9.6E-06 lb Image: Colored table	
Information (specify units) (specify units) Number of Storm Information Pollutant and CAS Number (if available) Grab Sample Taken During First 30 Minutes Flow-Weighted Composite Grab Sample Taken During First 30 Minutes Flow-Weighted Composite Flow-Weighted Composite Flow-Weighted Composite Flow-Weighted Composite Information 4, 4' - DDT 0.0581 ug/L(9.6E-06 lb 0.0581 ug/L(9.6E-06 lb 1 1 1 Methoxychlor < 0.0400 ug/L 1 1 1	onal
Pollutant and CAS Number (if available) Grab Sample Taken During First 30 Minutes Flow-Weighted Composite Grab Sample Taken During First 30 Minutes Flow-Weighted Composite Flow-Weighted Composite Number of Storm Events Sampled Immer of Storm (new sc discharge codes in 4, 4' -DDT 0.0581 ug/L(9.6E-06 lb 1 1 1 Methoxychlor < 0.0400 ug/L 1 1 1	Source of Information
Methoxychlor <0.0400 ug/L 1	urce/new rs only; use instructions)
Pentachlorophenol 1.633 mg/L (0.27 lbs) 1 1 Image: Comparison of the symptotic comparison of the symptoticomparison of the symptotic comparison of the symptotic comparison	

¹ Sampling shall be conducted according to sufficiently sensitive test procedures (i.e., methods) approved under 40 CFR 136 for the analysis of pollutants or pollutant parameters or required under 40 CFR chapter I, subchapter N or O. See instructions and 40 CFR 122.21(e)(3).

This page intentionally left blank.

Date of Storm Event Duration of Storm Event (in hours) Total Rainfall During Storm Event (in inches) Beginning of Storm Measured and End of Previous Measurable Rain Event Maximum Flow Rate During Rain Event (in gm or specify units) Total Flow from Rain (in gallons or specify units) 03/10/2020 4 0.4 72 83 gpm 19,000	Provide data for the storm event(s) that resulted in the maximum daily discharges for the flow-weighted composite sample. Number of Hours Between						
	Date of Storm Event			Beginning of Storm Measured and End of Previous Measurable Rain		Total Flow from Rain Ever (in gallons or specify units)	
Provide a description of the method of flow measurement or estimate.	03/10/2020	4	0.4	72	83 gpm	19,000	
ow estimate is based on rainfall amount and estimated duration of rain event. Total flow calculated based on rainfall amount and area of site draining to Outfall 001.				l flow calculated based on rainfall amount	and area of site draining to	o Outfall 001.	

ATTACHMENT

EPA Form 2F Section 4

4.2 Provide a narrative description of the facility's significant material in the space below.

Significant material potentially exposed to stormwater include solvent and DT bulk storage tanks, solid pentachlorophenol blocks (PENTA), hazardous waste, and solvent transfer or usage operations. Bulk storage tanks are located within a concrete containment area with stormwater collected and discharged to the City of Tuscaloosa POTW. PENTA blocks and block hangers have in the past been managed outside near the facility entrance, the tool shed, and/or the 7-Block Dissolver Building. However, this is no longer allowed in outside areas subject to stormwater runoff. Hazardous waste accumulation areas are all within buildings with no expected stormwater exposure. Potential solvent and PENTA exposure to stormwater can occur during transfer operations and due to forklift traffic within and outside of the 7-Block Building and/or the parts and equipment storage building where solvents and PENTA are being used. In order to reduce the potential for exposure, transfer operations are not performed while it is raining. Similar potential for stormwater exposure to solvents and PENTA occurs in and around the 10-Block Building, however, this building and the entire southern portion of the site (including the concrete containment area)are surrounded by an earthen berm that is capable of containing all stormwater flows within the berm. Therefore, there is no anticipated discharge for stormwater from this portion of the plant.



