APPENDIX B - EPA HAZARDOUS WASTE CODES Code Waste description Waste description Code Waste description CHARACTERISTICS OF NONLISTED a total of ten percent or more (by volume) phosphating is an exclusive conversion **HAZARDOUS WASTES** of one or more of the above halogenated coating process. D001 Ignitable waste solvents or those solvents listed in F001, Wastes (except wastewater and spent F020 F004, and F005; and still bottoms from D002 Corrosive waste carbon from hydrogen chloride the recovery of these spent solvents and purification) from the production or D003 Reactive waste spent solvent mixtures. manufacturing use (as a reactant, D004 Arsenic F003 The following spent non-halogenated chemical intermediate, or component in a D005 Barium solvents: Xylene, acetone, ethyl acetate, formulating process) of tri- or D006 Cadmium ethyl benzene, ethyl ether, methyl tetrachlorophenol or of intermediates D007 Chromium isobutyl ketone, n-butyl alcohol, used to produce their pesticide D008 Lead cyclohexanone, and methanol; all spent derivatives. (This listing does not include D009 Mercury solvent mixtures/ blends containing, wastes from the production of D010 Selenium before use, only the above spent hexachlorophene from highly purified nonhalogenated solvents; and all spent 2,4,5-trichlorophenol.) D011 Silver solvent mixtures/blends containing, **D012** Endrin(1,2,3,4,10,10-hexachloro-1,7-Wastes (except wastewater and spent before use, one or more of the above carbon from hydrogen epoxy-1,4,4a,5,6,7,8,8a-octahydro-1,4nonhalogenated solvents, and a total of chloridepurification) from the production endo, endo-5,8-dimeth-ano-naphthalene) ten percent or more (by volume) of one or D013 Lindane (1,2,3,4,5,6-hexaor manufacturing use (as a more of those solvents listed in F001. reactant, chemical intermediate, or chlorocyclohexane, gamma isomer) F002, F004, and F005; and still bottoms component in a formulating process) of D014 Methoxychlor (1,1,1-trichloro-2,2-bis [pfrom the recovery of these spent solvents pentachlorophenol, or of intermediates methoxyphenyl] ethane) and spent solvent mixtures. used to produce derivatives. Toxaphene (C10 H10 Cl8, Technical The following spent nonhalogenated Wastes (except wastewater and spent F022 chlorinated camphene, 67-69 percent solvents: cresols, cresvlic acid, and carbon from hydrogen chloride chlorine) nitrobenzene; and the still bottoms from purification) from the manufacturing use D016 2,4-D (2,4-Dichlorophenoxyacetic acid) the recovery of these solvents; all spent (as a reactant, chemical intermediate, or 2,4,5-TP Silvex (2,4,5solvent mixtures/blends containing, component in a formulating process) of Trichlorophenoxypropionic acid) before use, a total of ten percent or more tetra-, penta-, or hexachlorobenzenes D018 Benzene (by volume) of one or more of the above under alkaline conditions. D019 Carbon tetrachloride nonhalogenated solvents or those F023 Wastes (except wastewater and spent D020 Chlordane solvents listed in F001, F002, and F005; carbon from hydrogen chloride and still bottoms from the recovery of purification) from the production of D021 Chlorobenzene these spent solvents and spent solvent D022 Chloroform materials on equipment previously used mixtures. for the production or manufacturing use D023 o-Cresol F005 The following spent nonhalogenated (as a reactant, chemical intermediate, or D024 m-Cresol solvents: toluene, methyl ethyl ketone, component in a formulating porcess) of D025 p-Cresol carbon disulfide, isobutanol, pyridine, tri- and tetrachlorophenols. (This listing D026 Cresol benzene, 2-ethoxyethanol, and 2does not include wastes from equipment **D027** 1,4-Dichlorobenzene nitropropane; all spent solvent used only for the production or use of **D028** 1,2-Dichloroethane mixtures/blends containing, before use, hexachlorophene from highly purified D029 1,1-Dichloroethylene a total of ten percent or more (by volume) 2,4,5-trichlorophenol.) **D030** 2,4-Dinitrotoluene of one or more of the above F024 Process wastes including, but not limited D031 Heptachlor (and its epoxide) nonhalogenated solvents or those to, distillation residues, heavy ends, tars, solvents listed in F001, F002, or F004; D032 Hexachlorobenzene and reactor clean-out wastes, from the and still bottoms from the recovery of production of certain chlorinated D033 Hexachlorobutadiene these spent solvents and spent solvent D034 Hexachloroethane aliphatic hydrocarbons by free radical mixtures. catalyzed processes. These chlorinated D035 Methyl ethyl ketone F006 Wastewater treatment sludges from aliphatic hydrocarbons are those having D036 Nitrobenzene electroplating operations except from the carbon chain lengths ranging from one to **D037** Pentachlorophenol following processes: (1) sulfuric acid and including five, with varying amounts D038 Pyridine anodizing of aluminum; (2) tin plating on and positions of chlorine substitution. **D039** Tetrachloroethylene carbon steel; (3) zinc plating (segregated (This listing does not include basis) on carbon steel; (4) aluminum or D040 Trichlorethylene wastewaters, wastewater treatment zinc-aluminum plating on carbon steel; sludge, spent catalysts, and wastes listed D041 2,4,5-Trichlorophenol (5) cleaning/stripping associated with tin, in Sections 261.31. or 261.32) D042 2,4,6-Trichlorophenol zinc, and aluminum plating on carbon F025 Condensed light ends, spent filters and D043 Vinyl chloride steel; and (6) chemical etching and filter aids, and spent desiccant wastes milling of aluminum. from the production of certain HAZARDOUS WASTE FROM NONSPECIFIC Spent cyanide plating bath solutions chlorinated aliphatic hydrocarbons, by SOURCES from electroplating operations. free radical catalyzed processes. These The following spent halogenated solvents F008 Plating bath residues from the bottom of chlorinated aliphatic hydrocarbons are used in degreasing: Tetrachloroethylene, plating baths from electroplating those having carbon chain lengths trichlorethylene, methylene chloride, operations in which cyanides are used in ranging from one, to and including five, 1,1,1-trichloroethane, carbon the process. with varying amounts and positions of tetrachloride and chlorinated chlorine substitution. F009 Spent stripping and cleaning bath fluorocarbons; all spent solvent solutions from electroplating operations F026 Wastes (except wastewater and spent mixtures/blends used in degreasing in which cyanides are used in the carbon from hydrogen chloride containing, before use, a total of ten process. purification) from the production of percent or more (by volume) of one or Quenching bath residues from oil baths materials on equipment previously used more of the above halogenated solvents for the manufacturing use (as a reactant, from metal heat treating operations in or those solvents listed in F002, F004, chemical intermediate, or component in a and F005; and still bottoms from the which cyanides are used in the process. formulating process) of tetra-, penta-, or F011 Spent cyanide solutions from slat bath recovery of these spent solvents and hexachlorobenzene under alkaline pot cleaning from metal heat treating spent solvent mixtures. conditions. operations. F002 The following spent halogenated solvents:

Quenching wastewater treatment sludges

from metal heat treating operations in

which cyanides are used in the process.

Wastewater treatment sludges from the

except from zirconium phosphating in

chemical conversion coating of aluminum

F027

Discarded unused formulations

containing tri-, tetra-, or penta-

chlorophenol or discarded unused

formulations containing compounds

listing does not include formulations

derived from these chlorophenols. (This

containing hexachlorophene synthesized

F012

Tetrachloroethylene, methylene chloride,

trichloroethylene, 1,1,1-trichloroethane,

trifluoroethane, ortho- dichlorobenzene,

mixtures/blends containing, before use,

chlorobenzene, 1,1,2-trichloro-1,2,2-

trichlorofluoromethane, and 1,1,2,

trichloroethane; all spent solvent

- 40	Waste description from prepurified 2,4,5-trichlorophenol as	- 340	Waste description treatment units as defined in Section	K025	Waste description Distillation bottoms from the production
	the sole component.)		261.31(b)(2) (including sludges generated	11025	of nitrobenzene by the nitration of
28	Residues resulting from the incineration		in one or more additional units after		benzene.
	or thermal treatment of soil		wastewaters have been treated in	K026	Stripping still tails from the production of
	contaminated with EPA hazardous waste		aggressive biological treatment units),		methyl ethyl pyridines.
	nos. F020, F021, F022, F023, F026, and F027.		and F037, K048, and K051 wastes are exempted from this listing.	K027	Centrifuge and distillation residues from toluene diisocyanate production.
32	Wastewaters, process residuals,	F039	Leachate resulting from the treatment,	K028	Spent catalyst from the hydrochlorinator
	preservative drippage, and spent		storage, or disposal of wastes classified		reactor in the production of 1,1,1-
	formulations from wood preserving		by more than one waste code under		trichloroethane.
	processes generated at plants that		Subpart D, or from a mixture of wastes classified under Subparts C and D of this	K029	Waste from the product steam stripper in
	currently use, or have previously used,		part. (Leachate resulting from the		the production of 1,1,1-trichloroethane.
	chlorophenolic formulations [except potentially cross-contaminated wastes		management of one or more of the	K030	Column bottoms or heavy ends from the
	that have had the F032 waste code		following EPA Hazardous Wastes and no		combined production of trichloroethylene
	deleted in accordance with Section		other hazardous wastes retains its	77001	and perchloroethylene.
	261.35 (i.e., the newly promulgated		hazardous waste code(s): F020, F021,	K031	By-product salts generated in the production of MSMA and cacodylic acid.
	equipment cleaning or replacement		F022, F023, F026, F027, and/or F028.)	K032	Wastewater treatment sludge from the
	standards), and where the generator does			NU32	production of chlordane.
	not not resume or initiate use of	H	AZARDOUS WASTE FROM SPECIFIC	K033	Wastewater and scrub water from the
	chlorophenolic formulations]. (This listing		SOURCES	NOSS	chlorination of cyclopentadiene in the
	does not include K001 bottom sediment sludge from the treatment of wastewater	K001	Bottom sediment sludge from the		production of chlordane.
	from wood preserving processes that use		treatment of wastewaters from wood	K034	Filter solids from the filtration of
	creosote and/or pentachlorophenol.)		preserving processes that use creosote and/or pentachlorophenol.		hexachlorocyclopentadiene in the
34	Wastewaters, process residuals,	K002	Wastewater treatment sludge from the		production of chlordane.
	preservative drippage, and spent	-1002	production of chrome yellow and orange	K035	Wastewater treatment sludges generated
	formulations from wood preserving		pigments.		in the production of creosote.
	processes generated at plants that use	K003	Wastewater treatment sludge from the	K036	Still bottoms from toluene reclamation
	creosote formulations. This listing does		production of molybdate orange		distillation in the production of
	not include K001 bottom sediment		pigments.		disulfoton.
	sludge from the treatment of wastewater	K004	Wastewater treatment sludge from the	K037	9
	from wood preserving processes that use creosote and/or pentachlorophenol.		production of zinc yellow pigments	***	production of disulfoton.
35	Wastewaters, process residuals,	K005	Wastewater treatment sludge from the	K038	Wastewater from the washing and
33	preservative drippage, and spent		production of chrome green pigments.	77000	stripping of phorate production.
	formulations from wood preserving	K006	Wastewater treatment sludge from the	K039	Filter cake from the filtration of diethylphosphorodithioic acid in the
	processes generated at plants that use		production of chrome oxide green		production of phorate.
	inorganic preservatives containing	****	pigments (anhydrous and hydrated).	K040	Wastewater treatment sludge from the
	arsenic or chromium. This listing does	K007	E	110-10	production of phorate.
	not include K001 bottom sediment	17000	production of iron blue pigments.	K041	Wastewater treatment sludge from the
037	sludge from the treatment of wastewater	K008	Oven residue from the production of chrome oxide green pigments.		production of toxaphene.
	from wood preserving processes that use	K009	Distillation bottoms from the production	K042	Heavy ends or distillation residues from
	creosote and/or pentachlorophenol.	NOOS	of acetaldehyde from ethylene.		the distillation of tetrachlorobenzene in
	Petroleum refinery primary oil/water/solids separation sludge - Any	K010			the production of 2,4,5-T.
	sludge generated from the gravitational		of acetaldehyde from ethylene.	K043	2,6-dichlorophenol waste from the
	separation of oil/water/solids during the	K011	Bottom stream from the wastewater		production of 2,4-D.
	storage or treatment of process		stripper in the production of acrylonitrile.	K044	Wastewater treatment sludges from the
	wastewaters and oily cooling wastewaters	K013	Bottom stream from the acetonitrile		manufacturing and processing of
	from petroleum refineries. Such sludges		column in the production of acrylonitrile.		explosives.
	include, but are not limited to, those	K014	Bottoms from the acetonitrile purification	K045	Spent carbon from the treatment of
	generated in oil/water/solids separators;		column in the production of acrylonitrile.	77046	wastewater containing explosives.
	tanks and impoundments; ditches and	K015	Still bottoms from the distillation of	K046	Wastewater treatment sludges from the
	other conveyances; sumps; and storm water units receiving dry weather flow.		benzyl chloride.		manufacturing, formulation, and loading of lead-based initiating compounds.
	Sludges generated in storm water units	K016	Heavy ends or distillation residues from	K047	
	that do not receive dry weather flow,		the production of carbon tetrachloride.	K048	Dissolved air flotation (DAF) float from
	sludges generated in aggressive	K017	Heavy ends (still bottoms) from the	110-10	the petroleum refining industry.
	biological treatment units as defined in		purification column in the production of	K049	Slop oil emulsion solids from the
	Section 261.31(b)(2)(including sludges	W010	epichlorohydrin.		petroleum refining industry.
	generated in one or more additional units	VOIS	Heavy ends from the fractionation	K050	Heat exchanger bundle cleaning sludge
	after wastewaters have been treated in	K019	column in ethyl chloride production. Heavy ends from the distillation of		from the petroleum refining industry.
	aggressive biological treatment units),	17013	ethylene dichloride in ethylene dichloride	K051	-
	and K051 wastes are exempted from this listing.		production.		refining industry.
38	S	K020	Heavy ends from the distillation of vinyl	K052	Tank bottoms (leaded) from the
30	Petroleum refinery secondary (emulsified) oil/water/solids separation sludge - Any		chloride in vinyl chloride monomer		petroleum refining industry.
	sludge and/or float generated from the		production.	K060	Ammonia still lime sludge from coking
	physical and/or chemical separation of	K021	Aqueous spent antimony catalyst waste		operations.
	oil/water/solids in process wastewaters		from fluoromethane production.	K061	, 0
	and oily cooling wastewaters from	K022	Distillation bottom tars from the		primary production of steel in electric
	petroleum refineries. Such wastes		production of phenol/acetone from		furnaces.
	include, but are not limited to, all		cumene.	K062	Spent pickle liquor from steel finishing
	sludges and floats generated in induced	K023	Distillation light ends from the		operations of plants that produce iron or
	air flotation (IAF) units, tanks and		production of phthalic anhydride from	W0C4	steel.
	impoundments, and all sludges		naphthalene.	K064	Acid plant blowdown slurry/sludge
	generated in DAF units. Sludges	K024	Distillation bottoms from the production		resulting from the thickening of
		1102 .			blowdown slurgy from primary copper
	generated in stormwater units that do not receive dry weather flow, sludges	1102	of phthalic anhydride from naphthalene.		blowdown slurry from primary copper production.

Code	Waste description	Code	Waste description	Code	Waste description
K065	in and dredged from surface impoundments at primary lead smelting	K106	Wastewater treatment sludge from the mercury cell process in chlorine production.		recovery of coke by-products produced from coal. This listing does not include K087 (decanter tank sludge from coking
K066	facilities. Sludge from treatment of process wastewater and/or acid plant blowdown from primary zinc production.	K107	Column bottoms from product separation from the production of 1,1-dimethylhydrazine (UDMH) from carboxylic acid hydrazides.	K142	operations). Tank storage residues from the production of coke from coal or from the recovery of coke by-products from coal.
K069	Emission control dust/sludge from secondary lead smelting.	K108	Condensed column overheads from product separation and condensed	K143	Process residues from the recovery of light oil, including, but not limited to,
K071	Brine purification muds from the mercury cell process in chlorine production, in which separately prepurified brine is not used.	K109	reactor vent gases from the production of 1,1-dimethylhydrazine from carboxylic acid hydrazides. Spent filter cartridges from product	K144	those generated in stills, decanters, and wash oil recovery units from the recovery of coke by-products produced from coal. Wastewater sump residues from light oil
к073	Chlorinated hydrocarbon waste from the purification step of the diaphragm cell process using graphite anodes in chlorine production.	K110	purification from the product of 1,1-dimethylhydrazine from carboxylic acid hydrazides. Condensed column overheads from	- •	refining, including, but not limited to, intercepting or contamination sump sludges from the recovery of coke byproducts produced from coal.
K083 K084	Distillation bottoms from aniline production.	_3	intermediate separation from the production of 1,1-dimethylhydrazine from carboxylic acid hydrazides.	K145	Residues from naphthalene collection and recovery operations from the recovery of coke by-products produced
AU84	Wastewater treatment sludges generated during the production of veterinary pharmaceuticals from arsenic or organoarsenic compounds		Product washwaters from the production of dinitrotoluene via nitration of toluene.	K147	from coal. Tar storage residues from coal tar refining.
K085	arsenic compounds. Distillation or fractionation column bottoms from the production of chlorobenzenes.	K112	Reaction by-product water from the drying column in the production of toluenediamine via hydrogenation of dinitrotoluene.	K148	Residues from coal tar distillation, including, but not limited to, still bottoms.
K086	Solvent washes and sludges, caustic washes and sludges, or water washes and sludges from cleaning tubs and equipment used in the formulation of ink	K113	Condensed liquid light ends from purification of toluenediamine in production of toluenediamine via hydrogenation of dinitrotoluene.	K149	Distillation bottoms from the production of alpha (or methyl-) chlorinated tolunes, ring-chlorinated tolunes, benzoyl chlorides, and compounds with mixtures of these functional groups. [This waste
•	from pigments, driers, soaps, and stabilizers containing chromium and lead.	K114	toluenediamine in production of toluenediamine via hydrogenation of	T74 =	of these functional groups. [This waste does not include still bottoms from the distillation of benzoyl chloride]
K087	Decanter tank tar sludge from coking operations.	K115	dinitrotoluene. Heavy ends from purification of	K150	Organic residules excluding spent carbon adsorbent, from the spent chlorine gas
K088	Spent potliners from primary aluminum reduction.	-	toluenediamine in the production of toluenediamine via hydrogenation of dinitrotoluene.		and hydrochloric acid recovery processes associated with the production of alpha (or methyl-) chlorinated tolunes, benzoyl
K090	Emission control dust or sludge from ferrochromiumsilicon production.	K116	Organic condensate from the solvent		chlorides, and compounds with mixtures
К091	Emission control dust or sludge from ferrochromium production.		recovery column in the production of toluene diisocyanate via phosgenation of toluenediamine.	K151	of these functional groups. Wastewater treatment sludges, excluding neutralization and biological sludges,
К093	Distillation light ends from the production of phthalic anhydride from ortho-xylene.	K117			generated during the treatment of wastewaters from the production of alpha (or methyl-) chlorinated tolunes, benzoyl
K094 K095	Distillation bottoms from the production of phthalic anhydride from ortho-xylene. Distillation bottoms from the production	K118	Spent adsorbent solids from purification of ethylene dibromide in the production	 -	chlorides, and compounds with mixtures of these functional groups.
	of 1,1,1-trichloroethane. Heavy ends from the heavy ends column		of ethylene dibromide via bromination of ethene.	K156	Organic waste (including heavy ends, still bottoms, light ends, spent solvents,
	from the production of 1,1,1-trichloroethane.	K123	Process wastewater (including supernates, filtrates, and washwaters) from the production of		filtrates, and decantates) from the production of carbamates and carbamoyl oximes.
K097	Vacuum stripper discharge from the chlordane chlorinator in the production of chlordane.	***	ethylenebisdithiocarbamic acid and its salts.	K157	Wastewaters (including scrubber waters, condenser waters, washwaters, and separation waters) from the production of
K098	Untreated process wastewater from the production of toxaphene.	K124	Reactor vent scrubber water from the production of ethylenebis-dithiocarbamic acid and its salts.	K158	carbamates and carbamoyl oximes. Bag house dusts and filter/separation
К099	Untreated wastewater from the production of 2,4-D.	K125	Filtration, evaporation, and centrifugation solids from the production		solids from the production of carbamates and carbamoyl oximes
K100	Waste leaching solution from acid leaching of emission control dust/sludge from secondary lead smelting.		of ethylenebisdithiocarbamic acid and its salts.	K159	Organics from the treatment of thiocarbamate wastes
K101	Distillation tar residues from the distillation of aniline-based compounds in the production of veterinary pharmaceuticals from arsenic or organo-	K126	Baghouse dust and floor sweepings in milling and packaging operations from production or formulation of ethylenebisdithiocarbamic acid and its salts.	K160	Solids (including filter wastes, separation solids, and spent catalysts) from the production of thiocarbamates and solids from the treatment of thiocarbamate wastes.
K102	arsenic compounds. Residue from the use of activated carbon for decolorization in the production of veterinary pharmaceuticals from arsenic	K131	Wastewater from the reactor and spent sulfuric acid from the acid dryer from the production of methyl bromide.	K161	Purification solids (including filtration, evaporation, and centrifugation solids), bag house dust and floor sweepings from the production of dithiocarbamate acids
K103	or organo- arsenic compounds. Process residues from aniline extraction	K132	Spent absorbent and wastewater separator solids from the production of methyl bromide.		and their salts. (This listing does not include K125 or K126.)
K104	from the production of aniline. Combined wastewaters generated from	K136	Still bottoms from the purification of ethylene dibromide in the production of	K169	Crude oil storage sediment from petroleum refining operations.
K105	nitrobenzene/aniline production. Separated aqueous stream from the reactor product washing step in the		ethylene dibromide via bromination of ethene.	K170	Clarified slurry oil tank sediment and /or filter /separation solids from petroleum
	reactor product washing step in the production of chlorobenzenes.	K141	Process residues from the recovery of coal tar, including, but not limited to, tar collecting sump residues from the production of coke from coal or the	K171	refining operations. Spent hydrotreating catalyst from petroleum refining operations, including guard beds used to desulfurize feeds to

Code Waste description

Code Waste description

Code Waste description

- other catalytic reactors(this listing does not incluse inert support media).
- **S**pent hydrotreating catalyst from petroleum refining operations, including guard beds used to desulfurize feeds to other catalytic reactors(this listing does not incluse inert support media).
- K174 Wastewater treatment sludges form the production of ethylene dichloride or vinyl chloride monomer (including sludges that result from commingled ethylene dichloride or vinyl chloride monomer waste water and other wastewater). unless the sludges meet the following conditions: (i) they are disposed of in a subtitle C or nonhazardous landfill licensed or permitted by the state of Alabama or Federal Government: (ii) they are not otherwise placed on the land prior to final disposal; and (iii) the generator maintains documentation demonstrating that the waste was either disposed of in an on-site landfill or consigned to a transporter or disposal facility that provided written documentation to dispose of the waste in an off-site landfill. Respondents to any action brought to enforce the requirements of subtitle C must, upon showing by the government that the respondent managed wastewater treatment sludges form the production of vinyl chloride monomer or ethylene dichloride, demonstrate that they meet the terms of the exclusion set forth above. In doing so, they must provide appropriate documentation (e.g., contracts between the generator and the landfill owner/operator, invoices documenting delivery of waste to landfill, etc.) that the terms of the exclusion were met.
- K175 Wastewater treatment sludges from the production of vinyl chloride monomer using mercuric chloride catalyst in an acetylene-based process.
- K176 Baghouse filters from the production of antimony oxide, including filters from the production of intermediates (i.e., antimony metal or crude antimony oxide).
- Slag from the production of antimony oxide that is speculatively accumulated or disposed, including slag fro the production of intermediates (e.g., antimony metal or crude antimony oxide.).
- K178 Residues from manufacturing and manufacturing site storage of ferric chloride and form acids formed during the production of titanium dioxide using chloride - ilemite process.
- Nonwastewaters form the production of dyes and /or pigments (including nonwastewaters commingled at the point of generation with nonwastewaters from other processes) that, at the point of generation, contain mass loadings of any of the constituents identified in 335-14-2-.04(3)(c) of this section that are equal to or greater than the corresponding 335-14-2.04(3)(c) levels, as determined on a calendar year basis. These wastes will not be hazardous if the nonwastewaters are: (l) disposed in a Subtitle D landfill unit subject to the design criteria in 335-13-4-.11, (ii) disposed of in a Subtitle D landfill subject to either 335-14-5-.14(2) or 335-14-6-.14(2), (iii) disposed in other Subtitle D landfill units that meet the design criteria in 335-12-4-.11, 335-

14-5-.14(2) or 335-14-6-.14(2)or (iv) treated in a combustion unit that is permitted under Subtitle C, or an on-site combustion unit that is permitted under the Clean Air Act. For the purposes of this listing, dyes and / or pigments production is defined in 335-14-2-.03(3)(b). 335-142-.03(3)(d) describes the process for demonstrating that a facility's nonwastewaters are not K181. This listing does not apply to wastes that are otherwise identified as hazardous waste under 334-14-2-.03(5) and 335-14-2-.04(2) through 335-14-2-.04(4) at the point of generation. Also, the listing does not apply to wastes generated before any annual mass loading limit is met.

DISCARDED COMMERCIAL CHEMICAL PRODUCTS, OFF-SPECIFICATION SPECIES, CONTAINER RESIDUALS, AND SPILL RESIDUES THEREOF

-ACUTE HAZARDOUS WASTE- (AN ALPHABETIZED LISTING CAN BE FOUND AT 40 CFR 261.33.)

- P001 2H-1-Benzopyran-2-one, 4-hydroxy-3-(3oxo-1-phenylbutyl)-, & salts, when present at concentrations greater than 0.3%
- P001 Warfarin, & salts, when present at concentrations greater than 0.3% P002
- Acetamide, N-(aminothioxomethyl)-
- P002 1-Acetyl-2-thiourea P003 Acrolein
- P003 2-Propenal
- P004 Aldrin
- P004 1,4,5,8-Dimethanonaphthalene, 1,2,3,4,10,10-hexachloro-1,4,4a,5,8,8ahexahvdro-. (1alpha,4alpha,4abeta,5alpha,8alpha,8a
- P005 Allyl alcohol
- P005 2-Propen-1-ol
- P006 Aluminum phosphide (R,T)
- P007 4-Aminopyridine
- P007 3(2H)-Isoxazolone, 5-(aminomethyl)-
- P008 5-(Aminomethyl)-3-isoxazolol
- P008 4-Pyridinamine
- P009 Ammonium picrate (R)
- P009 Phenol, 2,4,6-trinitro-, ammonium salt
- P010 Arsenic acid H₃AsO₄
- P011 Arsenic oxide As₂O₅
- Arsenic pentoxide P011
- P012 Arsenic oxide As₂O₃
- P012 Arsenic trioxide
- P013 Barium cyanide
- P014 Benzenethiol
- P014 Thiophenol P015
- Beryllium powder P016 Dichloromethyl ether
- P016 Methane, oxybis[chloro-
- P017 Bromoacetone
- P017 2-Propanone, 1-bromo-
- P018 Brucine
- P018 Strychnidin-10-one, 2,3-dimethoxy-
- P020 Dinoseb P020
- Phenol, 2-(1-methylpropyl)-4,6-dinitro-P021 Calcium cyanide
- P021
- Calcium cyanide Ca(CN)2
- P022 Carbon disulfide
- P023 Acetaldehyde, chloro-P023 Chloroacetaldehyde
- P024
- Benzenamine, 4-chloro-
- P024 p-Chloroaniline
- P026 $1\hbox{-(o-}Chlorophenyl) thiourea$
- P026 Thiourea, (2-chlorophenyl)-
- P027 3-Chloropropionitrile P027
- Propanenitrile, 3-chloro-P028 Benzene, (chloromethyl)-
- P028 Benzyl chloride
- P029 Copper cyanide
- P029 Copper cyanide Cu(CN)
- P030 Cyanides (soluble cyanide salts), not otherwise specified
- P031 Cyanogen
- P031 Ethanedinitrile
- P033 Cyanogen chloride
- P033 Cyanogen chloride (CN)Cl
- P034 2-Cyclohexyl-4,6-dinitrophenol
- P034 Phenol, 2-cyclohexyl-4,6-dinitro-P036
- Arsonous dichloride, phenyl-P036 Dichlorophenylarsine

P037	Waste description Dieldrin	P065	Waste description Mercury fulminate (R,T)	P106	Waste description Sodium cyanide
037	2,7:3,6-Dimethanonaphth[2,3-	P066	Ethanimidothioic acid, N-[[(methylamino)	P106	Sodium cyanide Na(CN)
001	bloxirene,3,4,5,6,9,9-hexachloro-	1000	carbonyl] oxy]-, methyl ester	P108	Strychnidin-10-one, and salts
	1a,2,2a,3,6,6a,7,7a-octahydro-,	P066	Methomyl	P108	Strychnine, & salts
	(1alpha,2beta,	P067	Aziridine, 2-methyl-	P109	Tetraethyldithiopyrophosphate
	2alpha,3beta,6beta,6alpha,7beta,	P067	1,2-Propylenimine	P109	Thiodiphosphoric acid, tetraethyl ester
	7alpha)-	P068	Hydrazine, methyl-	P109	Plumbane, tetraethyl-
038	Arsine, diethyl-	P068	Methyl hydrazine	P110	Tetraethyl lead
038	Diethylarsine	P069	2-Methyllactonitrile		5
039	Disulfoton	P069	Propanenitrile, 2-hydroxy-2-methyl-	P111	Diphosphoric acid, tetraethyl ester
039	Phosphorodithioic acid, O,O-diethyl S-[2-	P070	Aldicarb	P111	Tetraethyl pyrophosphate
	(ethylthio)ethyl] ester		Propanal, 2-methyl-2-(methylthio)-, O-	P112	Methane, tetranitro-(R)
040	O,O-Diethyl O-pyrazinyl	P070	1 , 3 (3 , ,	P112	Tetranitromethane (R)
	phosphorothioate	D071	[(methylamino) carbonyl]oxime	P113	Thallic oxide
040	Phosphorothioic acid, O,O-diethyl O-	P071	5 1	P113	Thallium oxide Tl ₂ O ₃
	pyrazinyl ester	P071	Phosphorothioic acid, O,O,-dimethyl O- (4-nitrophenyl) ester	P114	Selenious acid, dithallium(1+) salt
041	Diethyl-p-nitrophenyl phosphate	P072		P114	Thallium(1) selenite
041	Phosphoric acid, diethyl 4-nitrophenyl		alpha-Naphthylthiourea	P115	Sulfuric acid, dithallium(1+) salt
	ester	P072	Thiourea, 1-naphthalenyl-	P115	Thallium(l) sulfate
042	1,2-Benzenediol, 4-[1-hydroxy-2-(methyl-	P073	Nickel carbonyl	P116	Hydrazinecarbothioamide
	amino)ethyl]-, (R)-	P073	Nickel carbonyl Ni(CO) ₄ , (T-4)-	P116	Thiosemicarbazide
042	Epinephrine	P074	Nickel cyanide	P118	Methanethiol, trichloro-
043	Diisopropylfluorophosphate (DFP)	P074	Nickel cyanide Ni(CN) ₂	P118	Trichloromethanethiol
043	Phosphorofluoridic acid, bis(1-	P075	Nicotine, & salts	P119	Ammonium vanadate
	methylethyl) ester	P075	Pyridine, 3-(1-methyl-2-pyrrolidinyl)-, (S)-	P119	Vanadic acid, ammonium salt
044	Dimethoate		, and salts	P120	Vanadium oxide V ₂ O ₅
044	Phosphorodithioic acid, O,O-dimethyl S-	P076	Nitric oxide	P120	Vanadium pentoxide
	[2-(methylamino)-2-oxoethyl] ester	P076	Nitrogen oxide NO	P121	Zinc cyanide
045	2-Butanone, 3,3-dimethyl-1-(methylthio)-	P077	Benzenamine, 4-nitro-	P121	Zinc cyanide Zn(CN) ₂
	, O-[methylamino)carbonyl] oxime	P077	p-Nitroaniline	P121	
045	Thiofanox	P078	Nitrogen dioxide	P122	Zinc phosphide Zn ₃ P ₂ , when present at
046	Benzeneethanamine, alpha, alpha-	P078	Nitrogen oxide NO ₂	D100	concentrations greater than 10% (R,T)
	dimethyl-	P081	Nitroglycerine (R)	P123	Toxaphene
046	alpha, alpha-Dimethylphenethylamine	P081	1,2,3-Propanetriol, trinitrate (R)	P127	7-Benzofuranol, 2,3-dihydro-2,2-
047	4,6-Dinitro-o-cresol, & salts	P082	Methanamine, N-methyl-N-nitroso-		dimethyl-, methylcarbamate
047	Phenol, 2-methyl-4,6-dinitro, & salts		N-Nitrosodimethylamine	P127	Carbofuran
048		P082	ž	P128	Mexacarbate
	2,4-Dinitrophenol	P084	N-Nitrosomethylvinylamine	P128	Phenol, 4-(dimethylamino)-3,5-dimethy
048	Phenol, 2,4-dinitro-	P084	Vinylamine, N-methyl-N-nitroso-		methylcarbamate (ester)
049	Dithiobiuret	P085	Diphosphoramide, octamethyl-	P185	1,3-Dithiolane-2-carboxaldehyde, 2,4-
049	Thioimidodicarbonic	P085	Octamethylpyrophosphoramide		dimethyl-, o-[(methylamino)-
	diamide[(H2N)C(S)]2NH	P087	Osmium oxide OsO ₄ , (T-4)-		carbonyl]oxime
050	Endosulfan	P087	Osmium tetroxide	P185	Tirpate
2050	6,9-Methano-2,4,3-	P088	Endothall	P188	Benzoic acid, 2-hydroxy-,compd. With
	benzodioxathiepin,6,7,8,9,10,10-	P088	7-Oxabicyclo[2.2.1]heptane-2,3-		(3aS-cis)-1,2,3,3a,8,8a-hexahydro-
	hexachloro-1,5,5a,6,9,9a-hexahydro-, 3-		dicarboxylic acid		1,3a,8-trimethylpyrrolo [2,3-b]indol-5-y
	oxide	P089	Parathion		methylcarbamate ester (1:1)
051	2,7:3,6-Dimethanonaphth [2,3-	P089	Phosphorothioic acid, O,O-diethyl O-(4-	P188	Physostigmine salicylate
	b]oxirene,3,4,5,6,9, 9-hexachloro-		nitrophenyl) ester	P189	Carbamic acid, [(dibutylamino)-
	1a,2,2a,3,6,6a,7,7a-octahydro-,	P092	Mercury, (acetato-O)phenyl-		thio methyl-2,3-dihydro-2,2-dimethyl-7
	(1alpha,2beta, 2beta,3alpha,6alpha,6beta,7beta,	P092	Phenylmercury acetate		benzofuranyl ester
	7alpha)-, & metabolites	P093	Phenylthiourea	P189	Carbosulfan
051		P093	Thiourea, phenyl-	P190	Carbamic acid, methyl-, 3-methylpheny
051		P094	Phorate		ester
051	Endrin, & metabolites	P094	Phosphorodithioic acid, O,O-diethyl S-	P190	Metolcarb
054		. 097	[(ethylthio)methyl] ester	P191	Carbamic acid, dimethyl-, 1-[(dimethyl-
054	Ethyleneimine	P095	Carbonic dichloride		amino) carbonyl]-5-methyl-1H-pyrozol-
056	Fluorine	P095	Phosgene		yl ester
057	Acetamide, 2-fluoro-		_		Dimetilan
057	Fluoroacetamide	P096	Hydrogen phosphide	P192	Carbamic acid, dimethyl-, 3-methyl-1-(
058	Acetic acid, fluoro-, sodium salt	P096	Phosphine		methylethyl)-1H-pyrazol-5-yl ester
058	Fluoroacetic acid, sodium salt	P097	Famphur	P192	Isolan
059	Heptachlor	P097	Phosphorothioic acid, O-[4-	P194	Ethanimidothioc acid, 2-
059	4,7-Methano-1H-indene, 1,4,5,6,7,8,8-		[(dimethylamino)sulfonyl] phenyl] O,O-		(dimethylamino)-N-[[(methylamino)
	heptachloro-3a,4,7,7a-tetrahydro-		dimethyl ester		carbonyl]-2-oxo]-, methyl ester
	- · · · · · · · · · · · · · · · · · · ·	P098	Potassium cyanide	P194	Oxamyl
060	1,4,5,8-Dimethanonaphthalene,	P098	Potassium cyanide K(CN)	P196	Manganese,
060	1,4,5,8-Dimethanonaphthalene, 1,2,3,4,10,10-hexachloro-1,4,4a,5,8,8a-		A C)		bis(dimethylcarbamodithioato-S,S')-,
060	• • • •	P099	Argentate(1-), bis(cyano-C)-, potassium		bio(anneury) carbamoard moato 5,57,
060	1,2,3,4,10,10-hexachloro-1,4,4a,5,8,8a-	P099 P099	Potassium silver cyanide	P196	· · · · · ·
	1,2,3,4,10,10-hexachloro-1,4,4a,5,8,8a- hexahydro-, (1alpha,4alpha, 4abeta,5beta,8beta,8abeta)-				Manganese dimethyldithiocarbamate
060	1,2,3,4,10,10-hexachloro-1,4,4a,5,8,8a-hexahydro-, (1alpha,4alpha, 4abeta,5beta,8beta,8abeta)-Isodrin	P099 P101	Potassium silver cyanide Ethyl cyanide	P197	Manganese dimethyldithiocarbamate Formparanate
060 062	1,2,3,4,10,10-hexachloro-1,4,4a,5,8,8a-hexahydro-, (1alpha,4alpha, 4abeta,5beta,8beta,8abeta)-Isodrin Hexaethyl tetraphosphate	P099 P101 P101	Potassium silver cyanide Ethyl cyanide Propanenitrile		Manganese dimethyldithiocarbamate Formparanate Methanimidamide, N,N-dimethyl-N'-[2-
060 062 062	1,2,3,4,10,10-hexachloro-1,4,4a,5,8,8a-hexahydro-, (1alpha,4alpha, 4abeta,5beta,8beta,8abeta)-Isodrin Hexaethyl tetraphosphate Tetraphosphoric acid, hexaethyl ester	P099 P101 P101 P102	Potassium silver cyanide Ethyl cyanide Propanenitrile Propargyl alcohol	P197	Manganese dimethyldithiocarbamate Formparanate Methanimidamide, N,N-dimethyl-N'-[2-methyl-4-
2060 2062 2062 2063	1,2,3,4,10,10-hexachloro-1,4,4a,5,8,8a-hexahydro-, (1alpha,4alpha, 4abeta,5beta,8beta,8abeta)-Isodrin Hexaethyl tetraphosphate Tetraphosphoric acid, hexaethyl ester Hydrocyanic acid	P099 P101 P101 P102 P102	Potassium silver cyanide Ethyl cyanide Propanenitrile Propargyl alcohol 2-Propyn-1-ol	P197 P197	Manganese dimethyldithiocarbamate Formparanate Methanimidamide, N,N-dimethyl-N'-[2-methyl-4- [[(methylamino)carbonyl]oxl]phenyl]-
2060 2062 2062 2063 2063	1,2,3,4,10,10-hexachloro-1,4,4a,5,8,8a-hexahydro-, (1alpha,4alpha, 4abeta,5beta,8beta,8abeta)-Isodrin Hexaethyl tetraphosphate Tetraphosphoric acid, hexaethyl ester Hydrocyanic acid Hydrogen cyanide	P099 P101 P101 P102 P102 P103	Potassium silver cyanide Ethyl cyanide Propanenitrile Propargyl alcohol 2-Propyn-1-ol Selenourea	P197 P197 P198	Manganese dimethyldithiocarbamate Formparanate Methanimidamide, N,N-dimethyl-N'-[2-methyl-4- [[(methylamino)carbonyl]oxl]phenyl]- Formetanate hydrochloride
2060 2062 2062 2063 2063	1,2,3,4,10,10-hexachloro-1,4,4a,5,8,8a-hexahydro-, (1alpha,4alpha, 4abeta,5beta,8beta,8abeta)-Isodrin Hexaethyl tetraphosphate Tetraphosphoric acid, hexaethyl ester Hydrocyanic acid Hydrogen cyanide Methane, isocyanato-	P099 P101 P101 P102 P102 P103 P104	Potassium silver cyanide Ethyl cyanide Propanenitrile Propargyl alcohol 2-Propyn-1-ol Selenourea Silver cyanide	P197 P197	Manganese dimethyldithiocarbamate Formparanate Methanimidamide, N,N-dimethyl-N'-[2-methyl-4- [[(methylamino)carbonyl]oxl]phenyl]- Formetanate hydrochloride Methanimidamide, N,N-dimethyl-N'-[3-
2060 2062 2062 2063 2063 2064 2064 2064	1,2,3,4,10,10-hexachloro-1,4,4a,5,8,8a-hexahydro-, (1alpha,4alpha, 4abeta,5beta,8beta,8abeta)-Isodrin Hexaethyl tetraphosphate Tetraphosphoric acid, hexaethyl ester Hydrocyanic acid Hydrogen cyanide	P099 P101 P101 P102 P102 P103	Potassium silver cyanide Ethyl cyanide Propanenitrile Propargyl alcohol 2-Propyn-1-ol Selenourea	P197 P197 P198	Manganese dimethyldithiocarbamate Formparanate Methanimidamide, N,N-dimethyl-N'-[2-methyl-4- [[(methylamino)carbonyl]oxl]phenyl]-

100	Waste description Phenol, (3,5-dimethyl-4-(methylthio)-,		Waste description		Waste description
199	Phenol, (3,5-dimethyl-4-(methylthio)-, methylcarbamate	U026	Chlornaphazine	U061	Benzene, 1,1'-(2,2,2- trichloroethylidene)bis[4-chloro-
201	y	U026	Naphthalenamine, N,N'-bis(2-	11061	
201	Phenol, 3-methyl-5-(1-methylethyl)-,	11007	chloroethyl)-	U061	DDT
	methyl carbamate	U027	Dichloroisopropyl ether	U062	Carbamothioic acid, bis(1-methylethy
01	Promecarb	U027	Propane, 2,2'-oxybis[2-chloro-		S-(2,3-dichloro- 2-propenyl) ester
02	m-Cumenyl methylcarbamate	U028	1,2-Benzenedicarboxylic acid, bis(2-	U062	
02	3-Isopropylphenyl N-methylcarbamate		ethylhexyl) ester	U063	Dibenz[a,h]anthracene
02	Phenol, 3-(1-methylethyl)-, methyl	U028	Diethylhexyl phthalate	U064	Benzo[rst]pentaphene
	carbamate	U029	Methane, bromo-	U064	Dibenzo[a,i]pyrene
03	Aldicarb sulfone	U029	Methyl bromide	U066	1,2-Dibromo-3-chloropropane
03	Propanal, 2-, methyl-2-(methyl-sulfonyl)-,	U030	Benzene, 1-bromo-4-phenoxy-	U066	Propane, 1,2-dibromo-3-chloro-
	O-[(methylamino)carbonyl] oxime	U030	4-Bromophenyl phenyl ether	U067	Ethane, 1,2-dibromo-
04	Physostigmine		1-Butanol (I)	U067	Ethylene dibromide
04	Pyrrolo[2,3-b]indol-5-ol, 1,2,3,3a,8,8a-	U031		U068	Methane, dibromo-
	hexahydro- 1,3a,8-trimethyl-,	U032	Calcium chromate	U068	Methylene bromide
	methylcarbamate (ester), (3aS-cis)-				
)5	Zinc, bis(dimethylcarbamodithioato-S,S')-	U032	Chromic acid H2CrO4, calcium salt	U069	1,2-Benzenedicarboxylic acid, dibuty
	,	U033	Carbonic difluoride	****	ester
05	Ziram	U033	Carbon oxyfluoride (R,T)	U069	Dibutyl phthalate
	211(111	U034	Acetaldehyde, trichloro-	U070	Benzene, 1,2-dichloro-
ъī	SCARDED COMMERCIAL CHEMICAL	U034	Chloral	U070	o-Dichlorobenzene
	DUCTS, OFF-SPECIFICATION SPECIES,	U035	Benzenebutanoic acid, 4-[bis(2-	U071	Benzene, 1,3-dichloro-
	AINER RESIDUES, AND SPILL RESIDUES		chloroethyl)amino]-	U071	m-Dichlorobenzene
	THEREOF	U035	Chlorambucil	U072	Benzene, 1,4-dichloro-
	TOXIC WASTES	U036	Chlordane, alpha & gamma isomers	U072	p-Dichlorobenzene
N A	LPHABETIZED LISTING CAN BE FOUND	U036	4,7-Methano-1H-indene, 1,2,4,5,6,7,8,8-	U073	[1,1'-Biphenyl]-4,4'-diamine, 3,3'-
	AT 40 CFR 261.33.)	2000	octachloro-2,3,3a,4,7,7a-hexahydro-	30.0	dichloro-
01	Acetaldehyde (I)	U037	Benzene, chloro-	U073	3,3'-Dichlorobenzidine
	Ethanal (I)	U037	Chlorobenzene		
				U074	2-Butene, 1,4-dichloro- (I,T)
02	. ,	U038	Benzeneacetic acid, 4-chloro-alpha- (4-		1,4-Dichloro-2-butene (I,T)
)2	1 , ,		chlorophenyl)-alpha-hydroxy-, ethyl ester		Dichlorodifluoromethane
	Acetonitrile (I,T)	U038	Chlorobenzilate	U075	Methane, dichlorodifluoro-
)4	Acetophenone	U039	p-Chloro-m-cresol	U076	Ethane, 1,1-dichloro-
04	Ethanone, 1-phenyl-	U039	Phenol, 4-chloro-3-methyl-	U076	Ethylidene dichloride
05	Acetamide, N-9H-fluoren-2-yl-	U041	Epichlorohydrin	U077	Ethane, 1,2-dichloro-
05	2-Acetylaminofluorene	U041	Oxirane, (chloromethyl)-	U077	Ethylene dichloride
06	Acetyl chloride (C,R,T)	U042	2-Chloroethyl vinyl ether	U078	1,1-Dichloroethylene
07		U042	Ethene, (2-chloroethoxy)-	U078	Ethene, 1,1-dichloro-
07	2-Propenamide	U043	Ethene, chloro-	U079	1,2-Dichloroethylene
		U043	Vinyl chloride		
80	Acrylic acid (I)		5	U079	Ethene, 1,2-dichloro-, (E)-
80	2-Propenoic acid (I)	U044	Chloroform	U080	Methane, dichloro-
09	Acrylonitrile	U044	,	U080	Methylene chloride
09	2-Propenenitrile	U045	Methane, chloro- (I,T)	U081	2,4-Dichlorophenol
10	Azirino[2',3':3,4]pyrrolo[1,2-a] indole-4,7-	U045	Methyl chloride (I,T)	U081	Phenol, 2,4-dichloro-
	dione, 6-amino-8-	U046	Chloromethyl methyl ether	U082	2,6-Dichlorophenol
	[[(aminocarbonyl)oxy]methyl]-	U046	Methane, chloromethoxy-	U082	Phenol, 2,6-dichloro-
	1,1a,2,8,8a,8b-hexahydro-8a-methoxy-5-	U047	beta-Chloronaphthalene		Propane, 1,2-dichloro-
	methyl-, [1aS-(1alpha,	U047	Naphthalene, 2-chloro-	U083	Propylene dichloride
	8beta,8aalpha,8balpha)]-	U048	o-Chlorophenol		1,3-Dichloropropene
10	Mitomycin C	U048	Phenol, 2-chloro-		1-Propene, 1,3-dichloro-
11	Amitrole	U048	•	U084	* * *
11	1H-1,2,4-Triazol-3-amine	0049	Benzenamine, 4-chloro-2-methyl-,hydrochloride	U085	2,2'-Bioxirane
12		U049		U085	1,2:3,4-Diepoxybutane (I,T)
12	Benzenamine (I,T)		4-Chloro-o-toluidine, hydrochloride		N,N'-Diethylhydrazine
14	Auramine	U050	Chrysene		Hydrazine, 1,2-diethyl-
14	Benzenamine, 4,4'-carbonimidoylbis[N,N-	U051	Creosote	U087	O,O-Diethyl S-methyl dithiophospha
- *	dimethyl-	U052	Cresol (Cresylic acid)	U087	Phosphorodithioic acid, O,O-diethyl
15	Azaserine	U052	Phenol, methyl-		methyl ester
		U053	2-Butenal	U088	1,2-Benzenedicarboxylic acid, diethy
	L-Serine, diazoacetate (ester)	U053	Crotonaldehyde		ester
16	Benz[c]acridine	U055	Benzene, (1-methylethyl)- (I)	U088	Diethyl phthalate
17		U055	Cumene (I)	U089	Diethylstilbesterol
۱7	Benzene, (dichloromethyl)-	U056	Benzene, hexahydro- (I)	U089	Phenol, 4,4'-(1,2-diethyl-1,2-
18	Benz[a]anthracene	U056	Cyclohexane (I)	3.00	ethenediyl)bis-, (E)-
19	Benzene (I,T)	U057	Cyclohexanone (I)	U090	1,3-Benzodioxole, 5-propyl-
20	Benzenesulfonic acid chloride (C,R)		.,	U090	Dihydrosafrole
20	Benzenesulfonyl chloride (C,R)	U058	Cyclophosphamide		5
21	Benzidine (*,=,	U058	2H-1,3,2-Oxazaphosphorin-2-amine,N,N-	U091	[1,1'-Biphenyl]-4,4'-diamine, 3,3'-
21	[1,1'-Biphenyl]-4,4'-diamine		bis(2-chloroethyl)tetrahydro-, 2-oxide	11001	dimethoxy-
		U059	Daunomycin	U091	3,3'-Dimethoxybenzidine
22	Benzo[a]pyrene	U059	5,12-Naphthacenedione, 8-acetyl-10[(3-	U092	Dimethylamine (I)
23	Benzene, (trichloromethyl)-		amino-2,3,6-trideoxy)-alpha-L-lyxo-	U092	Methanamine, N-methyl- (I)
23	Benzotrichloride (C,R,T)		hexopyranosyl)oxy]-7,8,9,10-tetrahydro-	U093	Benzenamine, N,N-dimethyl-4-
24	Dichloromethoxy ethane		6,8,11-trihydroxy-1-methoxy-, (8S-cis)-		(phenylazo)-
24	Ethane, 1,1'-[methylenebis(oxy)]bis[2-	U060	Benzene, 1,1'-(2,2-dichloroethyli-	U093	p-Dimethylaminoazobenzene
	chloro-		dene)bis[4-chloro-	U094	Benz[a]anthracene, 7,12-dimethyl-
	Di-1-1	U060	DDD	U094	7,12-Dimethylbenz[a]anthracene
25	Dichloroethyl ether	0000			

95	Waste description [1,1'-Biphenyl]-4,4'-diamine, 3,3'-	U130	Waste description Hexachlorocyclopentadiene	U164	Waste description Methylthiouracil
	dimethyl-	U131	5 1	U164	4(1H)-Pyrimidinone, 2,3-dihydro-6-
95	3,3'-Dimethylbenzidine		Hexachloroethane	010.	methyl-2-thioxo-
96	alpha,alpha-Dimethylbenzylhydro-	U132	Hexachlorophene	U165	2
	peroxide (R)	U132	Phenol, 2,2'-methylenebis[3,4,6-trichloro-	U166	1,4-Naphthalenedione
96	Hydroperoxide, 1-methyl-1-phenylethyl-	U133	Hydrazine (R,T)	U166	1,4,Naphthaquinone
	(R)	U134	Hydrofluoric acid (C,T)	U167	
97	Carbamic chloride, dimethyl-	U134		U167	alpha-Naphthylamine
97	Dimethylcarbamoyl chloride			U168	2-Naphthalenamine
98	1,1-Dimethylhydrazine		Hydrogen sulfide	U168	beta-Naphthylamine
98	Hydrazine, 1,1-dimethyl-		Hydrogen sulfide H2S	U169	
	1,2-Dimethylhydrazine	U136			Benzene, nitro-
99		U136	5	U169	Nitrobenzene (I,T)
	2,4-Dimethylphenol	U137	Indeno[1,2,3-cd]pyrene	U170	p-Nitrophenol
01	, 31	U138	Methane, iodo-	U170	Phenol, 4-nitro-
02	1,2-Benzenedicarboxylic acid, dimethyl	U138	Methyl iodide	U171	2-Nitropropane (I,T)
02	ester	U140	Isobutyl alcohol (I,T)	U171	Propane, 2-nitro- (I,T)
വാ	Dimethyl phthalate	U140	1-Propanol, 2-methyl-(I,T)	U172	1-Butanamine, N-butyl-N-nitroso-
03	Dimethyl sulfate		1,3-Benzodioxole, 5-(1-propenyl)-	U172	N-Nitrosodi-n-butylamine
	5	U141	Isosafrole	U173	Ethanol, 2,2'-(nitrosoimino)bis-
03	Sulfuric acid, dimethyl ester	U142	Kepone	U173	N-Nitrosodiethanolamine
05	Benzene, 1-methyl-2,4-dinitro-	U142	1,3,4-Metheno-2H-	U174	Ethanamine, N-ethyl-N-nitroso-
05	2,4-Dinitrotoluene		cyclobuta[cd]pentalen-2-one,	U174	N-Nitrosodiethylamine
	Benzene, 2-methyl-1,3-dinitro-		1,1a,3,3a,4,5,5,5a,5b,6-	U176	N-Nitroso-N-ethylurea
06	2,6-Dinitrotoluene		decachlorooctahydro-	U176	Urea, N-ethyl-N-nitroso-
07		U143	2-Butenoic acid, 2-methyl-,7-[[2,3-		N-Nitroso-N-methylurea
	ester		dihydroxy-2-(1-methoxyethyl)-3-methyl-	U177	Urea, N-methyl-N-nitroso-
	Di-n-octyl phthalate		1-oxobutoxy methyl]-2,3,5,7a-tetrahydro-	U178	Carbamic acid, methylnitroso-, ethyl
80	1,4-Diethyleneoxide		1H-pyrrolizin-1-yl ester, [1S-		ester
80	1,4-Dioxane		[1alpha(Z),7(2S*,3R*),7aalpha]]-	U178	N-Nitroso-N-methylurethane
09	1,2-Diphenylhydrazine		Lasiocarpine	U179	5
09	Hydrazine, 1,2-diphenyl-		Acetic acid, lead(2+) salt	U179	Piperidine, 1-nitroso-
10	Dipropylamine (I)	U144	Lead acetate	U180	N-Nitrosopyrrolidine
10	1-Propanamine, N-propyl- (I)	U145	Lead phosphate	U180	Pyrrolidine, 1-nitroso-
	Di-n-propylnitrosamine	U145	Phosphoric acid, lead(2+) salt (2:3)	U181	Benzenamine, 2-methyl-5-nitro-
	1-Propanamine, N-nitroso-N-propyl-	U146	Lead, bis(acetato-O)tetrahydroxytri-		
	Acetic acid ethyl ester (I)	U146	Lead subacetate	U181	5-Nitro-o-toluidine
12	- ' ' '	U147	2,5-Furandione	U182	5
13	2 1,7	U147	Maleic anhydride	U182	1,3,5-Trioxane, 2,4,6-trimethyl-
13	2-Propenoic acid, ethyl ester (I)	U148	Maleic hydrazide	U183	Benzene, pentachloro-
	Carbamodithioic acid, 1,2-ethane-diylbis-	U148	3,6-Pyridazinedione, 1,2-dihydro-	U183	Pentachlorobenzene
14	, salts & esters	U149	Malononitrile	U184	Ethane, pentachloro-
14		U149	Propanedinitrile	U184	Pentachloroethane
14	Ethylenebisdithiocarbamic acid, salts & esters	U150	Melphalan	U185	Benzene, pentachloronitro-
15		U150	L-Phenylalanine, 4-[bis(2-	U185	Pentachloronitrobenzene (PCNB)
	Ethylene oxide (I,T)	0130	chloroethyl)amino -	U186	1-Methylbutadiene (I)
	Oxirane (I,T)	11151	Mercury	U186	1,3-Pentadiene (I)
	Ethylenethiourea		-		Acetamide, N-(4-ethoxyphenyl)-
	2-Imidazolidinethione		Methacrylonitrile (I,T)	U187	Phenacetin
17	Ethane, 1,1'-oxybis- (I)	U152	2-Propenenitrile, 2-methyl-(I,T)	U188	Phenol
17	Ethyl ether (I)	U153	Methanethiol (I,T)	U189	Phosphorous sulfide (R)
18	Ethyl methacrylate	U153	Thiomethanol (I,T)	U189	Sulfur phosphide (R)
18	2-Propenoic acid, 2-methyl-, ethyl ester	U154	Methanol (I)	U199	1,3-Isobenzofurandione
19	Ethyl methanesulfonate	U154	Methyl alcohol (I)		
19	Methanesulfonic acid, ethyl ester	U155	1,2,Ethanediamine, N,N-dimethyl-N'-2-	U190	Phthalic anhydride
20	Fluoranthene		pyridinyl-N'-(2-thienyl-methyl)-	U191	2-Picoline
21	Methane, trichlorofluoro-		Methapyrilene	U191	3 , 3
21	Trichloromonofluoromethane	U156	Carbonochloridic acid, methyl ester(I,T)	U192	
22	Formaldehyde	U156	Methyl chlorocarbonate (I,T)	11100	dimethyl-2-propynyl)-
23	Formic acid (C,T)	U157	Benz[j]aceanthrylene, 1,2-dihydro-3-	U192	
24	,		methyl-		1,2-Oxathiolane, 2,2-dioxide
	• •	U157	3-Methylcholanthrene	U193	1,3-Propane sultone
24	Furfuran (I)	U158	Benzenamine, 4,4'-methylenebis[2-	U194	1-Propanamine (I,T)
		0136		U194	n-Propylamine (I,T)
25	2-Furancarboxaldehyde (I)	0136	chloro-		
25 25	2-Furancarboxaldehyde (I) Furfural (I)	U158	chloro- 4,4'-Methylenebis(2-chloroaniline)	U196	Pyridine
25 25 26	2-Furancarboxaldehyde (I) Furfural (I) Glycidylaldehyde		4,4'-Methylenebis(2-chloroaniline)	U196 U197	
25 25 26 26	2-Furancarboxaldehyde (I) Furfural (I) Glycidylaldehyde Oxiranecarboxyaldehyde	U158	4,4'-Methylenebis(2-chloroaniline) 2-Butanone (I,T)		Pyridine
25 25 26 26 27	2-Furancarboxaldehyde (I) Furfural (I) Glycidylaldehyde Oxiranecarboxyaldehyde Benzene, hexachloro-	U158 U159 U159	4,4'-Methylenebis(2-chloroaniline) 2-Butanone (I,T) Methyl ethyl ketone (MEK)(I,T)	U197	Pyridine p-Benzoquinone
25 25 26 26 27 27	2-Furancarboxaldehyde (I) Furfural (I) Glycidylaldehyde Oxiranecarboxyaldehyde Benzene, hexachloro- Hexachlorobenzene	U158 U159 U159 U160	4,4'-Methylenebis(2-chloroaniline) 2-Butanone (I,T) Methyl ethyl ketone (MEK)(I,T) 2-Butanone, peroxide (R,T)	U197 U197 U200	Pyridine p-Benzoquinone 2,5-Cyclohexadiene-1,4-dione Reserpine
25 25 26 26 27 27	2-Furancarboxaldehyde (I) Furfural (I) Glycidylaldehyde Oxiranecarboxyaldehyde Benzene, hexachloro-	U158 U159 U159 U160 U160	4,4'-Methylenebis(2-chloroaniline) 2-Butanone (I,T) Methyl ethyl ketone (MEK)(I,T) 2-Butanone, peroxide (R,T) Methyl ethyl ketone peroxide (R,T)	U197 U197	Pyridine p-Benzoquinone 2,5-Cyclohexadiene-1,4-dione Reserpine Yohimban-16-carboxylic acid, 11,17-
25 25 26 26 27 27 28	2-Furancarboxaldehyde (I) Furfural (I) Glycidylaldehyde Oxiranecarboxyaldehyde Benzene, hexachloro- Hexachlorobenzene	U158 U159 U159 U160 U160 U161	4,4'-Methylenebis(2-chloroaniline) 2-Butanone (I,T) Methyl ethyl ketone (MEK)(I,T) 2-Butanone, peroxide (R,T) Methyl ethyl ketone peroxide (R,T) Methyl isobutyl ketone (I)	U197 U197 U200	Pyridine p-Benzoquinone 2,5-Cyclohexadiene-1,4-dione Reserpine Yohimban-16-carboxylic acid, 11,17- dimethoxy-18-[(3,4,5-trimethoxy-
25 25 26 26 27 27 28 28	2-Furancarboxaldehyde (I) Furfural (I) Glycidylaldehyde Oxiranecarboxyaldehyde Benzene, hexachloro- Hexachlorobenzene 1,3-Butadiene, 1,1,2,3,4,4-hexachloro-	U158 U159 U159 U160 U160 U161	4,4'-Methylenebis(2-chloroaniline) 2-Butanone (I,T) Methyl ethyl ketone (MEK)(I,T) 2-Butanone, peroxide (R,T) Methyl ethyl ketone peroxide (R,T) Methyl isobutyl ketone (I) 4-Methyl-2-pentanone (I)	U197 U197 U200	Pyridine p-Benzoquinone 2,5-Cyclohexadiene-1,4-dione Reserpine Yohimban-16-carboxylic acid, 11,17-dimethoxy-18-[(3,4,5-trimethoxy-benzoyl)oxy]-, methyl ester,
25 25 26 26 27 27 28 28	2-Furancarboxaldehyde (I) Furfural (I) Glycidylaldehyde Oxiranecarboxyaldehyde Benzene, hexachloro- Hexachlorobenzene 1,3-Butadiene, 1,1,2,3,4,4-hexachloro- Hexachlorobutadiene	U158 U159 U159 U160 U160 U161 U161	4,4'-Methylenebis(2-chloroaniline) 2-Butanone (I,T) Methyl ethyl ketone (MEK)(I,T) 2-Butanone, peroxide (R,T) Methyl ethyl ketone peroxide (R,T) Methyl isobutyl ketone (I) 4-Methyl-2-pentanone (I) Pentanol, 4-methyl-	U197 U197 U200 U200	Pyridine p-Benzoquinone 2,5-Cyclohexadiene-1,4-dione Reserpine Yohimban-16-carboxylic acid, 11,17-dimethoxy-18-[(3,4,5-trimethoxy-benzoyl)oxy]-, methyl ester, (3beta,16beta,17alpha,18beta, 20alpl
25 25 26 26 27 27 28 28	2-Furancarboxaldehyde (I) Furfural (I) Glycidylaldehyde Oxiranecarboxyaldehyde Benzene, hexachloro- Hexachlorobenzene 1,3-Butadiene, 1,1,2,3,4,4-hexachloro- Hexachlorobutadiene Cyclohexane, 1,2,3,4,5,6-hexa-chloro-,	U158 U159 U159 U160 U160 U161 U161 U161	4,4'-Methylenebis(2-chloroaniline) 2-Butanone (I,T) Methyl ethyl ketone (MEK)(I,T) 2-Butanone, peroxide (R,T) Methyl ethyl ketone peroxide (R,T) Methyl isobutyl ketone (I) 4-Methyl-2-pentanone (I) Pentanol, 4-methyl- Methyl methacrylate (I,T)	U197 U197 U200 U200	Pyridine p-Benzoquinone 2,5-Cyclohexadiene-1,4-dione Reserpine Yohimban-16-carboxylic acid, 11,17-dimethoxy-18-[(3,4,5-trimethoxy-benzoyl)oxy]-, methyl ester, (3beta,16beta,17alpha,18beta, 20alpl 1,3-Benzenediol
24 25 25 26 26 27 27 28 28 29	2-Furancarboxaldehyde (I) Furfural (I) Glycidylaldehyde Oxiranecarboxyaldehyde Benzene, hexachloro- Hexachlorobenzene 1,3-Butadiene, 1,1,2,3,4,4-hexachloro- Hexachlorobutadiene Cyclohexane, 1,2,3,4,5,6-hexa-chloro-, (1alpha,	U158 U159 U159 U160 U160 U161 U161	4,4'-Methylenebis(2-chloroaniline) 2-Butanone (I,T) Methyl ethyl ketone (MEK)(I,T) 2-Butanone, peroxide (R,T) Methyl ethyl ketone peroxide (R,T) Methyl isobutyl ketone (I) 4-Methyl-2-pentanone (I) Pentanol, 4-methyl- Methyl methacrylate (I,T) 2-Propenoic acid, 2-methyl-, methyl ester	U197 U197 U200 U200 U201 U201	Pyridine p-Benzoquinone 2,5-Cyclohexadiene-1,4-dione Reserpine Yohimban-16-carboxylic acid, 11,17-dimethoxy-18-[(3,4,5-trimethoxy-benzoyl)oxy]-, methyl ester, (3beta,16beta,17alpha,18beta, 20alph 1,3-Benzenediol Resorcinol
25 25 26 26 27 27 28 28 29	2-Furancarboxaldehyde (I) Furfural (I) Glycidylaldehyde Oxiranecarboxyaldehyde Benzene, hexachloro- Hexachlorobenzene 1,3-Butadiene, 1,1,2,3,4,4-hexachloro- Hexachlorobutadiene Cyclohexane, 1,2,3,4,5,6-hexa-chloro-, (1alpha, 2alpha,3beta,4alpha,5alpha,6beta)-	U158 U159 U159 U160 U160 U161 U161 U161	4,4'-Methylenebis(2-chloroaniline) 2-Butanone (I,T) Methyl ethyl ketone (MEK)(I,T) 2-Butanone, peroxide (R,T) Methyl ethyl ketone peroxide (R,T) Methyl isobutyl ketone (I) 4-Methyl-2-pentanone (I) Pentanol, 4-methyl- Methyl methacrylate (I,T)	U197 U197 U200 U200	Pyridine p-Benzoquinone 2,5-Cyclohexadiene-1,4-dione Reserpine Yohimban-16-carboxylic acid, 11,17-dimethoxy-18-[(3,4,5-trimethoxy-benzoyl)oxy]-, methyl ester, (3beta,16beta,17alpha,18beta, 20alph 1,3-Benzenediol

	Waste description		Waste description		Waste description
	1,3-Benzodioxole, 5-(2-propenyl)-	U244	Thiram	U383	3
J203	Safrole	U246	Cyanogen bromide (CN)Br	U384	Carbamodithioic acid, methyl-,
J204	Selenious acid	U247	, , , , ,		monosodium salt
204	Selenium dioxide		trichloroethylidene)bis[4-methoxy-	U384	Metam Sodium
205	Selenium sulfide	U247	Methoxychlor	U385	Carbamothioic acid, dipropyl-, S-propy
205	Selenium sulfide SeS2 (R,T)	U248	2H-1-Benzopyran-2-one, 4-hydroxy-3-		ester
206	Glucopyranose, 2-deoxy-2-(3-methyl-3-		(3-oxo-1-phenyl-butyl)-, & salts, when	U385	Vernolate
	nitrosoureido)-, D-		present at concentrations of 0.3% or less	U386	Carbamothioic acid, cyclohexyethyl-, S-
1206	D-Glucose, 2-deoxy-2-[[(methyl-	U248	Warfarin, & salts, when present at		ethyl ester
200	nitrosoamino)-carbonyl amino -	00	concentrations of 0.3% or less	U386	Cycloate
		U249	Zinc phosphide, Zn3P2, when present at	U387	Carbamothioic acid, dipropyl-, S-
1206	-	0245	concentrations of 10% or less	0301	(phenylmethyl) ester
207	Benzene, 1,2,4,5-tetrachloro-	11271	Benomyl	****	
207	1,2,4,5-Tetrachlorobenzene		5	U387	
208	Ethane, 1,1,1,2-tetrachloro-	U271	, , , , , , , , , , , , , , , , , , , ,	U389	Carbamothioic acid, bis(1-methylethyl)
208	1,1,1,2-Tetrachloroethane		1H-benzimidazol-2-yl], methyl ester		S-(2,3,3-trichloro-2-propenyl) ester
209	Ethane, 1,1,2,2-tetrachloro-	U277	Carbamodithioic acid, diethyl-, 2-chloro-	U389	Triallate
209	1,1,2,2-Tetrachloroethane		2-propenyl ester	U390	Carbamothioic acid, dipropyl-, S-ethyl
210	Ethene, tetrachloro-	U277	Sulfallate		ester
	-	U278	Bendiocarb	U390	EPTC
210	Tetrachloroethylene	U278	1,3-Benzodioxol-4-ol,2,2-dimethyl-,	U391	Carbamothioic acid, butylethyl-, S-prop
211	Carbon tetrachloride		methyl carbamate	0071	ester
211	Methane, tetrachloro-	11279	Carbaryl	11201	Pebulate
213	Furan, tetrahydro- (I)		1-Naphthalenol, methylcarbamate		
213				U392	Butylate
214	3 ()	U280	Barban	U392	Carbamothioic acid, bis(2-methypropyl
214	Thallium(I) acetate	U280	Carbamic acid, (3-chlorophenyl)-, 4-		S-ethyl ester
	· · ·		chloro-2-butynyl ester	U393	Copper, bis(dimethylcarbamodithioato-
215	Carbonic acid, dithallium(1+) salt	U328	Benzenamine, 2-methyl-		S,S')-
215	. ,	U328	o-Toluidine	U393	Copper dimethyldithiocarbamate
216	Thallium(I) chloride	U353	Benzenamine, 4-methyl-	U394	A2213
216	Thallium chloride TlCl	U353		U394	Ethanimidothioic acid, 2-
217	Nitric acid, thallium(1+) salt	U359	•		(dimethylamino)-N-hydroxy-2-oxo-,
217	Thallium(I) nitrate		, ,		methyl ester
218	Ethanethioamide	U359	Ethylene glycol monoethyl ether	U395	-
		U364	1		Diethylene glycol, dicarbamate
218	Thioacetamide	U364	1,3,Benzodioxol-4-ol,2,2-dimethyl-,	U395	Ethanol, 2,2'-oxybis-, dicarbamate
7219	Thiourea	U365	H-Azepine-1-carbothioic acid, hexahydro-	U396	Ferbam
J220	Benzene, methyl-		, S-ethyl ester	U396	Iron, tris(dimethylcarbamodithiato-S,S'
220	Toluene	U365	Molinate	U400	Bis(pentamethylene)triuram tetrasulfid
221	Benzenediamine, ar-methyl-	U366		U400	Piperidine, 1,1'-
1221	Toluenediamine	U366			(tetrathiodicarbonothioyl)-bis-
1222	Benzenamine, 2-methyl-,hydrochloride	0300	2H-1,3,5-Thiadiazine-2-thione,	U401	Bis(dimethylthiocarbamoyl) sulfide
		****	tetrahydro-3,5-dimethyl-		·
1222	o-Toluidine hydrochloride	U367		U401	Tetramethylthiuram monosulfide
1223	Benzene, 1,3-diisocyanatomethyl- (R,T)		dimethyl-	U402	Tetrabutylthiuram disulfide
1223	Toluene diisocyanate (R,T)	U367	Carbofuran phenol	U402	Thioperoxydicarbonic diamide, tetrabu
J 22 5	Bromoform	U372	Carbamic acid, 1H-benzimidazol-2-yl,	U403	Disulfiram
225	Methane, tribromo-		methyl ester	U403	Thioperoxydicarbonic diamide, tetraeth
226	Ethane, 1,1,1-trichloro-	U372	Carbendazim	U404	Ethanamine, N,N-diethyl-
	Methyl chloroform	U373	Carbamic acid, phenyl-, 1-methylethyl		Triethylamine
			ester	U407	Ethyl Ziram
1227	Ethane, 1,1,2-trichloro-	U373	Propham		5
227	1,1,2-Trichloroethane	U375	Carbamic acid, butyl-, 3-iodo-2-propynyl	U407	Zinc, bis(diethylcarbamodithioato-S,S')
228	Ethene, trichloro-	03/3		U409	Carbamic acid, [1,2-phenylene
1228	Trichloroethylene		ester		bis(iminocarbonothiol)]bis-, dimethyl
234	Benzene, 1,3,5-trinitro-	U375	3-Iodo-2-propynyl n-butylcarbamate		ester
234	1,3,5-Trinitrobenzene (R,T)	U376	Carbamodithioic acid, dimethyl-,	U409	Thiophanate-methyl
235	1-Propanol, 2,3-dibromo-, phosphate		tetraanhydrosulfide with	U410	Ethaninidothioic acid, N,N'-
_55	(3:1)		orthothioselenious acid		[thiobis[(methylimino) carbonyloxy]]bis-
235	Tris(2,3-dibromopropyl) phosphate	U376	Selenium,		dimethyl ester
			tetrakis(dimethyldithiocarbamate)	U410	-
236	2,7-Naphthalenedisulfonic acid, 3,3'-	U377	Carbamodithioic acid, methyl-,	U411	Phenol, 2-(1-methylethoxy)-,
	[(3,3'-dimethyl [1,1'-biphenyl]-4,4'-		monopotassium salt		methylcarbamate
	diyl)bis(azo)bis[5-amino-4-hydroxy]-,	U377	Potassium n-methyldithiocarbamate	[[<u>4</u> 11	Propoxur
	tetrasodium salt	U378	Carbamodithioic acid,	0411	Topoxui
236	Trypan blue	5515	(hydroxymethyl)methyl-, monopotassium		
237	2,4-(1H,3H)-Pyrimidinedione, 5-[bis (2-		salt		
	chloroethyl) amino]-	11270			
237	Uracil mustard	U378	Potassium n-hydroxymethyl-n-methyldi-		
238	Carbamic acid, ethyl ester		thiocarbamate		
238	Ethyl carbamate (urethane)	U379	Carbamodithioic acid, dibutyl, sodium		
	- ,		salt		
239	Benzene, dimethyl-(I,T)	U379	Sodium dibutyldithiocarbamate		
239	Xylene (I)	U381	Carbamodithioic acid, diethyl-, sodium		
240	Acetic acid, (2,4-dichlorophenoxy)-, salts	- '	salt		
	& esters	U381	Sodium diethyldithiocarbamate		
240	2,4-D, salts and esters		-		
243	Hexachloropropene	U382	Carbamodithioic acid, dimethyl-, sodium		
243			salt		
	1-Propene, 1,1,2,3,3,3-hexachloro-	U382	Sodium dimethyldithiocarbamate		
	Th:				
J244	Thioperoxydicarbonic diamide[(H ₂ N)C(S)] ₂ S ₂ , tetramethyl-	U383	Carbamodithioic acid, dimethyl, potassium salt		