



NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT GENERAL PERMIT

DISCHARGE AUTHORIZED: DISCHARGES FROM SMALL NONCOAL/NONMETALLIC MINING AND DRY PROCESSING AND AREAS ASSOCIATED WITH THESE ACTIVITIES

AREA OF COVERAGE: THE STATE OF ALABAMA

PERMIT NUMBER: ALG890000

RECEIVING WATERS: ALL WATERS OF THE STATE OF ALABAMA

In accordance with and subject to the provisions of the Federal Water Pollution Control Act, as amended, 33 U.S.C. §§1251-1378 (the "FWPCA"), the Alabama Water Pollution Control Act, as amended, Code of Alabama 1975, §§ 22-22-1 to 22-22-14 (the "AWPCA"), the Alabama Environmental Management Act, as amended, Code of Alabama 1975, §§22-22A-1 to 22-22A-15, and rules and regulations adopted thereunder, and subject further to the terms and conditions set forth in this permit, the Permittee is hereby authorized to discharge into the above-named receiving waters.

ISSUANCE DATE: JANUARY 31, 2013

EFFECTIVE DATE: FEBRUARY 1, 2013

EXPIRATION DATE: JANUARY 31, 2018

Glenna L. Dean

Alabama Department of Environmental Management

Table of Contents

PART I	Coverage Under This General Permit	2
A.	<i>Permit Coverage</i>	2
B.	<i>Eligibility</i>	2
C.	<i>Prohibited Discharges</i>	2
PART II	Notice of Intent (NOI) Requirements.....	4
A.	<i>Deadlines for Notices of Intent</i>	4
B.	<i>Contents of the Notice of Intent (NOI)</i>	4
C.	<i>Hard Copy Submittal of Documents</i>	5
D.	<i>Authorization to Discharge</i>	5
PART III	Stormwater Pollution Prevention Requirements.....	6
A.	<i>Erosion Controls and Sediment Controls</i>	6
B.	<i>Soil Stabilization</i>	6
C.	<i>Pollution Prevention Measures</i>	6
D.	<i>Best Management Practices Plan (BMP Plan)</i>	7
E.	<i>Department Review</i>	8
F.	<i>Spill Prevention, Control, and Management</i>	8
G.	<i>Training</i>	8
H.	<i>Inspection Requirements</i>	9
I.	<i>Corrective Action</i>	10
J.	<i>Precipitation Measurement</i>	11
K.	<i>Impaired Waters and Total Maximum Daily Loads (TMDLs) Waters</i>	11
PART IV	Standard and General Permit Conditions.....	12
A.	<i>Duty to Comply</i>	12
B.	<i>Need to Halt or Reduce Activity Not a Defense</i>	12
C.	<i>Duty to Mitigate</i>	12
D.	<i>Proper Operation and Maintenance</i>	12
E.	<i>Permit Modification, Revocation and Reissuance, Suspension, and Termination</i>	12
F.	<i>Property Rights</i>	13
G.	<i>Duty to Provide and Update Information</i>	13
H.	<i>Right of Entry and Inspection</i>	13
I.	<i>Noncompliance Notification</i>	13
J.	<i>Retention of Records</i>	14
K.	<i>Signatory Requirements</i>	14
L.	<i>Transfers</i>	14
M.	<i>Bypass</i>	14
N.	<i>Upset</i>	14
O.	<i>Severability</i>	14
P.	<i>Issuance of an Individual Permit</i>	14
Q.	<i>Request for Individual Permit by General Permit Holder</i>	14
R.	<i>Termination of Discharge</i>	15
S.	<i>Duty to Reapply</i>	15
T.	<i>Facility Identification</i>	15
U.	<i>Schedule of Compliance</i>	15
V.	<i>Discharge of Wastewater Generated by Others</i>	15
W.	<i>Compliance with Water Quality Standards and Other Provisions</i>	15
X.	<i>Civil and Criminal Liability</i>	16
Y.	<i>Oil and Hazardous Substance Liability</i>	16
Z.	<i>Availability of Reports</i>	16
AA.	<i>Coastal Zone Management (Mobile and Baldwin Counties)</i>	16
BB.	<i>Prohibition and Activities Not Authorized</i>	16
CC.	<i>Removed Substances</i>	17
DD.	<i>Compliance with Statutes and Rules</i>	17
EE.	<i>Definitions</i>	17

PART I Coverage Under This General Permit

A. Permit Coverage

This permit authorizes, subject to the conditions of this general permit, discharges associated with noncoal/nonmetallic mining (as defined in Part IV.EE.23) and dry processing, and areas associated with these activities, where such activities will result in a cumulative land disturbance of less than five (5) acres of land at any one time over the life of the mining activity.

B. Eligibility

1. Allowable Stormwater Discharges

This permit authorizes the following stormwater discharges:

- (a) Stormwater associated with mining activities defined in Part I.A. of this permit;
- (b) Stormwater discharges determined by the Director to require coverage under this permit;
- (c) Discharges from support activities (e.g., entrance/exit roads, haul roads, equipment staging yards, material storage areas, excavated material disposal areas) provided:
 - i. The support activity is directly related to the mining activity covered by this permit;
 - ii. Pollutant discharges from support activity areas are minimized to the maximum extent practicable and do not pose a reasonable potential to exceed applicable water quality standards.

2. Allowable Non-Stormwater Discharges

This permit authorizes the following non-stormwater discharges, provided the non-stormwater component of the discharge is in compliance with Part III.C:

- (a) Waters used to wash vehicles where detergents are not used;
- (b) Water used to control dust;
- (c) Discharges from dewatering activities, including discharges from dewatering of trenches and excavations, as long as they are managed to minimize pollutants from discharges to the maximum extent practicable;
- (d) Discharges from fire-fighting activities; and
- (e) Uncontaminated air conditioning or compressor condensate associated with temporary office trailers and other similar buildings.

C. Prohibited Discharges

The following discharges associated with mining are not authorized by this permit:

- 1. Stormwater discharges that are mixed with sources of non-stormwater unless such stormwater discharges are:
 - (a) In compliance with a separate NPDES permit, or
 - (b) Determined by the Department not to be a contributor of pollutants to waters of the State.
- 2. Stormwater discharges currently covered under another NPDES permit;
- 3. Discharges from wet processing of mined materials.
- 4. Discharge(s) from any mining operation that at any time has a total area of land disturbance that equals or exceeds five (5) acres in size;
- 5. Discharge(s) from any mining operations where the planned or proposed area of total land disturbance equals, exceeds, will equal or exceed, or is predicted to equal or exceed five (5) acres in size.
- 6. Fuels, oils, or other pollutants used in vehicle and equipment operation and maintenance;
- 7. Soaps or solvents used in vehicle and equipment washing;
- 8. Discharges where the turbidity of such discharge will cause or contribute to a substantial visible contrast with the natural appearance of the receiving water;
- 9. Discharges where the turbidity of such discharge will cause or contribute to an increase in the turbidity of the receiving water by more than 50 NTUs above background. For the purposes of determining compliance with this limitation, background will be interpreted as the natural condition of the receiving water without the influence of man-made or man-induced causes. Turbidity levels caused by natural runoff will be included in establishing background levels.

10. Discharges of any pollutant into any water for which a total maximum daily load (TMDL) has been approved or established by EPA unless the discharge is consistent with the TMDL; and
11. Discharges to waters listed on the most recently approved 303(d) list of impaired streams unless the discharge will not cause or contribute to the listed impairment.

PART II Notice of Intent (NOI) Requirements

A. Deadlines for Notices of Intent

Any person wishing to obtain coverage under this general permit shall submit an NOI in accordance with the following schedule:

1. Owners or operators of new mining sites or sites for which a complete and correct NOR has not been submitted to the Department in accordance with ADEM Admin Code r. 335-6-12-.10, prior to the effective date of this general permit must submit a NOI at least thirty (30) days prior to the initiation of the mining activity.
2. Owners or operators of mining sites that have an expired registration for which a complete and correct NOR has not been submitted to the Department in accordance with ADEM Admin Code r. 335-6-12-.10, prior to the effective date of this general permit must submit a NOI prior to the continuation of mining.
3. Owners or operators of mining sites that have submitted a complete and correct NOR to the Department in accordance with ADEM Admin Code r. 335-6-12-.10 prior to the effective date of this general permit must submit a NOI at least thirty (30) days prior to the expiration of the NOR.

B. Contents of the Notice of Intent (NOI)

1. The NOI shall include:
 - (a) A description of the activity generating the discharge(s) for which coverage is desired, which shall be in sufficient detail to allow the Department to determine that the discharge(s) is included in the category permitted by this general permit.
 - (b) The latitude and longitude (in decimal or deg,min,sec) of the entrance to the mining site. For the purposes of this requirement the entrance to the mining site will be identified as the primary point of access by normal vehicle traffic.
 - (c) Identification of the waterbodies receiving discharges for which coverage under this general permit is desired; the latitude and longitude (in decimal or deg,min,sec) of each point of discharge for which coverage under this general permit is desired; and the water use classification.
 - (d) The correct fee pursuant to ADEM Admin. Code ch. 335-1-6.
 - (e) A 7.5 minute series U.S. Geological Survey (USGS) map showing the location of the facility including the site boundaries.
 - (f) A contact person, address and phone number for the site to be covered under the general permit.
2. If the mining site will discharge to a waterbody which is listed on the most recently EPA approved 303(d) list of impaired waters for a pollutant of concern, a waterbody for which a TMDL has been approved or established by EPA for a pollutant of concern, a waterbody assigned the Outstanding Alabama Water use classification in accordance with ADEM Admin. Code r. 335-6-10-.09, or a waterbody assigned a special designation in accordance with ADEM Admin. Code r. 335-6-10-.10, the NOI shall include a BMP Plan meeting the requirements of Part III.D.
3. The NOI shall be signed by a person meeting the requirements for signatories under ADEM Admin. Code r. 335-6-6-.09 and the person signing the NOI shall make the certification required for submission of documents under ADEM Admin Code r. 335-6-6-.09.
4. The NOI shall be signed by a QCP and shall have the following certification statement: "I certify under penalty of law that the technical information and data contained in this application, and a comprehensive Best Management Practices Plan (BMP Plan) for the prevention and minimization of all sources of pollution in stormwater and authorized related process wastewater runoff has been prepared under my supervision for this facility and associated regulated areas/activities. The BMP Plan meets the requirements of this permit and if properly implemented and maintained by the permittee, discharges of pollutants in stormwater runoff can reasonably be expected to be effectively minimized to the maximum extent practicable according to the requirements of ADEM Administrative Code Chapter 335-6-6-.23 and this Permit. The permittee has been advised that appropriate best management practices, pollution abatement/prevention facilities and structural & nonstructural management practices or Department approved equivalent management practices as detailed in the BMP Plan must be fully implemented and regularly maintained as needed at the facility in accordance with sound sediment, erosion, and other pollution control practices, permit

requirements, and other ADEM requirements to ensure protection of groundwater and surface water quality.”

C. Hard Copy Submittal of Documents

The NOI and all other documents required to be submitted to the Department by this general permit, the AWPCA and the Department’s rules and regulations, shall be addressed to:

Alabama Department of Environmental Management
Water Division
Post Office Box 301463
Montgomery, Alabama 36130-1463

Certified and Registered Mail shall be addressed to:

Alabama Department of Environmental Management
Water Division
1400 Coliseum Boulevard
Montgomery, Alabama 36110-2059

D. Authorization to Discharge

1. Any person wishing to be permitted to discharge under this general permit shall submit a Notice of Intent to be covered by this general permit at least thirty (30) days prior to the date of desired coverage. No discharge authorized under this permit may commence until the discharger receives the Director’s acknowledgement of the NOI and approval of the coverage of the discharge by this permit. The Director’s acknowledgement shall include a copy of this permit. **When available, the permittee must complete and submit the NOI electronically, using the Department’s e-NOI system, unless the permittee submits in writing valid justification as to why the electronic submittal process cannot be utilized and the Department approves in writing the utilization of hard copy submittals.** Departmental forms are available on ADEM’s webpage at <http://www.adem.state.al.us/DeptForms/>.
2. Coverage under this permit is conditionally granted, and the requirement to submit an NOI is suspended, for governmental agencies and utilities for activities associated with immediate and effective emergency repairs and response to natural disasters, human health or environmental emergencies, or to avert/avoid imminent, probable, or irreparable harm to the environment or severe property damage. The operator or controlling/participating federal, State, or local government agencies/entities conducting emergency activities shall document the emergency condition, ensure compliance with the requirements of this permit to the extent possible, and shall notify the Department as promptly as possible regarding the occurrence of the emergency disturbance and measures that have been implemented and are being implemented to protect water quality. Unless the requirement to obtain a permit pursuant to the requirements of this permit are suspended or voided by the Director on a categorical or individual emergency basis, the operator shall submit the appropriate project information, NOI, and the required application fee for the activity after emergency repairs have been accomplished, according to a schedule acceptable to the Department.
3. Reclamation projects conducted by the Alabama Department of Labor (ADOL) are covered under and subject to all requirements of this permit, but are not required to submit an NOI.

PART III Stormwater Pollution Prevention Requirements

The stormwater control requirements in this Part are the technology-based, non-numeric effluent limitations and conditions that apply to all discharges from mining activities eligible for coverage under this permit.

Where the requirements in this Part are stricter than any corresponding Federal, State, or local requirements, the requirements in this permit take precedence.

A. Erosion Controls and Sediment Controls

The Permittee shall design, install, and maintain effective erosion controls and sediment controls, appropriate for site conditions to, at a minimum:

1. Control stormwater volume and velocity within the site to minimize soil erosion;
2. Minimize sediment discharges from the site;
3. Minimize the generation of dust;
4. Minimize all stream crossings;
5. Stabilize all mining site entrances and exits; and minimize off-site tracking of sediment from vehicles;
6. Provide and maintain natural buffers around surface waters, direct stormwater to vegetated areas to increase sediment removal and maximize stormwater infiltration, unless infeasible;
7. Implement measures or requirements to achieve the pollutant reductions consistent with a TMDL approved or established by EPA. Applicable TMDLs are located and/or can be accessed at <http://adem.alabama.gov/programs/water/approvedTMDLs.htm>
8. Implement measures or requirements to ensure that discharges will not cause or contribute to the listed impairment for those waters listed on the most recently approved 303(d) list of impaired streams. Applicable 303(d) listed waters can be accessed at <http://www.adem.state.al.us/programs/water/303d.cnt>
9. Additional Design Requirements
 - (a) Sediment control measures, erosion control measures, and other site management practices must be properly selected based on site-specific conditions, and must meet or exceed the technical standards outlined in the Alabama Handbook and the site-specific BMP Plan prepared in accordance with Part III.D.
 - (b) Unless otherwise specified by the Alabama Handbook, sediment control measures, erosion control measures, and other site management practices shall be designed and maintained to minimize erosion and maximize sediment removal resulting from a 2-year, 24-hour storm event.

B. Soil Stabilization

Final stabilization of disturbed areas must, at a minimum, be initiated immediately whenever any excavating or other earth disturbing activities have permanently ceased on any portion of the mining site.

C. Pollution Prevention Measures

The Permittee must design, install, implement, and maintain effective pollution prevention measures to minimize the discharge of pollutants. At a minimum, such measures must be designed, installed, implemented and maintained to:

1. Minimize the discharge of pollutants from equipment and vehicle washing, wheel wash water, concrete washout, and/or other wash waters on site. Wash waters must be treated in a sediment basin or alternative control that provides equivalent or better treatment prior to discharge; and
2. Minimize the discharge of pollutants from any spills and leaks from, including but not limited to: vehicles; mechanical equipment; chemical storage; and refueling activities.

D. Best Management Practices Plan (BMP Plan)

1. In addition to Part II.D.1. and except as provided by Part II.D.2, the mining activity may not commence until a BMP Plan has been prepared and certified by a QCP as adequate to meet the requirements of this permit.
2. The Permittee shall properly implement and regularly maintain the controls, practices, devices, and measures specified in the BMP Plan.
3. The BMP Plan shall include:
 - (a) A general description of the mining site activity;
 - (b) Estimates of the total area expected to be disturbed by the mining activity;
 - (c) A detailed description of the erosion controls, sediment controls, and management practices to be implemented at the site;
 - (d) Identification of all allowable sources of non-stormwater discharges listed in Part I.B.2;
 - (e) A description of the pollution prevention measures used to manage non-stormwater discharges;
 - (f) A site topographic map (e.g. USGS quadrangle map), clearly showing:
 - i. Sufficient detail to identify the location of the mining site;
 - ii. Areas that are disturbed, and/or will be disturbed;
 - iii. Identification of sediment control measures, erosion control measures, planned stabilization measures, and other site management practices;
 - iv. Locations of all waters of the state within a 1 mile radius of the site;
 - v. Locations of wetlands and riparian zones;
 - vi. Locations of all points of discharge to waters of the State; and
 - (g) A description of procedures for:
 - i. Removal of sediment or other pollutants that have accumulated in or near any sediment control measures, stormwater conveyance channels, or water course conveyance; and
 - ii. Removal of accumulated sediment that has been trapped by sediment control measures at the site, in accordance with applicable maintenance requirements covered under this permit, including a schedule for removal.
 - (h) A description of the procedures for handling and disposing of wastes generated at the site, including, but not limited to, clearing debris, sediment removed from the site, domestic waste, hazardous or toxic waste, and sanitary waste.
4. Maintain an Updated BMP Plan.
 - (a) The BMP Plan shall be updated as necessary to address changes to the mining site, site weather patterns, new TMDLs approved or established by EPA, new 303(d) listings approved by EPA, or manufacturer specifications for specific control technologies.
 - (b) The BMP Plan shall be amended if inspections or investigations by site staff, QCP or a qualified person under the direct supervision of a QCP, or by local, state, or federal officials determine that the existing sediment control measures, erosion control measures, or other site management practices are ineffective or do not meet the requirements of this permit.
 - (c) If existing sediment control measures, erosion control measures, or other site management practices prove ineffective in protecting water quality or need to be modified; or if additional sediment control measures, erosion control measures, or other site management practices are necessary to meet the requirements of Part III. A, B, C, and F, implementation shall be completed before the next storm event whenever practicable. If implementation before the next storm event

is impracticable, then the mining activity must cease until the modified or additional controls can be implemented.

- (d) A current copy of the BMP Plan shall be maintained at the site during normal operating hours as defined by Part IV.EE.24, of this permit, and made available upon request by the Department.

E. Department Review

1. When requested by the Director or his designee, the Permittee shall make the BMP Plan available for Department review.
2. The Director or his designee may notify the Permittee at any time that the BMP Plan is deficient and requires correction of the deficiency.
3. The Permittee shall correct any BMP Plan deficiency identified by the Director or his designee within 30 days of receipt of notification and shall certify to the Department that the correction has been made and implemented, unless an alternate date is approved by the Department.

F. Spill Prevention, Control, and Management

The Permittee shall prepare, implement, and maintain a Spill Prevention, Control and Countermeasures (SPCC) Plan in accordance with 40 CFR Part 112 and ADEM Admin Code r. 335-6-6-.12(r) for all applicable onsite petroleum storage tanks. The Permittee shall also prepare, implement, and maintain a SPCC Plan in accordance with ADEM Admin Code r. 335-6-6-.12(r) for any stored pollutant(s) that may, if spilled, be reasonably expected to enter a water of the state or the collection system for a publicly or privately owned treatment works. The SPCC Plan(s) shall be maintained as a separate document or as part of the BMP Plan required in Part III.D. The Permittee shall implement appropriate structural and/or non-structural spill prevention, control, and/or management sufficient to prevent any spills of pollutants from entering a water of the state or a publicly or privately owned treatment works. Any containment system used to implement this requirement shall be constructed of materials compatible with the substance(s) contained and of materials which shall prevent the contamination of groundwater and shall be capable of retaining 110 percent of the volume of the largest container of pollutants for which the containment system is provided. The Permittee shall maintain onsite or have readily available sufficient oil & grease absorbing material and flotation booms to contain and clean-up fuel or chemical spills and leaks. Soil contaminated by paint or chemical spills, oil spills, etc. must be immediately cleaned up, remediated, or be removed and disposed of in a Department approved manner. Careful consideration should be applied for tanks or containers located near treatment ponds, water bodies, or high traffic areas.

G. Training

Unless the Permittee has employed or contracted with a QCP to perform duties as required by this permit, and the QCP is readily available and able to be present onsite as often as is necessary to ensure full compliance with the requirements of this permit, the Permittee shall ensure that:

1. At least one onsite employee shall be certified as a Qualified Credentialed Inspector (QCI) by completing an initial training and annual refreshers through an ADEM-approved Qualified Credentialed Inspector Program (QCIP) conducted by a cooperating training entity.
2. The QCIP must be approved by the Department prior to use and provide training in the following areas:
 - (a) The applicable requirements of the Alabama NPDES rules;
 - (b) The requirements of this permit;
 - (c) The evaluation of mining sites to ensure that QCP designed and certified erosion controls and sediment controls detailed in a BMP Plan are effectively implemented and maintained;
 - (d) The evaluation of conveyance structures, receiving waters and adjacent impacted offsite areas to ensure the protection of water quality and compliance with the requirements of this permit; and
 - (e) The general operation of a turbidity meter or similar device intended for the measurement of turbidity.

3. Each individual holding a QCI Certification need not be on-site continuously and they may conduct site inspections at multiple sites permitted by them or their employer.
4. Each individual holding QCI certification shall obtain annual certification of satisfactory completion of formal refresher education or training regarding general erosion controls and sediment controls, the requirements of this permit, and the general operation of a turbidity meter or similar device intended for the measurement of turbidity. The refresher training requirements, including but not limited to, appropriate curricula, course content, course length, and any participant testing, shall be subject to acceptance by the Director prior to use.

H. Inspection Requirements

1. Weekly Observations

- (a) At least once per week, when there is activity at the site, the Permittee shall visually observe that portion of the mining activity where active disturbance or work occurred to note any apparent BMP deficiencies in the area of active disturbance.
- (b) Such weekly observations may be performed by appropriate site personnel.
- (c) The Permittee shall maintain a log of all weekly observations and record in such log any rainfall measurements and BMP deficiencies observed.

2. Site Inspections

- (a) A site inspection shall consist of a complete and comprehensive observation of the entire mining site including all areas used for storage of materials that are exposed to precipitation, affected ditches and other stormwater conveyances, as well as all outfalls, receiving waters and stream banks to determine if, and ensure that:
 - i. Effective erosion controls and sediment controls have been fully implemented and maintained in accordance with this permit, the site BMP Plan, and the Alabama Handbook;
 - ii. Pollutant discharges have been prevented/minimized to the maximum extent practicable, and
 - iii. Discharges do not result in a contravention of applicable State water quality standards for the receiving stream(s) or other waters impacted or affected by the Permittee.
- (b) Site inspections shall be performed by a QCI, QCP, or a qualified person under the direct supervision of a QCP.
- (c) A site inspection shall be performed once each month and after any qualifying precipitation event, by a QCI, QCP, or a qualified person under the direct supervision of a QCP, commencing as promptly as possible, but no later than 24-hours after resuming or continuing active construction or disturbance, and completed no later than 72-hours following the qualifying precipitation event.
- (d) A site inspection shall be performed a minimum of once every six (6) months by a QCP or a qualified person under the direct supervision of a QCP.
- (e) A site inspection shall also be performed as often as is necessary until any poorly functioning erosion controls or sediment controls, non-compliant discharges, or any other deficiencies observed during a prior inspection are corrected and documented as being in compliance with the requirements of this permit.
- (f) Unless otherwise required by the Department, inspections or evaluations required by Part III.H.2.(c) and (d), do not have to be conducted for noncoal/nonmetallic mining sites regulated under this Permit provided:
 - i. The operator submits to the Department certification from a QCP, a minimum of once every three (3) months, that the noncoal/nonmetallic mining site is designed and is being operated with significant freeboard due to incised mining excavation or incised storage basins to prevent all discharges resulting from groundwater intrusion, precipitation events less than the applicable 50-year, 24-hour precipitation event, or other stormwater sources to surface waters

of the State. Inspections shall be conducted once per quarter (Jan-Mar, Apr-June, July-Sept, Oct-Dec), at least two months apart.

- ii. The noncoal/nonmetallic mining site has been operated and is being operated in full compliance with the applicable requirements of this Permit; and
 - iii. In the case of precipitation that equals or exceeds the 50-year, 24-hour storm event, the QCP conducts a comprehensive inspection of the noncoal/nonmetallic mining site within 72-hours of said event, and a detailed report is submitted to the Department within seven (7) days of the inspection if non-compliant discharges, deficient BMPs, or other deficiencies or noncompliance with the requirements of this Permit are observed.
- (g) The inspection shall be recorded in a written format acceptable to the Department. The inspection record shall include:
- i. The site name and location, discharge point number, date, time and exact place of any sampling performed;
 - ii. The name(s) of person(s) who performed the inspection and/or obtained any samples or measurements taken;
 - iii. The dates and times of the inspection and any samples or measurements taken;
 - iv. A description of any sampling and analytical techniques or methods used, including source of method and method number;
 - v. The results of any analyses performed;
 - vi. Weather conditions at the time of the inspection;
 - vii. Description of any discharges of sediment or other pollutants from the site;
 - viii. Locations of discharges of sediment or other pollutants from the site;
 - ix. Locations of BMPs that need to be maintained;
 - x. Locations of BMPs that failed to operate as designed;
 - xi. Locations where BMPs required by the BMP Plan are not installed or installed in a manner inconsistent with the BMP Plan; and
 - xii. Locations where additional BMPs are needed that did not exist at the time of the inspection. This requirement is applicable only to site inspections performed by a QCP or qualified persons under the direct supervision of a QCP.

3. BMP Plan Evaluations

- (a) The QCP shall perform an onsite evaluation of all erosion and sediment controls being implemented for adequacy and consistency with site conditions.
- (b) The BMP Plan evaluation shall be performed as often as necessary until poorly functioning or damaged erosion controls or sediment controls are corrected, and, at a minimum, once every six months.
- (c) If, based on the BMP Plan evaluation, the QCP identifies any needed modifications or additions to erosion and sediment controls, the BMP Plan shall be updated in accordance with Part III.D.4.
- (d) The Permittee shall maintain appropriate documentation of the BMP Plan evaluation(s).

I. Corrective Action

- 1. Any poorly functioning erosion controls or sediment controls, non-compliant discharges, or any other deficiencies observed during the inspections required under Part III.H.2 shall be corrected as soon as possible, but not to exceed five (5) days from the inspection unless prevented by unsafe weather conditions.

2. In the event of a breach of a sediment basin/pond, temporary containment measures shall be taken within 24 hours after the inspection. Permanent corrective measures shall be implemented within five (5) days of the inspection; however, if permanent corrective measures cannot be implemented within the timeframes provided herein the Permittee shall contact the Department; and
3. The operator shall promptly take all reasonable steps to remove, to the maximum extent practical, pollutants deposited offsite or in any waterbody or stormwater conveyance structure.

J. Precipitation Measurement

The Permittee shall measure and record all precipitation occurring at the mining site. Precipitation measurements shall be taken using continuous recorders or daily readings of an onsite rain gauge or other measurement device acceptable to the Department. Precipitation measurements must be representative of the Permittee's site.

K. Impaired Waters and Total Maximum Daily Load (TMDL) Waters

1. Impaired Waters

This permit does not authorize new sources or new discharges of pollutants of concern to impaired waters unless consistent with an EPA-approved Total Maximum Daily Load (TMDL) and applicable State law or unless determined not to cause or contribute to the impairment. Impaired waters are those that do not meet applicable water quality standards and are identified on the State of Alabama's §303(d) list. Pollutants of concern are those pollutants for which the water body is listed as impaired or contribute to the listed impairment, and which are known or reasonably expected to be found in untreated discharges associated with mining activities covered by this general permit.

- (a) The Permittee must determine whether the discharge from any part of the mining site contributes directly or indirectly to a waterbody that is included on the latest final §303(d) list; and
 - (b) If the Permittee's mining site discharges to a waterbody described above, it must demonstrate that the discharges, as controlled by the Permittee, do not cause or contribute to the impairment. If existing BMPs are not sufficient to achieve this demonstration, the Permittee must, within six (6) months following the publication of the latest final §303(d) list, submit a revised BMP Plan detailing new or modified BMPs. The BMP Plan must be revised as directed by the Department and the new or modified BMPs must be implemented within one year, unless an alternate date is approved by the Department, from the publication of the latest final §303(d) list.
2. Discharging into Waters with EPA-Approved TMDLs and/or EPA Established TMDLs
- (a) The Permittee must also determine whether its mining site discharges to a waterbody for which a total maximum daily load (TMDL) has been developed or approved by EPA. If a TMDL is approved during this permit cycle by USEPA or a TMDL is established by EPA for any waterbody into which the mining site discharges, the Permittee must review the applicable TMDL to see if it includes applicable requirements for the mining site.
 - (b) If it is found that the Permittee must implement specific allocations of the TMDL, it must assess whether the allocations are being met through implementation of existing BMPs or if additional BMPs are necessary. Any such determination must be reviewed and approved by the Department.
 - (c) If it is determined that existing BMPs are not effectively meeting the TMDL allocations, then, within six months following the approval or establishment of the TMDL by EPA, the Permittee must submit a revised BMP Plan that includes BMPs specifically targeted to achieve the TMDL allocations. The BMP Plan must be revised as directed by the Department and any new or modified BMPs must be implemented within one year, unless an alternate date is approved by the Department, from the establishment or approval of the TMDL by EPA.

PART IV Standard and General Permit Conditions

A. Duty to Comply

1. The Permittee must comply with all terms and conditions of this permit. Any permit noncompliance constitutes a violation of the AWPCA and the FWPCA and is grounds for: enforcement action, termination, or suspension of coverage under this permit; denial of a permit renewal application; a requirement that the permittee submit an application for an individual NPDES permit.
2. For any violation(s) of this Permit, the Permittee is subject to a civil penalty as authorized by the AWPCA, the FWPCA, and Code of Alabama 1975, §§22-22A-1 *et. seq.*, as amended, and/or a criminal penalty as authorized by Code of Alabama 1975, §22-22-1 *et. seq.*, as amended.
3. The discharge of a pollutant from a source not specifically identified in the NOI to be covered under this Permit and not specifically included in the description of an outfall (where applicable) in this permit is not authorized and shall constitute noncompliance with this permit.
4. Nothing in this Permit shall be construed to preclude or negate the Permittee's responsibility or liability to apply for, obtain, or comply with other ADEM, federal, state, or local government permits, certifications, licenses, or other approvals.

B. Need to Halt or Reduce Activity Not a Defense

It shall not be a defense for the Permittee in an enforcement action that it would have been necessary to halt or reduce mining activities in order to maintain compliance with the conditions of the permit.

C. Duty to Mitigate

The Permittee shall promptly take all reasonable steps to minimize or prevent any violation of the permit or to minimize or prevent any adverse impact to waters resulting from any permit violation.

D. Proper Operation and Maintenance

The Permittee shall at all times properly operate and maintain all facilities and systems of treatment and control (and related appurtenances) which are installed or used by the Permittee to achieve compliance with the conditions of this permit. Proper operation and maintenance includes effective performance, adequate funding, adequate operator staffing and training, and adequate laboratory and process controls, including appropriate quality assurance procedures. Operation of backup or auxiliary facilities is required only when necessary to achieve compliance with the conditions of this permit.

E. Permit Modification, Revocation and Reissuance, Suspension, and Termination

1. This Permit may be modified, suspended, terminated, or revoked and reissued, in whole or in part, during its term for cause, including but not limited to:
 - (a) The violation of any term or condition of this Permit;
 - (b) The obtaining of this Permit by misrepresentation or the failure to disclose fully all relevant facts;
 - (c) The submission of materially false or inaccurate statements or information in the permit application or reports required by the Permit;
 - (d) The need for a change in any condition that requires either a temporary or permanent reduction or elimination of the permitted discharge;
 - (e) The existence of any typographical or clerical errors;
 - (f) The threat of the Permittee's discharge on human health or welfare; or
 - (g) Any other cause allowed by ADEM Administrative Code Rule 335-6-6.
2. The filing of a request by the Permittee for modification, suspension, termination, or revocation and reissuance of this Permit, in whole or in part, does not stay any Permit term or condition of this Permit.
3. The Director may modify, revoke and reissue, or terminate this permit in accordance with ADEM Admin. Code r. 335-6-6-.23(7).

F. Property Rights

This permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize any injury to persons or property or invasion of other private rights, or any infringement of federal, state, or local laws or regulations, nor does it authorize or approve the construction of any physical structures or facilities or the undertaking of any work in any waters of the state or of the United States.

G. Duty to Provide and Update Information

1. The Permittee shall furnish to the Director, within a reasonable time, any information which the Director may request to determine whether cause exists for modifying, revoking and re-issuing, suspending, or terminating this permit, in whole or in part, or to determine compliance with this Permit. The Permittee shall also furnish to the Director upon request, copies of records required to be kept by this Permit.
2. The Permittee shall inform the Director in writing of any change in the Permittee's mailing address or telephone number or in the Permittee's designation of a facility contact or officer having the authority and responsibility to prevent and abate violations of the AWPCA, the Department's rules and the terms and conditions of this permit no later than ten (10) days after such change. Upon request of the Director, the Permittee shall furnish an update of any information provided in the NOI.
3. If the Permittee becomes aware that it failed to submit any relevant facts in the NOI; or submitted incorrect information in the NOI; or in any report to the Director, it shall promptly submit such facts or information with a written explanation for the mistake and/or omission.

H. Right of Entry and Inspection

The Permittee shall allow the Director, or an authorized representative, upon the presentation of credentials and other documents as may be required by law to:

1. Enter upon the Permittee's premises where a regulated activity is located or conducted, or where records must be kept under the conditions of this Permit;
2. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this Permit;
3. Inspect at reasonable times any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under this Permit; and
4. Sample or monitor at reasonable times, for the purposes of assuring permit compliance or as otherwise authorized by the AWPCA, any activities, substances or parameters at any location.

I. Noncompliance Notification

1. The Permittee must notify the Department if, for any reason, the Permittee's discharge:
 - (a) Potentially threatens human health or welfare;
 - (b) Potentially threatens fish or aquatic life;
 - (c) Causes an in-stream water quality criterion to be exceeded;
 - (d) Does not comply with an applicable toxic pollutant effluent standard or prohibition established under Section 307(a) of the FWPCA, 33 U.S.C. §1317(a); or
 - (e) Contains a quantity of a hazardous substance which has been determined may be harmful to the public health or welfare under Section 311(b)(4) of the FWPCA, 33 U.S.C. §1321(b)(4).

The Permittee shall orally report the occurrences, describing the circumstances and potential effects of such discharge to the Director no later than 24-hours after the Permittee becomes aware of the occurrence of such discharge. In addition to the oral report, the Permittee shall submit to the Director a written report as provided in Part IV.I.2 below, no later than five (5) days after becoming aware of the occurrence of such discharge

2. The written report shall be in a format acceptable to the Department and shall include:
 - (a) A description of the noncompliant event, its cause, if known, and location;

- (b) The period of noncompliance, including exact dates and times or, if not corrected, the anticipated time the noncompliance is expected to continue; and
- (c) A description of the steps taken and/or being taken to reduce or eliminate the noncomplying discharge and to prevent its recurrence.

J. Retention of Records

1. The Permittee shall retain records of all inspection records, monitoring information, including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation, copies of all reports required by the permit, and records of all data used to complete such reports, for a period of at least three (3) years from the date of the inspection, sample measurement, or report. This period may be extended by request of the Director at any time. If litigation or other enforcement action, under the AWPCA and/or the FWPCA, is ongoing which involves any of these records, the records shall be kept until the litigation is resolved.
2. All records required to be kept for a period of three (3) years shall be kept at the permitted facility or an alternate location identified to the Department in writing and shall be made available for inspection upon request.

K. Signatory Requirements

The NOI and all reports or information submitted to the Director shall be signed and certified according to the requirement of ADEM Admin Code r. 335-6-6-.09. Where required by this Permit, documents will also be signed by a QCP or QCI.

L. Transfers

This Permit may not be transferred without notice to the Director and subsequent modification or revocation and reissuance of this Permit. In the case of a change in name, ownership or control of the permittee's premises, a request for permit modification in a format acceptable to the Director is required at least 30 days prior to the change.

M. Bypass

Any bypass of erosion controls, sediment controls, or any other stormwater management/treatment controls specified in the BMP Plan is prohibited except as provided by ADEM Admin Code r. 335-6-6-.12(m).

N. Upset

Any upset claimed by the Permittee is subject to the requirements of ADEM Admin Code r. 335-6-6-.12(n).

O. Severability

The provisions of this permit are severable, and if any provision of this permit or the application of any provision of this permit to any circumstance is held invalid, the application of such provision to other circumstances, and the remainder of this permit shall not be affected thereby.

P. Issuance of an Individual Permit

The Director may require the Permittee to obtain an individual permit for discharges covered by this permit in accordance with ADEM Admin. Code r. 335-6-6-.23(9).

Q. Request for Individual Permit by General Permit Holder

1. Any person covered by this General Permit may apply for termination of coverage by applying for an individual NPDES permit.
2. A permit application submitted voluntarily or at the direction of the Director for the purpose of termination of coverage by this General Permit shall be processed in accordance with the rules found in ADEM Admin. Code ch. 335-6-6 applicable to individual permits.
3. Any person may petition the Director for withdrawal of this General Permit authority from a discharger. The Director shall consider the information submitted by the petitioner and any other information he may be aware of and may obtain additional information from the discharger and through inspections by Department staff and shall decide if coverage should be withdrawn. The

petitioner shall be informed of the Director's decision and shall be provided a summary of the information considered.

R. Termination of Discharge

The permittee shall notify the Director, in writing, when all discharges authorized by this permit have permanently ceased. This notification shall serve as sufficient cause for instituting procedures for termination of the permittees authority to discharge under this General Permit.

The written notification shall include:

1. The Permittee name and permit number;
2. Submittal of ADIR bond release paperwork, if applicable; and
3. Certification by the Permittee and the QCP that all activity covered by this permit has been completed and final stabilization has been achieved; or
4. If another operator has assumed control over all areas of the site that have not achieved final stabilization, identification, including complete contact information, of the person that has assumed legal or operational control over the site.

S. Duty to Reapply

1. The permittee authorized to discharge under this General Permit, who wishes to continue to discharge upon the expiration of this permit, shall submit a NOI to be covered by the reissued General Permit. Such NOI shall be submitted at least 90 days prior to the expiration date of this General Permit.
2. Failure of the permittee to submit the appropriate application material for reauthorization under this permit at least 90 days prior to the permit's expiration will void the automatic continuation of the authorization to discharge under this permit as provided by ADEM Admin. Code r. 335-6-6-.06. Should the permit not be reissued for any reason prior to its expiration date, permittees who failed to meet the 90-day submittal deadline will be illegally discharging without a permit after the expiration date of the permit.

T. Facility Identification

The Permittee shall clearly display, prior to commencement of any regulated activity and until permit coverage is properly terminated, the name of the Permittee, entire NPDES permit number, facility or site name, and other descriptive information deemed appropriate by the Permittee at the entrance or other easily accessible location(s) to adequately identify the site, unless approved otherwise in writing by the Department. The Permittee shall repair or replace the sign(s) as necessary upon becoming aware that the identification is missing or is unreadable due to age, vandalism, theft, weather, or other reason.

U. Schedule of Compliance

The Permittee shall achieve compliance with the requirements of this Permit on the effective date of coverage under this permit.

V. Discharge of Wastewater Generated by Others

The discharge of wastewater generated by any process, facility, or by any other means not under the operational control of the permittee or not identified in the application for this permit or not identified specifically in the description of an outfall in this permit is not authorized by this permit.

W. Compliance with Water Quality Standards and Other Provisions

1. On the basis of the Permittee's application, plans, or other available information, the Department has determined that compliance with the terms and conditions of this Permit will assure compliance with applicable water quality standards. However, this Permit does not relieve the Permittee from compliance with applicable State water quality standards established in ADEM Admin. Code ch. 335-6-10, and does not preclude the Department from taking action as appropriate to address the potential for contravention of applicable State water quality standards which could result from discharges of pollutants from the permitted facility.

2. Compliance with Permit terms and conditions notwithstanding, if the Permittee's discharge(s) cause(s) or contribute(s) to a condition in contravention of State water quality standards, the Department may require abatement action to be taken by the Permittee, modify the Permit pursuant to the Department's rules and regulations, or both.
3. If the Department determines, on the basis of any investigation, inspection, or sampling, that a modification of this Permit is necessary to assure maintenance of water quality standards or compliance with other provisions of the AWPCA or FWPCA, the Department may require such modification and, in cases of emergency, the Director may prohibit the noticed act until the Permit has been modified.

X. Civil and Criminal Liability

1. Tampering

Any person who falsifies, tampers with, or knowingly renders inaccurate any monitoring device or method required to be maintained or performed under this Permit shall, upon conviction, be subject to penalties and/or imprisonment as provided by the AWPCA and/or the AEMA.

2. False Statements

Any person who knowingly makes any false statement, representation, or certification in any record or other document submitted or required to be maintained under this Permit, including monitoring reports or reports of compliance or noncompliance shall, upon conviction, be punished as provided by applicable State and Federal law.

3. Permit Enforcement

This NPDES Permit is a Permit for the purpose of the AWPCA, the AEMA, and the FWPCA, and as such all terms, conditions, or limitations of this Permit are enforceable under State and Federal law.

4. Relief From Liability

Except as provided in Part IV.M. (Bypass) and Part IV.N. (Upset), nothing in this Permit shall be construed to relieve the Permittee of civil or criminal liability under the AWPCA, AEMA, or FWPCA for noncompliance with any term or condition of this Permit.

Y. Oil and Hazardous Substance Liability

Nothing in this Permit shall be construed to preclude the institution of any legal action or relieve the Permittee from any responsibilities, liabilities, or penalties to which the Permittee is or may be subject to under Section 311 of the FWPCA, 33 U.S.C. §1321.

Z. Availability of Reports

Except for data determined to be confidential under Code of Alabama 1975, §22-22-9(c), all reports prepared and submitted in accordance with the terms of this Permit shall be available for public inspection at the offices of the Department. Effluent data shall not be considered confidential. Knowingly making any false statement in any such report may result in the imposition of criminal penalties as provided for in Section 309 of the FWPCA, 33 U.S.C. §1319, and Code of Alabama 1975, §22-22-14.

AA. Coastal Zone Management (Mobile and Baldwin Counties)

1. Except for those activities described in Part IV.AA.2. below, this permit is conditionally consistent with the Alabama Coastal Area Management Plan (ACAMP) upon continued compliance with the ACAMP.
2. The Permittee shall obtain, as appropriate, a coastal permit or coastal consistency determination from the Department if any activity conducts a use as described in ADEM Admin. Code r. 335-8-1-.08, 335-8-1-.09, 335-8-1-.10 or 335-8-1-.11.

BB. Prohibition and Activities Not Authorized

1. Discharges from disposal or landfill activities as described in ADEM Admin Code R. Div. 335-13 are not authorized by this Permit unless specifically approved by the Department.

2. Relocation, diversion, or other alteration of a water of the State is not authorized by this Permit unless specifically approved by the Department.
3. Lime or cement manufacturing or production and discharge of process waters from such manufacturing or production is not authorized by this Permit unless specifically approved by the Department.
4. Concrete or asphalt manufacturing or production and discharge of process waters from such manufacturing or production is not authorized by this Permit unless specifically approved by the Department.
5. Discharge(s) from instream and within-bank mining are not authorized by this permit.

CC. Removed Substances

Solids, sludges, or any other pollutants or other wastes removed in the course of treatment or control of wastewaters shall be disposed of in a manner that complies with all applicable Department rules and regulations.

DD. Compliance with Statutes and Rules

1. This permit has been issued under ADEM Admin. Code ch. 335-6-6. All provisions of this chapter, that are applicable to this permit, are hereby made a part of this permit. A copy of this chapter can be found on the ADEM website at:
<http://www.adem.state.al.us/alEnviroRegLaws/files/Division6Vol1.pdf>.
2. This permit does not authorize the noncompliance with or violation of any Laws of the State of Alabama or the United States of America or any regulations or rules implementing such laws. FWPCA, 33 U.S.C. Section 1319, and Code of Alabama 1975, Section 22-22-14.

EE. Definitions

1. **2-year, 24-hour Storm Event** means the maximum 24-hour precipitation event with a probable recurrence interval of once in two years as defined by the National Weather Service and Technical Paper No. 40, "Rainfall Frequency Atlas of the U.S.," May 1961, or equivalent regional or rainfall probability information developed there from.
2. **Alabama Handbook** means the March, 2009 edition of Alabama Handbook for Erosion Control, Sediment Control, And Stormwater Management On Constructions Sites And Urban Areas, Alabama Soil and Water Conservation Committee (ASWCC).
3. **ADEM** means the Alabama Department of Environmental Management.
4. **ADOL** means the Alabama Department of Labor (previously known as The Alabama Department of Industrial Relations or ADIR).
5. **Areas Associated with these Activities** includes, but is not limited to, entrance/exit roads, haul roads, material storage piles, and equipment maintenance areas.
6. **AWPCA** means the Alabama Water Pollution Control Act.
7. **Best Management Practices or BMPs** mean implementation and continued maintenance of appropriate structural and non-structural practices and management strategies to prevent and minimize the introduction of pollutants to stormwater and to treat stormwater to remove pollutants prior to discharge.
8. **Best Management Practices Plan (BMP Plan)** means any research, planning considerations, systems, procedures, processes, activities, and practices implemented for the prevention and/or minimization of pollutants in stormwater to the maximum extent practicable, and collection, storage, treatment, handling, transport, distribution, land application, or disposal of stormwater and onsite management of waste generated by the mining activity, and to comply with the requirements of this permit. This includes any required component plans and other pertinent information requested by the Department. The BMP Plan shall be prepared/certified, and when necessary updated/certified, by a QCP in accordance with the requirements of this permit.
9. **Control Measure** refers to any Best Management Practice or other method used to prevent or reduce the discharge of pollutants to waters of the State.

10. **CWA or The Act** means the Clean Water Act (formerly referred to as the Federal Water Pollution Control Act or Federal Water Pollution Control Act Amendments of 1972) Pub.L. 92-500, as amended Pub. L. 95-217, Pub. L. 95-576, Pub. L. 96-483 and Pub. L. 97-117, 33 U.S.C. 1251 et.seq.
11. **Day** means any consecutive 24-hour period.
12. **Department** means the Alabama Department of Environmental Management or an authorized representative.
13. **Director** means the Director of the Department or his designee.
14. **Discharge** means "[t]he addition, introduction, leaking, spilling or emitting of any sewage, industrial waste, pollutant or other waste into waters of the state." Code of Alabama 1975, §22-22-1(b)(8).
15. **EPA** refers to the U.S. Environmental Protection Agency.
16. **Final Stabilization** means the application and establishment of permanent ground cover (vegetative, pavements of erosion resistant hard or soft material or impervious structures) planned for the site to permanently eliminate soil erosion to the maximum extent practicable. Final Stabilization also means that all disturbed areas have been graded, slopes effectively stabilized, and perennial vegetation has been established to the maximum extent practicable to protect water quality. Established vegetation will be considered final if 100% of the soil surface is uniformly covered in permanent vegetation with a density of 85% or greater. Permanent vegetation shall consist of: planted trees, shrubs, perennial vines; an agricultural or a perennial crop of vegetation appropriate for the region.
17. **Flow** means the total volume of discharge in a 24-hour period.
18. **FWPCA** means the Federal Water Pollution Control Act.
19. **Incised** refers to a noncoal/nonmetallic mining site that is designed and operated with significant freeboard due to mining excavation or storage basins to prevent all discharges resulting from groundwater intrusion, precipitation events less than the applicable 50-year, 24-hour precipitation event, or other stormwater sources to surface waters of the State.
20. **Maximum extent practicable (MEP)** means full implementation and regular maintenance of available industry standard technology and effective management practices, such as those contained in the Alabama Handbook and site-specific BMP Plan, designed to prevent and/or minimize discharges of pollutants and ensure protection of groundwater and surface water quality.
21. **Nephelometric Turbidity Unit or NTU** means a numerical unit of measure based upon photometric analytical techniques for measuring the light scattered by fine particles of a substance in suspension.
22. **NOI** means Notice of Intent.
23. **Noncoal, Nonmetallic Mining Site** means an area, on or beneath land, less than five (5) total unreclaimed acres in size, used or disturbed in activity, including but not limited to, advance prospecting, noncoal mining site development, extraction, removal, mining, borrowing, remining, storing, transloading, dry processing, transportation, and/or recovery of any noncoal and nonmetallic mineral, ore, or mineral/ore product, including but not limited to, overburden, dirt, chert, soil, clay, rock, stone, aggregate, sand, gravel, tailings, and refuse from natural or artificial deposits. Pre-mining construction and land preparation, including but not limited to, clearing, grubbing, testing and advance prospecting in advance of mining activity is considered part of the noncoal mining activity which is required to obtain coverage under this Permit prior to commencement. For the purposes of this Permit, noncoal mining does not mean any mining or recovery site, or associated product processing, recovery, storing, handling or transloading operations equal to or greater than five (5) acres in size, any mineral or ore wet processing or beneficiation regardless of size, and any metal ore/mineral, coal or associated product, mining, recovery, remining, processing, storing, handling or transloading operations, regardless of size.
24. **Normal Operating Hours** means from 6:00 a.m. to 6:00 p.m., Monday through Friday, excluding federal holidays established pursuant to 5 U.S.C. § 6103. Normal operating hours also include any time when workers are present or when the mining activity is occurring, regardless of the particular day or time of day.

25. **Operator** means any person or other entity that owns, operates, directs, conducts, controls, authorizes, approves, determines, or otherwise has responsibility for, or exerts financial control over the commencement, continuation, or daily operation of activity regulated by this permit. An operator includes any person who treats and discharges stormwater or in the absence of treatment, the person who generates and/or discharges stormwater, or pollutants. An operator may include but may not be limited to, property owners, agents, general partners, LLP partners, LLC members, leaseholders, developers, builders, contractors, or other responsible or controlling entities.
26. **PE** means a professional engineer, presently registered in the State of Alabama and who is competent to perform work in this field of engineering.
27. **Point Source** means "any discernible, confined and discrete conveyance, including but not limited to any pipe, channel, ditch, tunnel, conduit, well, discrete fissure, container, rolling stock, concentrated animal feeding operation, or vessel or other floating craft from which pollutants are or may be discharged." Section 502(14) of the FWPCA, 33 U.S.C. §1362(14).
28. **Pollutant of concern** refers to sediment, turbidity, siltation or other pollutants known or reasonably expected to be found in untreated discharges associated with mining activities covered by this General Permit.
29. **Privately Owned Treatment Works** means any devices or system which is used to treat wastes from any facility whose operator is not the operator of the treatment works, and which is not a "POTW".
30. **Publicly Owned Treatment Works (POTW)** means a wastewater collection and treatment facility owned by the State, municipality, regional entity composed of two or more municipalities, or another entity created by the State or local authority for the purpose of collecting and treating municipal wastewater.
31. **Qualified Credentialed Inspector (QCI)** refers to a permittee, permittee employee, or permittee designated qualified person who has successfully completed initial training and annual refresher Qualified Credentialed Inspection Program (QCIP) training, and holds a valid certification from a Department approved cooperating training entity.
32. **Qualified Credentialed Inspection Program (QCIP)** refers to a Department approved program conducted by a cooperating training entity. Approved programs provide training in the requirements of the Alabama NPDES rules and regulations to ensure that QCP designed and certified BMPs detailed in a BMP Plan are effectively implemented and maintained, and evaluation of conveyance structures, receiving waters and adjacent impacted offsite areas to ensure the protection of water quality and compliance with the requirements of this Permit.
33. **Qualified Credentialed Professional or QCP** means a professional engineer (PE), or a Certified Professional in Erosion and Sediment Control (CPESC) as determined by CPESC, Inc. Other registered or certified professionals such as a registered landscape architect, registered land surveyor, registered geologist, registered forester, Registered Environmental Manager as determined by the National Registry of Environmental Professionals (NREP), or Certified Professional and Soil Scientist (CPSS) as determined by ARCPACS. The QCP shall be in good standing with the authority granting the permit coverage. The design and implementation of certain structural BMPs may involve the practice of engineering and require the certification of a professional engineer pursuant to Alabama law.
34. **Qualified person under the direct supervision of a QCP** refers to an individual who is an employee of a QCP or the QCP's firm, and is familiar with current industry standards for erosion and sediment controls and able to inspect and assure that BMPs or other pollution control devices (silt fences, erosion control fabric, rock check devices, etc.) and erosion control efforts (grading, mulching, seeding, growth management, etc.) or management strategies have been properly implemented and regularly maintained. Such individual may not certify the BMP Plan or modifications to the BMP Plan.
35. **Qualifying precipitation event** refers to any precipitation of 0.75 inches or greater in any 24-hour period.

36. **Receiving Stream** means the “waters” receiving a “discharge” from a “point source”.
37. **Reclaimed** means that all disturbed areas are permanently covered by completed buildings, other structures, pavement/concrete, other acceptable impervious materials, or other effective permanent non-vegetative structures and practices. Reclaimed also means that all disturbed areas have been graded, slopes effectively stabilized, and perennial vegetation has been fully established with the ability to survive in the future if properly maintained, to prevent/minimize to the maximum extent practicable exposure of disturbed soils to erosion as necessary to protect water quality.
38. **Severe property damage** means substantial physical damage to property, damage to the treatment facilities which causes them to become inoperable, or substantial and permanent loss of natural resources which can reasonably be expected to occur in the absence of a bypass. Severe property damage does not mean economic loss caused by delays in production.
39. **Site** means the land or water area where any facility or activity for which coverage under this permit is required is physically located or conducted, including adjacent land use in connection with the facility or activity.
40. **State water quality standards** refer to numeric and narrative standards set forth at ADEM Admin Code chs. 335-6-10 and 335-6-11.
41. **Stormwater** means runoff, accumulated precipitation, process water, and other wastewater generated directly or indirectly as a result of the operation of a noncoal, nonmetallic mining site, including but not limited to, precipitation, upgradient or offsite water that cannot be diverted away from the site. Stormwater does not mean discharges authorized by the Department via other permits or regulations.
42. **Total Maximum Daily Load or TMDL** means the calculated maximum permissible pollutant loading to a waterbody at which water quality standards can be maintained; The sum of wasteload allocations (WLAs) and load allocations (LAs) for any given pollutant.
43. **TSS** means the pollutant parameter Total Suspended Solids.
44. **Treatment facility and treatment system** means all structures which contain, convey, and as necessary, chemically or physically treat mine and/or associated preparation plant drainage, which remove pollutants limited by this Permit from such drainage or wastewater. This includes all pipes, channels, ponds, tanks, and all other equipment serving such structures.
45. **24-hour precipitation event** means that amount of precipitation which occurs within any 24-hour period.
46. **Waters** means “[a]ll waters of any river, stream, watercourse, pond, lake, coastal, ground or surface water, wholly or partially within the State, natural or artificial. This does not include waters which are entirely confined and retained completely upon the property of a single individual, partnership, or corporation unless such waters are used in interstate commerce.” Code of Alabama 1975, §22-22-1(b)(2). “Waters” include all “navigable waters” as defined in §502(7) of the FWPCA, 33 U.S.C. §1362(7), which are within the State of Alabama.
47. **Week** means the period beginning at twelve midnight Saturday and ending at twelve midnight the following Saturday.