## Alabama Department of Environmental Management Water Division - NPDES Permit Branch 1400 Coliseum Boulevard Montgomery, AL 36110

Mailing Address: P O Box 301463, Montgomery 36130-1463

## Industrial – Stormwater Permit Application Checklist (To be used by applicant-Submission not required) Phone: (334) 271-7943

Fax: (334) 279-3051

(If any questions, please contact ADEM <u>prior</u> to submittal.)

ADEM Form 187 should include		
	Marked location map	
	Business Activity Correctly Identified	
	Brief Description of all operations	
	Sampling and flow meter equipment noted	
	Coastal Zone information	
EPA For	EPA Form 1 should include	
	Topographic map with facility locations and location of all proposed/existing outfalls.	
	Pertinent facility information	
EPA For	EPA Form 2F should include	
	Verified latitude and longitude and receiving water for each outfall (Part I)	
	Any required improvements to the site (Part II)	
	Site drainage map (Part III)	
	List of significant spills or leaks occurring in the last three years (Part VI)	
	Grab and flow weighted composite sample for the parameters listed	
If new or increased discharge to Tier 2 water, an anti-degradation analysis should be completed (Forms 311 & 321 or 313)		
Appropriate Fee Fee Schedule D, ADEM Admin. Code Chapter 335-1-6, is located at <a href="http://www.adem.state.al.us">http://www.adem.state.al.us</a> . Select "Regulations", Select "Division 1", Scroll to Chapter 6.		
All forms must be signed and dated by the responsible official		

THIS DOCUMENT IS INTENDED AS A REMINDER OF ITEMS OFTEN OMITTED.

IT IS NOT AN INCLUSIVE LIST OF ALL INFORMATION REQUIRED FOR PERMIT APPLICATIONS.