GOVERNOR

Alabama Department of Environmental Management adem.alabama.gov

NOV 3 0 2022

1400 Coliseum Blvd. 36110-2400 Post Office Box 301463
Montgomery, Alabama 36130-1463
(334) 271-7700 FAX (334) 271-7950

Donna Bolton, Interim Manager Dekalb/Jackson Water Supply District 21700 AL Hwy 117 Ider, AL 35981

RE:

Draft Permit

NPDES Permit No. AL0081850

Dekalb/Jackson Water Supply District Treatment Facility

Jackson County, Alabama

Dear Ms. Bolton:

Transmitted herein is a draft of the referenced permit.

We would appreciate your comments on the permit within 30 days of the date of this letter. Please direct any comments of a technical or administrative nature to the undersigned.

By copy of this letter and the draft permit, we are also requesting comments within the same time frame from EPA.

Please be aware that Part I.C.1.c of your permit requires participation in the Department's Alabama Environmental Permitting and Compliance System (AEPACS) for submittal of DMRs upon issuance of this permit unless valid justification as to why you cannot participate is submitted in writing. AEPACS allows ADEM to electronically validate and acknowledge receipt of the data. This improves the accuracy of reported compliance data and reduces costs to both the regulated community and ADEM. Please note that all AEPACS users can create the electronic DMRs; however, only AEPACS users with certifier permissions will be able to submit the electronic DMRs to ADEM.

Our records indicate that you have utilized the Department's web-based electronic environmental (E2) reporting system for submittal of discharge monitoring reports (DMRs). The Department transitioned from the E2 Reporting System to the Alabama Environmental Permitting and Compliance System (AEPACS) for the submittal of DMRs on November 15, 2021. AEPACS is an electronic system that allows facilities to apply for and maintain permits as well as submit other required applications, registrations, and certifications. In addition, the system allows facilities to submit required compliance reports or other information to the Department. The Department has used the E2 User account information to set up a similar User Profile in AEPACS based on the following criteria:

- 1. The user has logged in to E2 since October 1, 2019; and
- 2. The E2 user account is set up using a unique email address.

E2 users that met the above criteria will only need to establish an ADEM Web Portal account (https://prd.adem.alabama.gov/awp) under the same email address as their E2 account to have the same permissions in AEPACS as they did in E2. They will also automatically be linked to the same facilities they were in E2.

The Alabama Department of Environmental Management encourages you to voluntarily consider pollution prevention practices and alternatives at your facility. Pollution Prevention may assist you in complying with effluent limitations, and possibly reduce or eliminate monitoring requirements.

Should you have any questions, please contact the undersigned by email at michael.simmons@adem.alabama.gov or by phone at (334) 274-4220

Sincerely

Michael N. Simmon Municipal Section Water Division

Enclosure

cc: Environmental Protection Agency Email

Ms. Elaine Snyder/U.S. Fish and Wildlife Service Ms. Elizabeth Brown/Alabama Historical Commission Advisory Council on Historic Preservation

Department of Conservation and Natural Resources







NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

PERMITTEE:	DEKALB/JACKSON WATER SUPPLY DISTRICT 21700 AL HWY 117 IDER, AL 35981
FACILITY LOCATION:	DEKALB/JACKSON WATER SUPPLY DISTRICT TREATMENT FACILITY 6549 COUNTY ROAD 91 STEVENSON, ALABAMA JACKSON COUNTY
PERMIT NUMBER:	AL0081850
RECEIVING WATERS:	TENNESSEE RIVER (GUNTERSVILLE LAKE)
1388 (the "FWPCA"), the Alabam 14 (the "AWPCA"), the Alabama 22A-17, and rules and regulations	the provisions of the Federal Water Pollution Control Act, as amended, 33 U.S.C. §§1251-a Water Pollution Control Act, as amended, Code of Alabama 1975, §§ 22-22-1 to 22-22-Environmental Management Act, as amended, Code of Alabama 1975, §§22-22A-1 to 22-adopted thereunder, and subject further to the terms and conditions set forth in this permit, I to discharge into the above-named receiving waters.
EFFECTIVE DATE:	
EXPIRATION DATE:	

Draft

Alabama Department of Environmental Management

TABLE OF CONTENTS

	T I. DISCHARGE LIMITATIONS, CONDITIONS, AND REQUIREMENTS	1
A.	DISCHARGE LIMITATIONS AND MONITORING REQUIREMENTS	1
	I. DSN 0011: Filter Backwash	
B.	DISCHARGE MONITORING AND RECORD KEEPING REQUIREMENTS	
	1. Representative Sampling	
	2. Measurement Frequency	
	3. Test Procedures	
	4. Recording of Results	
	5. Records Retention and Production	
	6. Reduction, Suspension or Termination of Monitoring and/or Reporting	
	7. Monitoring Equipment and Instrumentation	
C.	DISCHARGE REPORTING REQUIREMENTS	
	1. Reporting of Monitoring Requirements	
D	Noncompliance Notifications and Reports OTHER REPORTING AND NOTIFICATION REQUIREMENTS	
D.	Anticipated Noncompliance	
	Termination of Discharge	
	3. Updating Information	
	4. Duty to Provide Information	
E.	SCHEDULE OF COMPLIANCE	
	1. Compliance with discharge limits	
	2. Schedule	
DAD'	T II. OTHER REQUIREMENTS, RESPONSIBILITIES, AND DUTIES	
A.	OPERATIONAL AND MANAGEMENT REQUIREMENTS	
		O
	•	
	2. Best Management Practices	8
R	Best Management Practices Certified Operator	8
В.	Best Management Practices Certified Operator OTHER RESPONSIBILITIES	8 8
В.	Best Management Practices Certified Operator OTHER RESPONSIBILITIES Duty to Mitigate Adverse Impacts	8 8 8
B. C.	Best Management Practices Certified Operator OTHER RESPONSIBILITIES Duty to Mitigate Adverse Impacts	
	Best Management Practices Certified Operator OTHER RESPONSIBILITIES Duty to Mitigate Adverse Impacts Right of Entry and Inspection	
	2. Best Management Practices 3. Certified Operator OTHER RESPONSIBILITIES 1. Duty to Mitigate Adverse Impacts 2. Right of Entry and Inspection BYPASS AND UPSET	
C.	2. Best Management Practices 3. Certified Operator OTHER RESPONSIBILITIES 1. Duty to Mitigate Adverse Impacts 2. Right of Entry and Inspection BYPASS AND UPSET 1. Bypass	
C.	2. Best Management Practices 3. Certified Operator OTHER RESPONSIBILITIES 1. Duty to Mitigate Adverse Impacts 2. Right of Entry and Inspection BYPASS AND UPSET 1. Bypass 2. Upset	
C.	2. Best Management Practices 3. Certified Operator OTHER RESPONSIBILITIES 1. Duty to Mitigate Adverse Impacts 2. Right of Entry and Inspection BYPASS AND UPSET 1. Bypass 2. Upset DUTY TO COMPLY WITH PERMIT, RULES, AND STATUTES 1. Duty to Comply 2. Removed Substances	
C.	2. Best Management Practices 3. Certified Operator OTHER RESPONSIBILITIES 1. Duty to Mitigate Adverse Impacts 2. Right of Entry and Inspection BYPASS AND UPSET 1. Bypass 2. Upset DUTY TO COMPLY WITH PERMIT, RULES, AND STATUTES 1. Duty to Comply 2. Removed Substances 3. Loss or Failure of Treatment Facilities	
C.	2. Best Management Practices 3. Certified Operator	
C.	2. Best Management Practices 3. Certified Operator OTHER RESPONSIBILITIES 1. Duty to Mitigate Adverse Impacts 2. Right of Entry and Inspection BYPASS AND UPSET 1. Bypass 2. Upset DUTY TO COMPLY WITH PERMIT, RULES, AND STATUTES 1. Duty to Comply 2. Removed Substances 3. Loss or Failure of Treatment Facilities 4. Compliance with Statutes and Rules PERMIT TRANSFER, MODIFICATION, SUSPENSION, REVOCATION, AND REISSUANCE	
C.	2. Best Management Practices	
C.	2. Best Management Practices 3. Certified Operator OTHER RESPONSIBILITIES 1. Duty to Mitigate Adverse Impacts 2. Right of Entry and Inspection BYPASS AND UPSET 1. Bypass 2. Upset DUTY TO COMPLY WITH PERMIT, RULES, AND STATUTES 1. Duty to Comply 2. Removed Substances 3. Loss or Failure of Treatment Facilities 4. Compliance with Statutes and Rules PERMIT TRANSFER, MODIFICATION, SUSPENSION, REVOCATION, AND REISSUANCE 1. Duty to Reapply or Notify of Intent to Cease Discharge 2. Change in Discharge	
C.	2. Best Management Practices 3. Certified Operator OTHER RESPONSIBILITIES 1. Duty to Mitigate Adverse Impacts 2. Right of Entry and Inspection BYPASS AND UPSET 1. Bypass 2. Upset DUTY TO COMPLY WITH PERMIT, RULES, AND STATUTES 1. Duty to Comply 2. Removed Substances 3. Loss or Failure of Treatment Facilities 4. Compliance with Statutes and Rules PERMIT TRANSFER, MODIFICATION, SUSPENSION, REVOCATION, AND REISSUANCE 1. Duty to Reapply or Notify of Intent to Cease Discharge 2. Change in Discharge 3. Transfer of Permit	
C.	2. Best Management Practices 3. Certified Operator OTHER RESPONSIBILITIES 1. Duty to Mitigate Adverse Impacts 2. Right of Entry and Inspection BYPASS AND UPSET 1. Bypass 2. Upset DUTY TO COMPLY WITH PERMIT, RULES, AND STATUTES 1. Duty to Comply 2. Removed Substances 3. Loss or Failure of Treatment Facilities 4. Compliance with Statutes and Rules PERMIT TRANSFER, MODIFICATION, SUSPENSION, REVOCATION, AND REISSUANCE 1. Duty to Reapply or Notify of Intent to Cease Discharge 2. Change in Discharge 3. Transfer of Permit 4. Permit Modification and Revocation	
C.	2. Best Management Practices 3. Certified Operator OTHER RESPONSIBILITIES 1. Duty to Mitigate Adverse Impacts 2. Right of Entry and Inspection BYPASS AND UPSET 1. Bypass 2. Upset DUTY TO COMPLY WITH PERMIT, RULES, AND STATUTES 1. Duty to Comply 2. Removed Substances 3. Loss or Failure of Treatment Facilities 4. Compliance with Statutes and Rules PERMIT TRANSFER, MODIFICATION, SUSPENSION, REVOCATION, AND REISSUANCE 1. Duty to Reapply or Notify of Intent to Cease Discharge 2. Change in Discharge 3. Transfer of Permit 4. Permit Modification and Revocation 5. Termination	
C.	2. Best Management Practices 3. Certified Operator OTHER RESPONSIBILITIES 1. Duty to Mitigate Adverse Impacts 2. Right of Entry and Inspection BYPASS AND UPSET 1. Bypass 2. Upset DUTY TO COMPLY WITH PERMIT, RULES, AND STATUTES 1. Duty to Comply 2. Removed Substances 3. Loss or Failure of Treatment Facilities 4. Compliance with Statutes and Rules PERMIT TRANSFER, MODIFICATION, SUSPENSION, REVOCATION, AND REISSUANCE 1. Duty to Reapply or Notify of Intent to Cease Discharge 2. Change in Discharge 3. Transfer of Permit 4. Permit Modification and Revocation	

TABLE OF CONTENTS (CONTINUED)

F.	COMPLIANCE WITH TOXIC POLLUTANT STANDARD OR PROHIBITION	12
G.	NOTICE TO DIRECTOR OF INDUSTRIAL USERS	12
	PROHIBITIONS	
PAR'	T III. ADDITIONAL REQUIREMENTS, CONDITIONS, AND LIMITATIONS	14
A.	CIVIL AND CRIMINAL LIABILITY	14
	1. Tampering	14
	2. False Statements	14
	3. Permit Enforcement	14
	4. Relief from Liability	14
B.	OIL AND HAZARDOUS SUBSTANCE LIABILITY	14
C.	PROPERTY AND OTHER RIGHTS	14
D.	AVAILABILITY OF REPORTS	15
E.	EXPIRATION OF PERMITS FOR NEW OR INCREASED DISCHARGES	15
F.	COMPLIANCE WITH WATER QUALITY STANDARDS	
G.	GROUNDWATER	15
Н.	DEFINITIONS	16
I.	SEVERABILITY	18
PAR'	T IV. ADDITIONAL REQUIREMENTS, CONDITIONS, AND LIMITATIONS	19
A.	WATER TREATMENT PLANT OTHER REQUIREMENTS	19
	1. Prohibitions	19
	2. Sampling and Analyses	19
	3. Chlorine Test Methods	
	4. Removed Substances	19
	5. Exceptions	19

PART I. DISCHARGE LIMITATIONS, CONDITIONS, AND REQUIREMENTS

A. DISCHARGE LIMITATIONS AND MONITORING REQUIREMENTS

1. DSN 0011: Filter Backwash

During the period beginning on the effective date of this permit and lasting through the expiration date of this permit, the Permittee is authorized to discharge from Outfall 001, which is described more fully in the Permittee's application. Such discharge shall be limited and monitored by the Permittee as specified below:

Parameter	Quantity o	or Loading	Units	Qı	iality or Concentra	tion	Units	Sample Freq See note (1)	Sample Type	Seasonal See note (2)
pH (00400) Effluent Gross Value	****	****	****	6.0 Minimum Daily	****	9.0 Maximum Daily	S.U.	Monthly	GRAB-4	Not Seasonal
Solids, Total Suspended (00530) See Note (7) Effluent Gross Value	****	****	****	****	30.0 Monthly Average	45.0 Maximum Daily	mg/l	Monthly	GRAB-4	Not Seasonal
Phosphorus, Total (As P) (00665) See Notes (3,7) Effluent Gross Value	****	****	****	***	(Report) Monthly Average	(Report) Maximum Daily	mg/l	Monthly	GRAB-4	Not Seasonal
Iron Total Recoverable (00980) See Notes (4,6) Effluent Gross Value	****	****	****	****	6.0 Monthly Average	***	mg/l	Monthly	GRAB-4	Not Seasonal
Aluminum, Total Recoverable (01104) See Note (5,6,7) Effluent Gross Value	****	****	****	****	(Report) Monthly Average	(Report) Maximum Daily	mg/l	Monthly	GRAB-4	Not Seasonal
Flow, In Conduit or Thru Treatment Plant (50050) Effluent Gross Value	(Report) Monthly Average	(Report) Maximum Daily	MGD	****	****	****	****	Daily	Calculated	Not Seasonal
Chlorine, Total Residual (50060) Effluent Gross Value	***	****	****	***	***	1.0 Maximum Daily	mg/l	Monthly	GRAB-4	Not Seasonal

See Part II.C.1. for Bypass and Part II.C.2. for Upset conditions.

- (1) Sample Frequency See also Part I.B.2
- (2) S = Summer (April October)

W = Winter (November - March)

ECS = E. coli Summer (May - October)

ECW = E. coli Winter (November - April)

- (3) Monitoring for Total Phosphorus is applicable if phosphate-based corrosion inhibitors are utilized at the plant. If monitoring is not applicable during the monitoring period, enter *9 on the monthly DMR.
- (4) The limit for Total Recoverable Iron is applicable if iron-based coagulants are utilized at the plant. If monitoring is not applicable during the monitoring period, enter * 9 on the monthly DMR.
- (5) Monitoring for Total Recoverable Aluminum is applicable if aluminum-based coagulants are utilized at the plant. If monitoring is not applicable during the monitoring period, enter *9 on the monthly DMR.
- (6) For the purpose of demonstration of compliance with this parameter, "Total" and "Total Recoverable" may be considered equivalent.
- (7) If only one sampling event occurs during a month, the sample result shall be reported on the monthly DMR as both the monthly average and the daily maximum.

B. DISCHARGE MONITORING AND RECORD KEEPING REQUIREMENTS

1. Representative Sampling

Sample collection and measurement actions shall be representative of the volume and nature of the monitored discharge and shall be in accordance with the provisions of this permit. The effluent sampling point shall be at the nearest accessible location just prior to discharge and after final treatment, unless otherwise specified in the permit.

2. Measurement Frequency

Measurement frequency requirements found in Provision I.A. shall mean:

- Seven days per week shall mean daily.
- b. Five days per week shall mean any five days of discharge during a calendar weekly period of Sunday through Saturday.
- c. Three days per week shall mean any three days of discharge during a calendar week.
- d. Two days per week shall mean any two days of discharge during a calendar week.
- e. One day per week shall mean any day of discharge during a calendar week.
- f. Two days per month shall mean any two days of discharge during the month that are no less than seven days apart. However, if discharges occur only during one seven-day period in a month, then two days per month shall mean any two days of discharge during that seven-day period.
- g. One day per month shall mean any day of discharge during the calendar month.
- h. Quarterly shall mean any day of discharge during a calendar quarter.
- i. The Permittee may increase the frequency of sampling, listed in Provisions I.B.2.a through I.B.2.h; however, all sampling results are to be reported to the Department.

3. Test Procedures

For the purpose of reporting and compliance, Permittees shall use one of the following procedures:

- a. For parameters with an EPA established Minimum Level (ML), report the measured value if the analytical result is at or above the ML and report "0" or "*B" for values below the ML. Test procedures for the analysis of pollutants shall conform to 40 CFR Part 136 and guidelines published pursuant to Section 304(h) of the FWPCA, 33 U.S.C. Section 1314(h). If more than one method for analysis of a substance is approved for use, a method having a minimum level lower than the permit limit shall be used. If the minimum level of all methods is higher than the permit limit, the method having the lowest minimum level shall be used and a report of less than the minimum level shall be reported as zero and will constitute compliance; however, should EPA approve a method with a lower minimum level during the term of this permit the Permittee shall use the newly approved method.
- b. For pollutants parameters without an established ML, an interim ML may be utilized. The interim ML shall be calculated as 3.18 times the Method Detection Level (MDL) calculated pursuant to 40 CFR Part 136, Appendix B.

Permittees may develop an effluent matrix-specific ML, where an effluent matrix prevents attainment of the established ML. However, a matrix specific ML shall be based upon proper laboratory method and technique. Matrix-specific MLs must be approved by the Department, and may be developed by the Permittee during permit issuance, re-issuance, modification, or during compliance schedule.

In either case the measured value should be reported if the analytical result is at or above the ML and "0" or "*B" reported for values below the ML.

c. For parameters without an EPA established ML, interim ML, or matrix-specific ML, a report of less than the detection limit shall constitute compliance if the detection limit of all analytical methods is higher than the permit limit. For the purpose of calculating a monthly average, "0" shall be used for values reported less than the detection limit.

The Minimum Level utilized for procedures a and b above shall be reported on the Permittee's DMR. When an EPA approved test procedure for analysis of a pollutant does not exist, the Director shall approve the procedure to be used.

4. Recording of Results

For each measurement or sample taken pursuant to the requirements of this permit, the Permittee shall record the following information:

- a. The facility name and location, point source number, date, time and exact place of sampling;
- b. The name(s) of person(s) who obtained the samples or measurements;
- c. The dates and times the analyses were performed;
- d. The name(s) of the person(s) who performed the analyses;
- e. The analytical techniques or methods used, including source of method and method number; and
- f. The results of all required analyses.

5. Records Retention and Production

- a. The Permittee shall retain records of all monitoring information, including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation, copies of all reports required by the permit, and records of all data used to complete the above reports or the application for this permit, for a period of at least three years from the date of the sample measurement, report or application. This period may be extended by request of the Director at any time. If litigation or other enforcement action, under the AWPCA and/or the FWPCA, is ongoing which involves any of the above records, the records shall be kept until the litigation is resolved. Upon the written request of the Director or his designee, the Permittee shall provide the Director with a copy of any record required to be retained by this paragraph. Copies of these records should not be submitted unless requested.
- b. All records required to be kept for a period of three years shall be kept at the permitted facility or an alternate location approved by the Department in writing and shall be available for inspection.

6. Reduction, Suspension or Termination of Monitoring and/or Reporting

- a. The Director may, with respect to any point source identified in Provision I.A. of this permit, authorize the Permittee to reduce, suspend or terminate the monitoring and/or reporting required by this permit upon the submission of a written request for such reduction, suspension or termination by the Permittee, supported by sufficient data which demonstrates to the satisfaction of the Director that the discharge from such point source will continuously meet the discharge limitations specified in Provision I.A. of this permit.
- b. It remains the responsibility of the Permittee to comply with the monitoring and reporting requirements of this permit until written authorization to reduce suspend or terminate such monitoring and/or reporting is received by the Permittee from the Director.

7. Monitoring Equipment and Instrumentation

All equipment and instrumentation used to determine compliance with the requirements of this permit shall be installed, maintained, and calibrated in accordance with the manufacturer's instructions or, in the absence of manufacturer's instructions, in accordance with accepted practices. At a minimum, flow measurement devices shall be calibrated at least once every I2 months.

C. DISCHARGE REPORTING REQUIREMENTS

1. Reporting of Monitoring Requirements

- a. The Permittee shall conduct the required monitoring in accordance with the following schedule:
 - MONITORING REQUIRED MORE FREQUENTLY THAN MONTHLY AND MONTHLY shall be conducted during the first full month following the effective date of coverage under this permit and every month thereafter.
 - (2) QUARTERLY MONITORING shall be conducted at least once during each calendar quarter. Calendar quarters are the periods of January through March, April through June, July through September, and October through December. The Permittee shall conduct the quarterly monitoring during the first complete calendar quarter following the effective date of this permit and is then required to monitor once during each quarter

- thereafter. Quarterly monitoring should be reported on the last DMR due for the quarter (i.e., March, June, September and December DMRs).
- (3) SEMIANNUAL MONITORING shall be conducted at least once during the period of January through June and at least once during the period of July through December. The Permittee shall conduct the semiannual monitoring during the first complete calendar semiannual period following the effective date of this permit and is then required to monitor once during each semiannual period thereafter. Semiannual monitoring may be done anytime during the semiannual period, unless restricted elsewhere in this permit, but it should be reported on the last DMR due for the month of the semiannual period (i.e., June and December DMRs).
- (4) ANNUAL MONITORING shall be conducted at least once during the period of January through December. The Permittee shall conduct the annual monitoring during the first complete calendar annual period following the effective date of this permit and is then required to monitor once during each annual period thereafter. Annual monitoring may be done anytime during the year, unless restricted elsewhere in this permit, but it should be reported on the December DMR.
- b. The Permittee shall submit discharge monitoring reports (DMRs) in accordance with the following schedule:
 - (1) REPORTS OF MORE FREQUENTLY THAN MONTHLY AND MONTHLY TESTING shall be submitted on a monthly basis. The first report is due on the 28th day of the month following the month the permit becomes effective. The reports shall be submitted so that they are received by the Department no later than the 28th day of the month following the reporting period, unless otherwise directed by the Department.
 - (2) REPORTS OF QUARTERLY TESTING shall be submitted on a quarterly basis. The first report is due on the 28th day of the month following the first complete calendar quarter the permit becomes effective. The reports shall be submitted so that they are received by the Department no later than the 28th day of the month following the reporting period, unless otherwise directed by the Department.
 - (3) REPORTS OF SEMIANNUAL TESTING shall be submitted on a semiannual basis. The reports are due on the 28th day of JANUARY and the 28th day of JULY. The reports shall be submitted so that they are received by the Department no later than the 28th day of the month following the reporting period, unless otherwise directed by the Department.
 - (4) REPORTS OF ANNUAL TESTING shall be submitted on an annual basis. Unless specified elsewhere in the permit, the first report is due on the 28th day of JANUARY. The reports shall be submitted so that they are received by the Department no later than the 28th day of the month following the reporting period, unless otherwise directed by the Department.
- c. Except as allowed by Provision I.C.1.c.(1) or (2), the permittee shall submit all Discharge Monitoring Reports (DMRs) required by Provision I.C.1.b. electronically.
 - (1) If the permittee is unable to complete the electronic submittal of DMR data due to technical problems originating with the Department's electronic system (this could include entry/submittal issues with an entire set of DMRs or individual parameters), the permittee is not relieved of their obligation to submit DMR data to the Department by the date specified in Provision I.C.1.b., unless otherwise directed by the Department.
 - If the Department's electronic system is down on the 28th day of the month in which the DMR is due or is down for an extended period of time, as determined by the Department, when a DMR is required to be submitted, the permittee may submit the data in an alternate manner and format acceptable to the Department. Preapproved alternate acceptable methods include faxing, e-mailing, mailing, or hand-delivery of data such that they are received by the required reporting date. Within five calendar days of the Department's electronic system resuming operation, the permittee shall enter the data into the Department's electronic system, unless an alternate timeframe is approved by the Department. A comment should be included on the electronic DMR submittal verifying the original submittal date (date of the fax, copy of dated e-mail, or hand-delivery stamped date), if applicable.
 - (2) The permittee may submit a request to the Department for a temporary electronic reporting waiver for DMR submittals. The waiver request should include the permit number; permittee name; facility/site name; facility address; name, address, and contact information for the responsible official or duly authorized representative; a detailed statement regarding the basis for requesting such a waiver; and the duration for which the waiver is requested. Approved electronic reporting waivers are not transferrable.

A permittee with an approved electronic reporting waiver for DMRs may submit hard copy DMRs for the period that the approved electronic reporting waiver request is effective. The permittee shall submit the Department-approved DMR forms to the address listed in Provision I.C.1.e.

- (3) If a permittee is allowed to submit a hard copy DMR, the DMR must be legible and bear an original signature. Photo and electronic copies of the signature are not acceptable and shall not satisfy the reporting requirements of this permit.
- (4) If the permittee, using approved analytical methods as specified in Provision I.B.2, monitors any discharge from a point source for a limited substance identified in Provision I.A. of this permit more frequently than required by this permit, the results of such monitoring shall be included in the calculation and reporting of values on the DMR and the increased frequency shall be indicated on the DMR.
- (5) In the event no discharge from a point source identified in Provision I.A. of this permit and described more fully in the permittee's application occurs during a monitoring period, the permittee shall report "No Discharge" for such period on the appropriate DMR.
- d. All reports and forms required to be submitted by this permit, the AWPCA and the Department's Rules and Regulations, shall be electronically signed (or, if allowed by the Department, traditionally signed) by a "responsible official" of the permittee as defined in ADEM Administrative Code Rule 335-6-6-.09 or a "duly authorized representative" of such official as defined in ADEM Administrative Code Rule 335-6-6-.09 and shall bear the following certification:
 - "I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."
- e. Discharge Monitoring Reports required by this permit, the AWPCA, and the Department's Rules that are being submitted in hard copy shall be addressed to:

Alabama Department of Environmental Management Office of Water Services, Water Division Post Office Box 301463 Montgomery, Alabama 36130-1463

Certified and Registered Mail containing Discharge Monitoring Reports shall be addressed to:

Alabama Department of Environmental Management Office of Water Services, Water Division 1400 Coliseum Boulevard Montgomery, Alabama 36110-2400

f. All other correspondence and reports required to be submitted by this permit, the AWPCA, and the Department's Rules shall be addressed to:

Alabama Department of Environmental Management Municipal Section, Water Division Post Office Box 301463 Montgomery, Alabama 36130-1463

Certified and Registered Mail containing Discharge Monitoring Reports shall be addressed to:

Alabama Department of Environmental Management Municipal Section, Water Division 1400 Coliseum Boulevard

g. If this permit is a re-issuance, then the Permittee shall continue to submit DMRs in accordance with the requirements of their previous permit until such time as DMRs are due as discussed in Part I.C.1.b. above.

2. Noncompliance Notifications and Reports

a. The Permittee shall notify the Department if, for any reason, the Permittee's discharge:

- (1) Does not comply with any daily minimum or maximum discharge limitation for an effluent characteristic specified in Provision I.A. of this permit which is denoted by an "(X)";
- (2) Potentially threatens human health or welfare;
- (3) Threatens fish or aquatic life;
- (4) Causes an in-stream water quality criterion to be exceeded;
- (5) Does not comply with an applicable toxic pollutant effluent standard or prohibition established under Section 307(a) of the FWPCA, 33 U.S.C. Section 1317(a);
- (6) Contains a quantity of a hazardous substance that may be harmful to public health or welfare under Section 311(b)(4) of the FWPCA, 33 U.S.C. Section 1321(b)(4);
- (7) Exceeds any discharge limitation for an effluent parameter listed in Part 1.A. as a result of an unanticipated bypass or upset; or
- (8) Is an unpermitted direct or indirect discharge of a pollutant to a water of the state. (Note that unpermitted discharges properly reported to the Department under any other requirement are not required to be reported under this provision.)

The Permittee shall orally or electronically provide notification of any of the above occurrences, describing the circumstances and potential effects, to the Director or Designee within 24-hours after the Permittee becomes aware of the occurrence of such discharge. In addition to the oral or electronic notification, the Permittee shall submit a report to the Director or Designee, as provided in Provision I.C.2.c. or I.C.2.e., no later than five days after becoming aware of the occurrence of such discharge or occurrence.

- b. If, for any reason, the Permittee's discharge does not comply with any limitation of this permit, then the Permittee shall submit a written report to the Director or Designee, as provided in Provision I.C.2.c below. This report must be submitted with the next Discharge Monitoring Report required to be submitted by Provision I.C.1 of this permit after becoming aware of the occurrence of such noncompliance.
- c. Except for notifications and reports of notifiable SSOs which shall be submitted in accordance with the applicable Provisions of this permit, the Permittee shall submit the reports required under Provisions I.C.2.a. and b. to the Director or Designee on ADEM Form 421, available on the Department's website (http://www.adem.state.al.us/DeptForms/Form421.pdf). The completed Form must document the following information:
 - (1) A description of the discharge and cause of noncompliance;
 - (2) The period of noncompliance, including exact dates, times, and duration of the noncompliance. If the noncompliance is not corrected by the due date of the written report, then the Permittee shall provide an estimated date by which the noncompliance will be corrected; and
 - (3) A description of the steps taken by the Permittee and the steps planned to be taken by the Permittee to reduce or eliminate the noncompliant discharge and to prevent its recurrence.

d. Immediate notification

The Permittee shall provide notification to the Director, the public, the county health department, and any other affected entity such as public water systems, as soon as possible upon becoming aware of any notifiable sanitary sewer overflow. Notification to the Director shall be completed utilizing the Department's web-based electronic environmental SSO reporting system in accordance with Provision I.C.2.e.

e. The Permittee shall report illicit or anomalous discharge events on Form 421, available on the Department's website (http://www.adem.state.al.us/DeptForms/Form421.pdf), in accordance with Part I.C.2.a. This form is available on the ADEM web page or upon request from the Permittee.

D. OTHER REPORTING AND NOTIFICATION REQUIREMENTS

1. Anticipated Noncompliance

The Permittee shall give the Director written advance notice of any planned changes or other circumstances regarding a facility which may result in noncompliance with permit requirements.

2. Termination of Discharge

The Permittee shall notify the Director, in writing, when all discharges from any point source(s) identified in Provision I. A. of this permit have permanently ceased. This notification shall serve as sufficient cause for instituting procedures for modification or termination of the permit.

3. Updating Information

- a. The Permittee shall inform the Director of any change in the Permittee's mailing address or telephone number or in the Permittee's designation of a facility contact or office having the authority and responsibility to prevent and abate violations of the AWPCA, the Department's Rules and the terms and conditions of this permit, in writing, no later than ten (10) days after such change. Upon request of the Director or his designee, the Permittee shall furnish the Director with an update of any information provided in the permit application.
- b. If the Permittee becomes aware that it failed to submit any relevant facts in a permit application, or submitted incorrect information in a permit application or in any report to the Director, it shall promptly submit such facts or information with a written explanation for the mistake and/or omission.

4. Duty to Provide Information

The Permittee shall furnish to the Director, within a reasonable time, any information which the Director or his designee may request to determine whether cause exists for modifying, revoking and re-issuing, suspending, or terminating this permit, in whole or in part, or to determine compliance with this permit.

E. SCHEDULE OF COMPLIANCE

1. Compliance with discharge limits

The Permittee shall achieve compliance with the discharge limitations specified in Provision I. A in accordance with the following schedule:

COMPLIANCE SHALL BE ATTAINED ON THE EFFECTIVE DATE OF THIS PERMIT

2. Schedule

No later than 14 calendar days following a date identified in the above schedule of compliance, the permittee shall submit either a report of progress or, in the case of specific actions being required by identified dates, a written notice of compliance or noncompliance. In the latter case, the notice shall include the cause of noncompliance, any remedial actions taken, and the probability of meeting the next scheduled requirement.

PART II. OTHER REQUIREMENTS, RESPONSIBILITIES, AND DUTIES

A. OPERATIONAL AND MANAGEMENT REQUIREMENTS

1. Facilities Operation and Maintenance

The Permittee shall at all times properly operate and maintain all facilities and systems of treatment and control (and related appurtenances) which are installed or used by the Permittee to achieve compliance with the conditions of the permit. Proper operation and maintenance includes effective performance, adequate funding, adequate operator staffing and training, and adequate laboratory and process controls, including appropriate quality assurance procedures. This provision requires the operation of backup or auxiliary facilities only when necessary to achieve compliance with the conditions of the permit.

2. Best Management Practices

- a. Dilution water shall not be added to achieve compliance with discharge limitations except when the Director or his designee has granted prior written authorization for dilution to meet water quality requirements.
- b. The Permittee shall prepare, implement, and maintain a Spill Prevention, Control and Countermeasures (SPCC) Plan in accordance with 40 C.F.R. Section 112 if required thereby.
- c. The Permittee shall prepare, submit for approval and implement a Best Management Practices (BMP) Plan for containment of any or all process liquids or solids, in a manner such that these materials do not present a significant potential for discharge, if so required by the Director or his designee. When submitted and approved, the BMP Plan shall become a part of this permit and all requirements of the BMP Plan shall become requirements of this permit.

3. Certified Operator

The Permittee shall not operate any wastewater treatment plant unless the competency of the operator to operate such plant has been duly certified by the Director pursuant to AWPCA, and meets the requirements specified in ADEM Administrative Code, Rule 335-10-1.

B. OTHER RESPONSIBILITIES

1. Duty to Mitigate Adverse Impacts

The Permittee shall promptly take all reasonable steps to mitigate and minimize or prevent any adverse impact on human health or the environment resulting from noncompliance with any discharge limitation specified in Provision I.A. of this permit, including such accelerated or additional monitoring of the discharge and/or the receiving water body as necessary to determine the nature and impact of the non-complying discharge.

2. Right of Entry and Inspection

- a. The Permittee shall allow the Director, or an authorized representative, upon the presentation of proper credentials and other documents as may be required by law to:
 - (I) Enter upon the Permittee's premises where a regulated facility or activity or point source is located or conducted, or where records must be kept under the conditions of the permit;
 - (2) Have access to and copy, at reasonable times, any records that must be kept under the conditions of the permits.
 - (3) Inspect any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under the permit; and
 - (4) Sample or monitor, for the purposes of assuring permit compliance or as otherwise authorized by the AWPCA, any substances or parameters at any location.

C. BYPASS AND UPSET

1. Bypass

- a. Any bypass is prohibited except as provided in b. and c. below:
- b. A bypass is not prohibited if:

- (1) It does not cause any discharge limitation specified in Provision I.A. of this permit to be exceeded;
- (2) It enters the same receiving stream as the permitted outfall and;
- (3) It is necessary for essential maintenance of a treatment or control facility or system to assure efficient operation of such facility or system.
- c. A bypass is not prohibited and need not meet the discharge limitations specified in Provision I.A. of this permit if:
 - (1) It is unavoidable to prevent loss of life, personal injury, or severe property damage;
 - (2) There are no feasible alternatives to the bypass, such as the use of auxiliary treatment facilities, retention of untreated wastes, or maintenance during normal periods of equipment downtime (this condition is not satisfied if adequate back-up equipment should have been installed in the exercise of reasonable engineering judgment to prevent a bypass which occurred during normal periods of equipment downtime or preventive maintenance); and
 - (3) The Permittee submits a written request for authorization to bypass to the Director at least ten (10) days prior to the anticipated bypass (if possible), the Permittee is granted such authorization, and the Permittee complies with any conditions imposed by the Director to minimize any adverse impact on human health or the environment resulting from the bypass.
- d. The Permittee has the burden of establishing that each of the conditions of Provision II.C.1. b or c have been met to qualify for an exception to the general prohibition against bypassing contained in a. and an exemption, where applicable, from the discharge limitations specified in Provision I.A. of this permit.

2. Upset

- a. A discharge which results from an upset need not meet the discharge limitations specified in Provision I. A. of this permit if:
 - (1) No later than 24-hours after becoming aware of the occurrence of the upset, the Permittee orally reports the occurrence and circumstances of the upset to the Director or his designee; and
 - (2) No later than five (5) days after becoming aware of the occurrence of the upset, the Permittee furnishes the Director with evidence, including properly signed, contemporaneous operating logs, or other relevant evidence, demonstrating that:
 - (i) An upset occurred;
 - (ii) (ii) The Permittee can identify the specific cause(s) of the upset;
 - (iii) (iii) The Permittee's facility was being properly operated at the time of the upset; and
 - (iv) (iv) The Permittee promptly took all reasonable steps to minimize any adverse impact on human health or the environment resulting from the upset.
- b. The Permittee has the burden of establishing that each of the conditions of Provision II C. 2. a. of this permit have been met to qualify for an exemption from the discharge limitations specified in Provision I. A. of this permit.

D. DUTY TO COMPLY WITH PERMIT, RULES, AND STATUTES

1. Duty to Comply

- a. The Permittee must comply with all conditions of this permit. Any permit noncompliance constitutes a violation of the AWPCA and the FWPCA and is grounds for enforcement action, for permit termination, revocation and re-issuance, suspension, modification, or denial of a permit renewal application.
- b. The necessity to halt or reduce production or other activities in order to maintain compliance with the conditions of the permit shall not be a defense for a Permittee in an enforcement action.
- c. The discharge of a pollutant from a source not specifically identified in the permit application for this permit and not specifically included in the description of an outfall in this permit is not authorized and shall constitute noncompliance with this permit.

- d. The Permittee shall take all reasonable steps, including cessation of production or other activities, to minimize or prevent any violation of this permit or to minimize or prevent any adverse impact of any permit violation.
- e. Nothing in this permit shall be construed to preclude or negate the Permittee's responsibility to apply for, obtain, or comply with other Federal, State, or Local Government permits, certifications, or licenses or to preclude from obtaining other federal, state, or local approvals, including those applicable to other ADEM programs and regulations.

2. Removed Substances

Solids, sludge, filter backwash, or any other pollutant or other waste removed in the course of treatment or control of wastewaters shall be disposed of in a manner that complies with all applicable Department Rules.

3. Loss or Failure of Treatment Facilities

Upon the loss or failure of any treatment facilities, including but not limited to the loss or failure of the primary source of power of the treatment facility, the Permittee shall, where necessary to maintain compliance with the discharge limitations specified in Provision I.A. of this permit, or any other terms or conditions of this permit, cease, reduce, or otherwise control production and/or all discharges until treatment is restored. If control of discharge during loss or failure of the primary source of power is to be accomplished by means of alternate power sources, standby generators, or retention of inadequately treated effluent, the Permittee must furnish to the Director within six months a certification that such control mechanisms have been installed.

4. Compliance with Statutes and Rules

- a. This permit has been issued under ADEM Administrative Code, Chapter 335-6-6. All provisions of this chapter, that are applicable to this permit, are hereby made a part of this permit. A copy of this chapter may be obtained for a small charge from the Office of General Counsel, Alabama Department of Environmental Management, 1400 Coliseum Boulevard Montgomery, Alabama 36110-2059.
- b. This permit does not authorize the noncompliance with or violation of any Laws of the State of Alabama or the United States of America or any regulations or rules implementing such laws. FWPCA, 33 U.S.C. Section 1319, and Code of Alabama 1975, Section 22-22-14.

E. PERMIT TRANSFER, MODIFICATION, SUSPENSION, REVOCATION, AND REISSUANCE

1. Duty to Reapply or Notify of Intent to Cease Discharge

- a. If the Permittee intends to continue to discharge beyond the expiration date of this permit, the Permittee shall file a complete permit application for re-issuance of this permit at least 180 days prior to its expiration. If the Permittee does not intend to continue discharge beyond the expiration of this permit, the Permittee shall submit written notification of this intent which shall be signed by an individual meeting the signatory requirements for a permit application as set forth in ADEM Administrative Code Rule 335-6-6-.09.
- b. Failure of the Permittee to apply for re-issuance at least 180 days prior to permit expiration will void the automatic continuation of the expiring permit provided by ADEM Administrative Code Rule 335-6-6-.06 and should the permit not be reissued for any reason any discharge after expiration of this permit will be an unpermitted discharge.

2. Change in Discharge

Prior to any facility expansion, process modification or any significant change in the method of operation of the Permittee's treatment works, the Permittee shall provide the Director with information concerning the planned expansion, modification or change. The Permittee shall apply for a permit modification at least 180 days prior to any facility expansion, process modification, any significant change in the method of operation of the Permittee's treatment works or other actions that could result in the discharge of additional pollutants or increase the quantity of a discharged pollutant or could result in an additional discharge point. This condition applies to pollutants that are or that are not subject to discharge limitations in this permit. No new or increased discharge may begin until the Director has authorized it by issuance of a permit modification or a reissued permit.

3. Transfer of Permit

This permit may not be transferred or the name of the Permittee changed without notice to the Director and subsequent modification or revocation and re-issuance of the permit to identify the new Permittee and to incorporate any other changes as may be required under the FWPCA or AWPCA. In the case of a change in name, ownership or control of

the Permittee's premises only, a request for permit modification in a format acceptable to the Director is required at least 30 days prior to the change. In the case of a change in name, ownership or control of the Permittee's premises accompanied by a change or proposed change in effluent characteristics, a complete permit application is required to be submitted to the Director at least 180 days prior to the change. Whenever the Director is notified of a change in name, ownership or control, he may decide not to modify the existing permit and require the submission of a new permit application.

4. Permit Modification and Revocation

- a. This permit may be modified or revoked and reissued, in whole or in part, during its term for cause, including but not limited to, the following:
 - (1) If cause for termination under Provision II.E.5. of this permit exists, the Director may choose to revoke and reissue this permit instead of terminating the permit;
 - (2) If a request to transfer this permit has been received, the Director may decide to revoke and reissue or to modify the permit; or
 - (3) If modification or revocation and re-issuance is requested by the Permittee and cause exists, the Director may grant the request.
- b. This permit may be modified during its term for cause, including but not limited to, the following:
 - (1) If cause for termination under Provision II.E.5. of this permit exists, the Director may choose to modify this permit instead of terminating this permit;
 - (2) There are material and substantial alterations or additions to the facility or activity generating wastewater which occurred after permit issuance which justify the application of permit conditions that are different or absent in the existing permit;
 - (3) The Director has received new information that was not available at the time of permit issuance and that would have justified the application of different permit conditions at the time of issuance;
 - (4) A new or revised requirement(s) of any applicable standard or limitation is promulgated under Sections 301(b)(2)(C), (D), (E), and (F), and 307(a)(2) of the FWPCA;
 - (5) Errors in calculation of discharge limitations or typographical or clerical errors were made;
 - (6) To the extent allowed by ADEM Administrative Code, Rule 335-6-6-.17, when the standards or regulations on which the permit was based have been changed by promulgation of amended standards or regulations or by judicial decision after the permit was issued;
 - (7) To the extent allowed by ADEM Administrative Code, Rule 335-6-6-.17, permits may be modified to change compliance schedules;
 - (8) To agree with a granted variance under 30l(c), 30l(g), 30l(h), 30l(k), or 3l6(a) of the FWPCA or for fundamentally different factors;
 - (9) To incorporate an applicable 307(a) FWPCA toxic effluent standard or prohibition;
 - (10) When required by the re-opener conditions in this permit;
 - (11) When required under 40 CFR 403.8(e) (compliance schedule for development of pretreatment program);
 - (12) Upon failure of the state to notify, as required by Section 402(b)(3) of the FWPCA, another state whose waters may be affected by a discharge permitted by this permit;
 - (13) When required to correct technical mistakes, such as errors in calculation, or mistaken interpretations of law made in determining permit conditions; or
 - (14) When requested by the Permittee and the Director determines that the modification has cause and will not result in a violation of federal or state law, regulations or rules; or

5. Termination

This permit may be terminated during its term for cause, including but not limited to, the following:

a. Violation of any term or condition of this permit;

- b. The Permittee's misrepresentation or failure to disclose fully all relevant facts in the permit application or during the permit issuance process or the Permittee's misrepresentation of any relevant facts at any time;
- c. Materially false or inaccurate statements or information in the permit application or the permit;
- d. A change in any condition that requires either a temporary or permanent reduction or elimination of the permitted discharge;
- e. The Permittee's discharge threatens human life or welfare or the maintenance of water quality standards;
- Permanent closure of the facility generating the wastewater permitted to be discharged by this permit or permanent cessation of wastewater discharge;
- g. New or revised requirements of any applicable standard or limitation that is promulgated under Sections 301(b)(2)(C), (D), (E), and (F), and 307(a)(2) of the FWPCA that the Director determines cannot be complied with by the Permittee.
- h. Any other cause allowed by the ADEM Administrative Code, Chapter 335-6-6.

6. Suspension

This permit may be suspended during its term for noncompliance until the Permittee has taken action(s) necessary to achieve compliance.

7. Stay

The filing of a request by the Permittee for modification, suspension or revocation of this permit, in whole or in part, does not stay any permit term or condition.

F. COMPLIANCE WITH TOXIC POLLUTANT STANDARD OR PROHIBITION

If any applicable effluent standard or prohibition (including any schedule of compliance specified in such effluent standard or prohibition) is established under Section 307(a) of the FWPCA, 33 U.S.C. Section 1317(a), for a toxic pollutant discharged by the Permittee and such standard or prohibition is more stringent than any discharge limitation on the pollutant specified in Provision I.A. of this permit, or controls a pollutant not limited in Provision I.A. of this permit, this permit shall be modified to conform to the toxic pollutant effluent standard or prohibition and the Permittee shall be notified of such modification. If this permit has not been modified to conform to the toxic pollutant effluent standard or prohibition before the effective date of such standard or prohibition, the Permittee shall attain compliance with the requirements of the standard or prohibition within the time period required by the standard or prohibition and shall continue to comply with the standard or prohibition until this permit is modified or reissued.

G. NOTICE TO DIRECTOR OF INDUSTRIAL USERS

- 1. The Permittee shall not allow the introduction of wastewater, other than domestic wastewater, from a new direct discharger prior to approval and permitting, if applicable, of the discharge by the Department.
- 2. The Permittee shall not allow an existing indirect discharger to increase the quantity or change the character of its wastewater, other than domestic wastewater, prior to approval and permitting, if applicable, of the increased discharge by the Department.
- 3. The Permittee shall report to the Department any adverse impact caused or believed to be caused by an indirect discharger on the treatment process, quality of discharged water or quality of sludge. Such report shall be submitted within seven days of the Permittee becoming aware of the adverse impacts.

H. PROHIBITIONS

The Permittee shall not allow, and shall take effective enforcement action to prevent and terminate, the introduction of any of the following into its treatment works by industrial users:

- 1. Pollutants which create a fire or explosion hazard in the treatment works;
- 2. Pollutants which will cause corrosive structural damage to the treatment works, or dischargers with a pH lower than 5.0 s.u., unless the works are specifically designed to accommodate such discharges;
- 3. Solid or viscous pollutants in amounts which will cause obstruction of flow in sewers, or other interference with the treatment works;

- 4. Pollutants, including oxygen demanding pollutants, released in a discharge of such volume or strength as to cause interference in the treatment works;
- 5. Heat in amounts which will inhibit biological activity in the treatment plant resulting in interference or in such quantities that the temperature of the treatment plant influent exceeds 40°C (104° F) unless the treatment plant is designed to accommodate such heat;
- 6. Pollutants in amounts which exceed any applicable pretreatment standard under Section 307 of FWPCA or any approved revisions thereof.

PART III. ADDITIONAL REQUIREMENTS, CONDITIONS, AND LIMITATIONS

A. CIVIL AND CRIMINAL LIABILITY

1. Tampering

Any person, who falsifies, tampers with, or knowingly renders inaccurate any monitoring device or method required to be maintained or performed under the permit shall, upon conviction, be subject to penalties as provided by the AWPCA.

2. False Statements

Any person who knowingly makes any false statement, representation, or certification in any record or other document submitted or required to be maintained under this permit, including monitoring reports or reports of compliance or noncompliance shall, upon conviction, be subject to penalties as provided by the AWPCA.

3. Permit Enforcement

- a. Any NPDES permit issued or reissued by the Department is a permit for the purpose of the AWPCA and the FWPCA and as such any terms, conditions, or limitations of the permit are enforceable under state and federal law.
- b. Any person required to have a NPDES permit pursuant to ADEM Administrative Code Chapter 335-6-6 and who discharges pollutants without said permit, who violates the conditions of said permit, who discharges pollutants in a manner not authorized by the permit, or who violates applicable orders of the Department or any applicable rule or standard of the Department, is subject to any one or combination of the following enforcement actions under applicable state statutes.
 - (1) An administrative order requiring abatement, compliance, mitigation, cessation, clean-up, and/or penalties;
 - (2) An action for damages;
 - (3) An action for injunctive relief; or
 - (4) An action for penalties.
- c. If the Permittee is not in compliance with the conditions of an expiring or expired permit the Director may choose to do any or all of the following provided the Permittee has made a timely and complete application for re-issuance of the permit:
 - (1) Initiate enforcement action based upon the permit which has been continued;
 - (2) Issue a notice of intent to deny the permit re-issuance. If the permit is denied, the owner or operator would then be required to cease the activities authorized by the continued permit or be subject to enforcement action for operating without a permit;
 - (3) Reissue the new permit with appropriate conditions; or
 - (4) Take other actions authorized by these rules and AWPCA.

4. Relief from Liability

Except as provided in Provision II.C.1. (Bypass) and Provision II.C.2. (Upset), nothing in this permit shall be construed to relieve the Permittee of civil or criminal liability under the AWPCA or FWPCA for noncompliance with any term or condition of this permit.

B. OIL AND HAZARDOUS SUBSTANCE LIABILITY

Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the Permittee from any responsibilities, liabilities or penalties to which the Permittee is or may be subject under Section 311 of the FWPCA, 33 U.S.C. Section 1321.

C. PROPERTY AND OTHER RIGHTS

This permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize any injury to persons or property or invasion of other private rights, or any infringement of federal, state, or local

laws or regulations, nor does it authorize or approve the construction of any physical structures or facilities or the undertaking of any work in any waters of the state or of the United States.

D. AVAILABILITY OF REPORTS

Except for data determined to be confidential under Code of Alabama 1975, Section 22-22-9(c), all reports prepared in accordance with the terms of this permit shall be available for public inspection at the offices of the Department. Effluent data shall not be considered confidential.

E. EXPIRATION OF PERMITS FOR NEW OR INCREASED DISCHARGES

- 1. If this permit was issued for a new discharger or new source, this permit shall expire eighteen months after the issuance date if construction of the facility has not begun during the eighteen-month period.
- 2. If this permit was issued or modified to allow the discharge of increased quantities of pollutants to accommodate the modification of an existing facility and if construction of this modification has not begun during the eighteen month period after issuance of this permit or permit modification, this permit shall be modified to reduce the quantities of pollutants allowed to be discharged to those levels that would have been allowed if the modification of the facility had not been planned.
- 3. Construction has begun when the owner or operator has:
 - a. Begun, or caused to begin as part of a continuous on-site construction program:
 - (1) Any placement, assembly, or installation of facilities or equipment; or
 - (2) Significant site preparation work including clearing, excavation, or removal of existing buildings, structures, or facilities which are necessary for the placement, assembly, or installation of new source facilities or equipment; or
 - b. Entered into a binding contractual obligation for the purpose of placement, assembly, or installation of facilities or equipment which are intended to be used in its operation within a reasonable time. Options to purchase or contracts which can be terminated or modified without substantial loss, and contracts for feasibility, engineering, and design studies do not constitute a contractual obligation under this paragraph.
- 4. Final plans and specifications for a waste treatment facility at a new source or new discharger, or a modification to an existing waste treatment facility must be submitted to and examined by the Department prior to initiating construction of such treatment facility by the Permittee.
- 5. Upon completion of construction of waste treatment facilities and prior to operation of such facilities, the Permittee shall submit to the Department a certification from a registered professional engineer, licensed to practice in the State of Alabama, that the treatment facilities have been built according to plans and specifications submitted to and examined by the Department.

F. COMPLIANCE WITH WATER QUALITY STANDARDS

- On the basis of the Permittee's application, plans, or other available information, the Department has determined that compliance with the terms and conditions of this permit should assure compliance with the applicable water quality standards.
- 2. Compliance with permit terms and conditions notwithstanding, if the Permittee's discharge(s) from point sources identified in Provision I.A. of this permit cause or contribute to a condition in contravention of state water quality standards, the Department may require abatement action to be taken by the Permittee in emergency situations or modify the permit pursuant to the Department's Rules, or both.
- 3. If the Department determines, on the basis of a notice provided pursuant to this permit or any investigation, inspection or sampling, that a modification of this permit is necessary to assure maintenance of water quality standards or compliance with other provisions of the AWPCA or FWPCA, the Department may require such modification and, in cases of emergency, the Director may prohibit the discharge until the permit has been modified.

G. GROUNDWATER

Unless specifically authorized under this permit, this permit does not authorize the discharge of pollutants to groundwater. Should a threat of groundwater contamination occur, the Director may require groundwater monitoring to properly assess

the degree of the problem, and the Director may require that the Permittee undertake measures to abate any such discharge and/or contamination.

H. DEFINITIONS

- 1. Average monthly discharge limitation means the highest allowable average of "daily discharges" over a calendar month, calculated as the sum of all "daily discharges" measured during a calendar month divided by the number of "daily discharges" measured during that month (zero discharge days shall not be included in the number of "daily discharges" measured and a less than detectable test result shall be treated as a concentration of zero if the most sensitive EPA approved method was used).
- 2. Average weekly discharge limitation means the highest allowable average of "daily discharges" over a calendar week, calculated as the sum of all "daily discharges" measured during a calendar week divided by the number of "daily discharges" measured during that week (zero discharge days shall not be included in the number of "daily discharges" measured and a less than detectable test result shall be treated as a concentration of zero if the most sensitive EPA approved method was used).
- 3. **Arithmetic Mean** means the summation of the individual values of any set of values divided by the number of individual values.
- 4. AWPCA means the Alabama Water Pollution Control Act.
- 5. BOD means the five-day measure of the pollutant parameter biochemical oxygen demand.
- 6. **Bypass** means the intentional diversion of waste streams from any portion of a treatment facility.
- 7. **CBOD** means the five-day measure of the pollutant parameter carbonaceous biochemical oxygen demand.
- 8. **Daily discharge** means the discharge of a pollutant measured during any consecutive 24-hour period in accordance with the sample type and analytical methodology specified by the discharge permit.
- 9. **Daily maximum** means the highest value of any individual sample result obtained during a day.
- 10. Daily minimum means the lowest value of any individual sample result obtained during a day.
- 11. Day means any consecutive 24-hour period.
- 12. **Department** means the Alabama Department of Environmental Management.
- 13. **Director** means the Director of the Department.
- 14. **Discharge** means "[t]he addition, introduction, leaking, spilling or emitting of any sewage, industrial waste, pollutant or other waste into waters of the state". Code of Alabama 1975, Section 22-22-1(b)(9).
- 15. **Discharge Monitoring Report (DMR)** means the form approved by the Director to accomplish reporting requirements of an NPDES permit.
- 16. **DO** means dissolved oxygen.
- 17. **8HC** means 8-hour composite sample, including any of the following:
 - a. The mixing of at least 8 equal volume samples collected at constant time intervals of not more than 1 hour over a period of not less than 8 hours between the hours of 6:00 a.m. and 6:00 p.m. If the sampling period exceeds 8 hours, sampling may be conducted beyond the 6:00 a.m. to 6:00 p.m. period.
 - b. A sample continuously collected at a constant rate over period of not less than 8 hours between the hours of 6:00 a.m. and 6:00 p.m. If the sampling period exceeds 8 hours, sampling may be conducted beyond the 6:00 a.m. to 6:00 p.m. period.
- 18. **EPA** means the United States Environmental Protection Agency.
- 19. **FC** means the pollutant parameter fecal coliform.
- 20. Flow means the total volume of discharge in a 24-hour period.
- 21. FWPCA means the Federal Water Pollution Control Act.
- 22. **Geometric Mean** means the Nth root of the product of the individual values of any set of values where N is equal to the number of individual values. The geometric mean is equivalent to the antilog of the arithmetic mean of the

- logarithms of the individual values. For purposes of calculating the geometric mean, values of zero (0) shall be considered one (1).
- 23. **Grab Sample** means a single influent or effluent portion which is not a composite sample. The sample(s) shall be collected at the period(s) most representative of the discharge.
- 24. **Indirect Discharger** means a nondomestic discharger who discharges pollutants to a publicly owned treatment works or a privately owned treatment facility operated by another person.
- 25. **Industrial User** means those industries identified in the Standard Industrial Classification manual, Bureau of the Budget 1967, as amended and supplemented, under the category "Division D Manufacturing" and such other classes of significant waste producers as, by regulation, the Director deems appropriate.
- 26. MGD means million gallons per day.
- 27. **Monthly Average** means the arithmetic mean of all the composite or grab samples taken for the daily discharges collected in one month period. The monthly average for flow is the arithmetic mean of all flow measurements taken in a one-month period.
- 28. New Discharger means a person, owning or operating any building, structure, facility or installation:
 - a. From which there is or may be a discharge of pollutants;
 - b. From which the discharge of pollutants did not commence prior to August 13, 1979, and which is not a new source; and
 - c. Which has never received a final effective NPDES permit for dischargers at that site.
- 29. NH3-N means the pollutant parameter ammonia, measured as nitrogen.
- 30. **Notifiable sanitary sewer overflow** means an overflow, spill, release or diversion of wastewater from a sanitary sewer system that:
 - d. Reaches a surface water of the State; or
 - e. May imminently and substantially endanger human health based on potential for public exposure including but not limited to close proximity to public or private water supply wells or in areas where human contact would be likely to occur.
- 31. **Permit application** means forms and additional information that is required by ADEM Administrative Code Rule 335-6-6-.08 and applicable permit fees.
- 32. **Point source** means "any discernible, confined and discrete conveyance, including but not limited to any pipe, channel, ditch, tunnel, conduit, well, discrete fissure, container, rolling stock, concentrated animal feeding operation, or vessel or other floating craft, . . . from which pollutants are or may be discharged." Section 502(14) of the FWPCA, 33 U.S.C. Section 1362(14).
- 33. **Pollutant** includes for purposes of this permit, but is not limited to, those pollutants specified in Code of Alabama 1975, Section 22-22-1(b)(3) and those effluent characteristics specified in Provision I. A. of this permit.
- 34. **Privately Owned Treatment Works** means any devices or system which is used to treat wastes from any facility whose operator is not the operator of the treatment works, and which is not a "POTW".
- 35. **Publicly Owned Treatment Works** means a wastewater collection and treatment facility owned by the State, municipality, regional entity composed of two or more municipalities, or another entity created by the State or local authority for the purpose of collecting and treating municipal wastewater.
- 36. Receiving Stream means the "waters" receiving a "discharge" from a "point source".
- 37. Severe property damage means substantial physical damage to property, damage to the treatment facilities which causes them to become inoperable, or substantial and permanent loss of natural resources which can reasonably be expected to occur in the absence of a bypass. Severe property damage does not mean economic loss caused by delays in production.
- 38. **Significant Source** means a source which discharges 0.025 MGD or more to a POTW or greater than five percent of the treatment work's capacity, or a source which is a primary industry as defined by the U.S. EPA or which discharges a priority or toxic pollutant.

- 39. **TKN** means the pollutant parameter Total Kjeldahl Nitrogen.
- 40. **TON** means the pollutant parameter Total Organic Nitrogen.
- 41. TRC means Total Residual Chlorine.
- 42. **TSS** means the pollutant parameter Total Suspended Solids.
- 43. **24HC** means 24-hour composite sample, including any of the following:
 - a. The mixing of at least 8 equal volume samples collected at constant time intervals of not more than 2 hours over a period of 24 hours;
 - b. A sample collected over a consecutive 24-hour period using an automatic sampler composite to one sample. As a minimum, samples shall be collected hourly, and each shall be no more than one twenty-fourth (1/24) of the total sample volume collected; or
 - c. A sample collected over a consecutive 24-hour period using an automatic composite sampler composited proportional to flow.
- 44. **Upset** means an exceptional incident in which there is an unintentional and temporary noncompliance with technology-based permit discharge limitations because of factors beyond the reasonable control of the Permittee. An upset does not include noncompliance to the extent caused by operational error, improperly designed treatment facilities, inadequate treatment facilities, lack of preventive maintenance, or careless or improper operation.
- 45. Waters means "[a]ll waters of any river, stream, watercourse, pond, lake, coastal, ground, or surface water, wholly or partially within the state, natural or artificial. This does not include waters which are entirely confined and retained completely upon the property of a single individual, partnership, or corporation unless such waters are used in interstate commerce." Code of Alabama 1975, Section 22-22-1(b)(2). Waters "include all navigable waters" as defined in Section 502(7) of the FWPCA, 22 U.S.C. Section 1362(7), which are within the State of Alabama.
- 46. **Week** means the period beginning at twelve midnight Saturday and ending at twelve midnight the following Saturday.
- 47. **Weekly (7-day and calendar week) Average** is the arithmetic mean of all samples collected during a consecutive 7-day period or calendar week, whichever is applicable. The calendar week is defined as beginning on Sunday and ending on Saturday. Weekly averages shall be calculated for all calendar weeks with Saturdays in the month. If a calendar week overlaps two months (i.e., the Sunday is in one month and the Saturday in the following month), the weekly average calculated for the calendar week shall be included in the data for the month that contains the Saturday.

I. SEVERABILITY

The provisions of this permit are severable, and if any provision of this permit or the application of any provision of this permit to any circumstance is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.

PART IV. ADDITIONAL REQUIREMENTS, CONDITIONS, AND LIMITATIONS

A. WATER TREATMENT PLANT OTHER REQUIREMENTS

1. Prohibitions

- a. Wastewater from water treatment plants shall not be discharged directly to the receiving stream, but shall be discharged to a wastewater settling basin or other method of treatment with appropriate solids separation and handling facilities.
- b. Water treatment flocculators, settlers, sedimentation basins and other water treatment tanks shall not be drained directly to the receiving stream, but shall be drained to a wastewater settling basin or other method of treatment. The Permittee shall also provide appropriate solids separation and handling facilities.

2. Sampling and Analyses

- a. Wastewater samples pursuant to Part I.A. shall be collected at the outlet of the wastewater settling basin following either filter backwash or flocculator/sedimentation basin draining and/or cleaning.
- b. Wastewater composite samples shall consist of a mixture of four (4) equal volume grab samples collected at equal time intervals during discharge from the wastewater settling basin containing filter backwash wastewater or during drainage from the flocculator/sedimentation basin, with the maximum length of time between first and last samples not to exceed six (6) hours.
- c. Sufficient volume of wastewater samples shall be collected for all required sample preservation and analyses.
- d. Total Residual Chlorine requirements
 - (1) Wastewater samples for TRC analyses shall be a grab sample collected during the last of four time intervals as required by Part IV.A.2.b.
 - (2) TRC shall be determined within 15 minutes after collection of the sample.
- e. Grab samples for pH shall be collected as stated in Part IV. A.2.d.(1).
- f. Flow shall be reported as the amount backwashed, drained, or used for cleaning, as recorded by daily plant logs.

3. Chlorine Test Methods

Testing for TRC shall be conducted according to either the amperometric titration method or the DPD colorimetric method as specified in Section 408(C) or (E), Standard Methods for the Examination of Water and Wastewater, 16th Edition. If chlorine is not detected using one of these methods, the Permittee shall report on the DMR form the analytical results for TRC as being measured at less than the detection level for the test method selected. The Permittee shall then be considered to be in compliance with the daily maximum concentration limit for TRC.

4. Removed Substances

Solids, sludges, filter backwash, or any other pollutant or waste removed in the course of treatment or control of wastewaters shall be disposed in a manner that complies with State and Federal regulations as outlined in applicable guidance entitled Management of Water Treatment Plant Residuals, EPA/625/R-95/008 (most current edition).

5. Exceptions

For water treatment plants that have not yet installed wastewater settling basins or other treatment plant facilities, sampling procedures should be as follows until the wastewater settling basins or other treatment facilities are installed.

- a. Water treatment filter backwash samples shall be collected once per month from the filter backwash trough or pressure filter backwash drain.
 - (1) Wastewater composite samples shall consist of a mixture of equal volume grab samples collected once per minute for ten (10) minutes after the backwash pumps have been started, or, if backwash duration is less than ten (10) minutes, once per minute until the end of the backwash period.
 - (2) Grab samples for TRC analysis shall be collected during the tenth (10th) minute of the filter backwash, or, if backwash duration is less than ten (10) minutes, during the last minute of backwash, and determined within 15 minutes after collection.

b. The water treatment flocculator, sedimentation basin, and other tank drains shall be sampled once per discharge event resulting from cleanout/washout operations and after the initial draining of flocculator, basins, or other tanks.

NPDES PERMIT RATIONALE

NPDES Permit No:

AL0081850

Date: November 28, 2022

Permit Applicant:

Dekalb/Jackson Water Supply District

21700 AL Hwy 117 Ider, AL 35981

Location:

Dekalb/Jackson Water Supply District Treatment Facility

6549 County Road 91 Stevenson, AL 35772

Draft Permit is:

Initial Issuance:

Reissuance due to expiration:

 \mathbf{X}

Modification of existing permit: Revocation and Reissuance:

Basis for Limitations:

Water Quality Model:

N/A

Reissuance with no modification:

pH, Total Recoverable Iron, TRC, TSS < 1%

Instream calculation at 7Q10: Toxicity based:

TRC

Secondary Treatment Levels:

N/A

Other (described below):

pH, Total Recoverable Iron, TSS

Major:

No

Description of Discharge:

Feature ID	Description	Receiving Water	WBC	303(d)	TMDL
0011	Filter Backwash	Tennessee River (Guntersville Lake)	Public Water Supply, Swimming, Fish and Wildlife	No	No

Discussion:

This is a permit reissuance due to expiration.

The pH daily minimum and daily maximum limits of 6.0 and 9.0 S.U, respectively, were developed to be supportive of the water-use classification of the receiving stream.

The daily maximum Total Residual Chlorine (TRC) limit of 1.0 mg/L is based on the EPA suggested Water Quality Criteria and the Department's Permit Development Rationale which should be protective of acute and chronic toxicity criteria in the receiving stream.

The Permittee is also required to monitor and report effluent test results for Total Phosphorus (TP). Monitoring for Total Phosphorus is applicable if phosphate-based corrosion inhibitors are utilized at the plant.

Alabama has not adopted numeric aluminum water quality criteria, and the Department acknowledges that the EPA suggested numeric value appears to be hardness dependent. Alabama has not observed a toxicity concern with aluminum in state waters and therefore does not believe aluminum is a significant water quality concern at this time. In addition, the permit requires that wastewater from water treatment plants not be directly discharged to the receiving stream, but shall be discharged to a wastewater settling basin or other method of treatment. Using this best management practice should reduce aluminum discharges as aluminum adheres to sediment that should be removed

in the settling basins. A review of other Region 4 state water treatment plant NPDES permits also indicates that aluminum limitations are not included in the majority of the permits. Should the Department adopt a numeric aluminum water quality criteria in the future or become aware of a water quality issue, this determination will be reevaluated. This permit will impose monthly average and daily maximum monitoring for Total Recoverable Aluminum (TRA). Monitoring for TRA is applicable if aluminum-based coagulants are utilized at the facility.

The Total Suspended Solids (TSS) limit of 30.0 mg/L (monthly average) and 45.0 mg/L (daily maximum) is based on Best Professional Judgment (BPJ) and achievable Water Treatment Plant wastewater levels.

The Total Recoverable Iron (TRI) limit is based on EPA's recommended water quality criteria. The monthly average TRI limit is 6.0 mg/L. The limit for TRI is applicable if iron-based coagulants are utilized at the facility.

The frequency of monitoring for most parameters is monthly. Flow is to be calculated daily.

No toxicity testing is required because the facility is a water treatment plant.

The Tennessee River (Guntersville Lake) is a Tier II stream and is not listed on the most recent 303(d). There are no TMDLs affecting this discharge.

ADEM Administrative Rule 335-6-10-.12 requires applicants for new or expanded discharges to Tier II waters demonstrate that the proposed discharge is necessary for important economic or social development in the area in which the waters are located. The application submitted by the facility is not for a new or expanded discharge to a Tier II stream, so the applicant is not required to demonstrate that the discharge is necessary for economic and social development

Prepared by: Michael N. Simmons

FACILITY NAME

Dekalb/Jackson Water Supply District Treatment Facility

PERMIT NO.

AL0081850

TOTAL RESIDUAL CHLORINE (TRC)

7Q₁₀ = 5735.84 cfs

 $1Q_{10} = 4301.88 \text{ cfs}$

Acute TRC Limit =

345.346

mg/L

 $1Q_s = 1Q_{10} = 0.75*7Q_{10}$

If
$$1Q_{10}$$
 is known $1Q_s =$

2780.789 MGD

Q_w = long term average flow from facility =

0.153

MGD

Chronic TRC Limit =

$$\frac{(7Q_s+Q_w)*0.011}{Q_s}$$

266.579

mg/L

 $7Q_s = 7Q_{10} =$

3707.718 MGD

Technology Based =

1.00 mg/L

Permit limit will be the most stringent of acute, chronic, or technology based values

TRC =

1.000 mg/L

monthly average

1.000 mg/L

daily maximum

TOTAL RECOVERABLE IRON (FE):

Fe limit =

= 24234.45 mg/L

Technology Based =

6.00 mg/L

Permit limit will be the most stringent of water quality based or technology based values.

Fe ≃

6.00 mg/L

ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT (ADEM) NPDES INDIVIDUAL PERMIT APPLICATION

SUPPLEMENTARY INFORMATION FOR PUBLICLY-OWNED TREATMENT WORKS (POTW), OTHER TREATMENT WORKS TREATING DOMESTIC SEWAGE (TWTDS), AND PUBLIC WATER SUPPLY TREATMENT PLANTS

Instructions: This form should be used to submit the required supplementary information for an application for an NPDES individual permit for Publicly Owned Treatment Works (POTW) and other Treatment Works Treating Domestic Sewage (TWTDS). The completed application should be submitted to ADEM in duplicate. If insufficient space is available to address any item, please continue on an attached sheet of paper. Please mark "N/A" in the appropriate box when an item is not applicable to the applicant. Please type or print legibly in blue or black ink. Mail the completed application to: RECEIVED

ADEM-Water Division

		P O Box 301463 Montgomery, AL 36130-146	3	SEP 2 3 2022
		PURPOSE OF THIS APPLICA	TION	Municipal
	Initial Permit Application for New Facility*	☐ Initial Permit Application	on for Existing Facility*	,
	Modification of Existing Permit	Reissuance of Existing		
	Revocation & Reissuance of Existing Permit		nn in the ADEM's Electronic Envi to electronically submit reports a	ronmental (E2) Reporting must be s required.
SE	CTION A - GENERAL INFORMATION			
1.	Facility Name: Dekalb/Jackson Water Supply Dis	strict Treatment Facility	Facility County: Jac	ckson
	a. Operator Name: DeKalb Jackson Water Su	pply District		
	b. Is the operator identified in A.1.a, the ow	ner of the facility? X Yes	□No	
	If No, provide the following information:			
	Operator Name:			
	Operator Address (Street or PO Box):			
	City:		Zip	
	Phone Number:	Email Address:		
	Operator Status:			
	☐ Public-federal ☐ Public-state	☐ Public-other (please spe	cify):	
	Private Other (please spec	cify):		
	Describe the operator's scope of respon	sibility for the facility:		
	c. Name of Permittee* if different than Ope	erator:		
	*Permittee will be responsible for compl	iance with the conditions of the	permit	
2.	NPDES Permit Number: AL 0081850	(No	t applicable if initial permit	application)
3.	Facility Location (Front Gate): Latitude: N34	53' 51"	Longitude: W85 42' 59"	
4.	Responsible Official (as described on last pa	ge of this application):		
	Name and Title: Donna Bolton, Interim Manage	r		
	Address: 21700 AL Hwy 117			
	City: Ider	State: Alabama	Zip	35981
	Phone Number: 256-632-2254	Email Address: dbolton	@djwaterusmgas.com	

Name: Donna Bolton		Title: Interim	Manager		
Phone Number: 256-632-2254	Email Ad	dress: dbolto	n@djwater	usmgas.com	
Designated Emergency Contact:					
Name: Donna Bolton		Title: Interim	Manager		
Phone Number: 256-632-2254	Email Ad	dress: dbolto	n@djwater	usmgas.com	
	Applicant's business en	tity is a Pro	prietorshi	p or Limited Liability	Company (LLC) with
		Title:			
				7in:	
Phone Number:	Email Ad	dress:			
Facility Name	Permit Number		Type of A	Action	Date of Action
		edina Abo aine	of analy	unit annuation and asset	male collection legation
					ripie collection locatio
o you share an outfall with another fa	cility? L Yes X No	(If no, contin	ue to B.3)	
or each shared outfall, provide the fol	lowing:				
Applicant's Outfall No. Name of Other	lowing: Permittee/Facility	NPDES Permit N			nple collected blicant?
Applicant's Name of Other					
Applicant's Name of Other	Permittee/Facility	Permit N		by Ap	olicant?
Applicant's Name of Other	Permittee/Facility	Permit N		by Ap	olicant?
Applicant's Outfall No. Name of Other	Permittee/Facility ic sampling equipment of Flow Metering Sampling Equipment	r continuous	wastewat	by Ap	olicant?
Applicant's Outfall No. Name of Other	Permittee/Facility ic sampling equipment or	r continuous	wastewat	ter flow metering equi	olicant?
Applicant's Outfall No. Name of Other o you have, or plan to have, automatic	Permittee/Facility ic sampling equipment of Flow Metering Sampling Equipment	r continuous Yes Yes Yes	wastewat	ter flow metering equi	olicant?
	Phone Number: 256-632-2254 Please complete this section if the responsible official not listed in A.4. Name:	Phone Number: 256-632-2254 Email Ad Please complete this section if the Applicant's business en esponsible official not listed in A.4. Name:	Phone Number: 256-632-2254 Email Address: dbolton Please complete this section if the Applicant's business entity is a Professional Please complete this section if the Applicant's business entity is a Professional Please complete this section if the Applicant's business entity is a Professional Please complete this section if the Applicant's business entity is a Professional Please complete this section if the Applicant's business entity is a Professional Please complete this section if the Applicant's business entity is a Professional Please complete this section if the Applicant's business entity is a Professional Please complete this section if the Applicant's business entity is a Professional Please complete this section if the Applicant's business entity is a Professional Please complete this section if the Applicant's business entity is a Professional Please complete this section if the Applicant's business entity is a Professional Please complete this section if the Applicant's business entity is a Professional Please complete this section if the Applicant's business entity is a Professional Please complete this section is a Profession in the Applicant's business entity	Phone Number: 256-632-2254 Email Address: dbolton@djwater Please complete this section if the Applicant's business entity is a Proprietorshi esponsible official not listed in A.4. Name:	Phone Number: 256-632-2254 Email Address: dbolton@djwaterusmgas.com Please complete this section if the Applicant's business entity is a Proprietorship or Limited Liability esponsible official not listed in A.4. Name:

We have applied for SRF Funding should not change the wastewater.	to improve pretreatment with a Solid Contact Clarifler. The	nis construction wo	ould be deper	ndent on fu	nding, bu
ite, either directly or indirectly vitribution systems that are located	AND DISPOSAL INFORMATION d for the storage of solids or liquids that have any p ia storm sewer, municipal sewer, municipal was at or operated by the subject existing or proposed ovide a map or detailed narrative description of	tewater treatment NPDES- permitte	nt plants, o	or other condicate the	ollection location
Description	of Waste	Description of St	orage Locat	tion	
None					
CTICAL D. INDUCTOLAL INDUCE	CT DISCULABOE CONTRIBUTORS				
other sheets if necessary)	ndustrial source wastewater contributions to the mu	Existing or	Flow	Subje	ct to SI
List the existing and proposed in				Subje	
List the existing and proposed in other sheets if necessary) Company Name	ndustrial source wastewater contributions to the mu	Existing or	Flow	Subje	ct to S rmit?
List the existing and proposed in other sheets if necessary) Company Name	ndustrial source wastewater contributions to the mu	Existing or	Flow	Subje Pe	ct to S
List the existing and proposed in other sheets if necessary) Company Name	ndustrial source wastewater contributions to the mu	Existing or	Flow	Subje Pe	ct to S
List the existing and proposed in other sheets if necessary) Company Name	ndustrial source wastewater contributions to the mu	Existing or	Flow	Subje Pe Yes	ct to S rmit?
List the existing and proposed in other sheets if necessary) Company Name	ndustrial source wastewater contributions to the mu	Existing or	Flow	Subje Pe Yes Yes Yes Yes	ct to S rmit?
List the existing and proposed in other sheets if necessary) Company Name	ndustrial source wastewater contributions to the mu	Existing or	Flow	Subje Pe Yes Yes Yes Yes Yes	ct to S rmit? N N N N N N N N N N N N
List the existing and proposed in other sheets if necessary) Company Name	ndustrial source wastewater contributions to the mu	Existing or	Flow	Subje Pe Yes Yes Yes Yes Yes Yes	ct to Sirmit?

Is the discharge(s) located within the 10-foot elevation contour and within the limits of Mobile or Baldwin County? \[\text{ No if yes, complete items E.1 - E.12 below:} \] If yes, complete items E.1 - E.12 below: 1. Does the project require new construction? \[\] \[\] \[\] \] 1. Does the project require new construction? \[\] \[\] \[\] \[\] \] 2. Will the project be a source of new air emissions? \[\]	If yes, complete items E.1 – E.12 below: Yes Ni	Yes No Yes No	ECTION E - COASTAL ZONE INFORMATION		
1. Does the project require new construction?	1. Does the project require new construction?	ster reefs n energy facility as defined sting groundwater well to sting groundwater well to sting deconomic importance of the proposed activity. It is the application. No see Department for the new or increased discharge sting 313- Calculation of Total Annualized Project Costs and 312 or ADEM Form 313, whichever is applicable		☐ Yes	⊠ No
1. Does the project require new construction? 2. Will the project be a source of new air emissions? 3. Does the project involve dredging and/or filling of a wetland area or water way? If Yes, has the Corps of Engineers (COE) permit been received? COE Project No. 4. Does the project involve wetlands and/or submersed grassbeds? If Yes, include a map showing project and discharge location with respect to oyster reefs 6. Does the project involve the site developement, construction and operation of an energy facility as defined in ADEM Admin. Code r. 335-8-1-02(bb)? 7. Does the project involve mitigation of shoreline or coastal area erosion? 8. Does the project involve construction on beaches or dune areas? 9. Will the project involve the registration, sale, use, or application of pesticides? 10. Does the project jie within the 100-year floodplain? 11. Does the project propose or require construction of a new well or to alter an existing groundwater well to pump more than 50 gallons per day (6PD)? If yes, has the applicable permit for groundwater recovery or for groundwater well installation been obtained? SECTION F – ANTI-DEGRADATION EVALUATION In accordance with 40 CFR §131.12 and the ADEM Admin. Code r. 335-8-10-04 for anti-degradation, the following information mu provided, if applicable. It is the applicant's responsibility to demonstrate the social and economic importance of the proposed activurther information is required to make this demonstration, attach additional sheets to the application. 1. Is this a new or increased discharge that began after April 3, 1991? If yes, do not complete this section. If no and the discharge is to a Tier II waterbody as defined in ADEM Form 313 - Calculation of Total Annualized Project (Public-Sector or Private-Sector Projects, whichever is applicable. ADEM Form 313. Allochem S13, whichever is application began after the provided for gazel, reatment discharges attentive considered technically viable. ADEM form 313, whichever is applicants to provided for gaz	1. Does the project require new construction?	ster reefs n energy facility as defined sting groundwater well to sting groundwater well to sting deconomic importance of the proposed activity. It is the application. No set reefs n energy facility as defined sting groundwater well to sting groundwater well to sting anti-degradation, the following information must be and economic importance of the proposed activity. It is the application. No set reefs ster reefs	yes, complete items E.1 – E.12 below:		
2. Will the project be a source of new air emissions?	2. Will the project be a source of new air emissions?	ster reefs n energy facility as defined sting groundwater well to ranti-degradation, the following information must be and economic importance of the proposed activity. In No The Department for the new or increased discharge Set of the proposed activity of the application. In No The Department for the new or increased discharge The Results of the proposed activity of the application of Total Annualized Project Cost of 312 or ADEM Form 313, whichever is applicable			
3. Does the project involve dredging and/or filling of a wetland area or water way?	3. Does the project involve dredging and/or filling of a wetland area or water way?	ster reefs n energy facility as defined sting groundwater well to and economic importance of the proposed activity. The application. No The Department for the new or increased discharge Set of the standard discharge The control of Total Annualized Project Cost of 312 or ADEM Form 313, whichever is applicable			_
If Yes, has the Corps of Engineers (COE) permit been received?	If Yes, has the Corps of Engineers (COE) permit been received?	ster reefs n energy facility as defined			
COE Project No	A. Does the project involve wetlands and/or submersed grassbeds?	ster reefs n energy facility as defined			
Are oyster reefs located near the project site?	Section F - ANTI-DEGRADATION EVALUATION In accordance with 40 CFR §13.1.12 and the ADEM Admin. Code r. 335-8-10-04 for anti-degradation, the following information provided, if applicable. It is the applicant's responsibility to demonstrate the social and economic importance of the proposed further information is required to make this a new or increased discharge that began after April 3, 1991? Pes No If yes, complete F.2 below. If no, go to Section G. 2. Has an Anti-Degradation Analysis been previously conducted and submitted to the Department for the new or increased discrete referenced in F.1? Pes ADEM Form 311-Alternatives Analysis, and either ADEM Form 312 or ADEM Form 315-Calculation of 171-Alternatives Analysis, and either ADEM Form 312 or ADEM Form 312 or ADEM Form 312 or ADEM Form 310-Alternatives Analysis, and either ADEM Form 312 or ADEM Form 310-Alternatives Analysis, and either ADEM Form 312 or ADEM Form 310-Alternatives Analysis, and either ADEM Form 312 or ADEM Form 311-Alternatives Analysis, and either ADEM Form 312 or ADEM Form 313- Calculation of Total Annualized Projects website at <a "="" adem.alabama.gov="" deptforms="" href="https://linearing.new.new.page-10-10-10-10-10-10-10-10-10-10-10-10-10-</td><td>ster reefs n energy facility as defined </td><td></td><td></td><td></td></tr><tr><td>If Yes, include a map showing project and discharge location with respect to oyster reefs Does the project involve the site developement, construction and operation of an energy facility as defined in ADEM Admin. Code r. 335-8-1-02(bb)?</td><td>If Yes, include a map showing project and discharge location with respect to oyster reefs Does the project involve the site developement, construction and operation of an energy facility as defined in ADEM Admin. Code r. 335-8-1-02(bb)?</td><td>ster reefs n energy facility as defined </td><td>Does the project involve wetlands and/or submersed grassbeds?</td><td></td><td></td></tr><tr><td>3. Does the project involve the site developement, construction and operation of an energy facility as defined in ADEM Admin. Code r. 335-8-1-02(bb)?</td><td>Does the project involve the site developement, construction and operation of an energy facility as defined in ADEM Admin. Code r. 335-8-102(bb)?</td><td>r anti-degradation, the following information must be application. No No No No No No No N</td><td>Are oyster reefs located near the project site?</td><td></td><td></td></tr><tr><td>in ADEM Admin. Code r. 335-8-102(bb)?</td><td>in ADEM Admin. Code r. 335-8-1-02(bb)? 7. Does the project involve mitigation of shoreline or coastal area erosion? 8. Does the project involve construction on beaches or dune areas? 9. Will the project interfere with public access to coastal waters? 10. Does the project lie within the 100-year floodplain? 11. Does the project involve the registration, sale, use, or application of pesticides? 12. Does the project propose or require construction of a new well or to alter an existing groundwater well to pump more than 50 gallons per day (GPD)? 13. If yes, has the applicable permit for groundwater recovery or for groundwater well installation been obtained? 14. In accordance with 40 CFR §131.12 and the ADEM Admin. Code r. 335-6-1004 for anti-degradation, the following information provided, if applicable. It is the applicant's responsibility to demonstrate the social and economic importance of the proposed further information is required to make this demonstration, attach additional sheets to the application. 15. Is this a new or increased discharge that began after April 3, 1991? 16. If no and the discharge is to a Tier II waterbody as defined in ADEM Admin. Code r. 335-6-10-12(4), complete F.2.A – F.2. ADEM Form 311-Alternatives Analysis, and either ADEM Form 312 or ADEM Form 313- Calculation of Total Annualized Proj (Public-Sector or Private-Sector Projects, whichever is applicable). ADEM Form 312 or ADEM Form 313, whichever is a must be provided for gach_treatment discharge alternative considered technically viable. ADEM forms can be foun Department's website at http://adem.alabama.gov/DeptForms/ . Information required for new or increased discharges to high quality waters:	anti-degradation, the following information must be and economic importance of the proposed activity. To the application. No No No No No No No N	If Yes, include a map showing project and discharge location with respect to oyster reefs		
B. Does the project involve construction on beaches or dune areas?	3. Does the project involve construction on beaches or dune areas?	anti-degradation, the following information must be und economic importance of the proposed activity. To the application. No Department for the new or increased discharge in the control of the proposed activity. The control of the proposed activity is a possible of the proposed activity. The control of the proposed activity is a possible of the proposed activity. The control of the proposed activity is a possible of the proposed activity. The control of the proposed activity is a possible of the proposed activity. The control of the proposed activity is a possible of the proposed activity. The proposed activity is a possible of the proposed activity in the proposed activity is a possible of the proposed activity. The proposed activity is a possible of the proposed activity in the proposed activity is a possible of the proposed activity. The proposed activity is a possible of the proposed activity in the proposed activity is a possible of the proposed activity. The proposed activity is a possible of the proposed activity in the proposed activity is a possible of the proposed activity in the proposed activity is a possible of the proposed activity in the proposed activity is a possible of the proposed activity in the proposed activity is a possible of the proposed activity in the proposed activity is a possible of the proposed activity in the proposed activity is a possible of the proposed activity in the proposed activity is a possible of the proposed activity in the proposed activity is a possible of the proposed activity in the proposed activity is a possible of the proposed activity in the proposed activity is a possible of the proposed activity in the proposed activity is a possible of the proposed activity in the proposed activity is a possible of the proposed activity in the proposed activity is a possible of the proposed activity in the proposed activity is a possible of the proposed activity in the proposed activity is a possible of the proposed activity in the proposed activity is a possible of the pr			
9. Will the project interfere with public access to coastal waters?	9. Will the project interfere with public access to coastal waters?	sting groundwater well to anti-degradation, the following information must be and economic importance of the proposed activity. The application. No The Department for the new or increased discharge of the proposed activity. The application of the proposed activity of the application of the proposed activity. The application of the proposed activity of the application of the proposed activity. The application of the proposed activity of the application of the proposed activity of the application of the proposed activity. The application of the proposed activity of the application of th	Does the project involve mitigation of shoreline or coastal area erosion?		
10. Does the project lie within the 100-year floodplain?	10. Does the project lie within the 100-year floodplain?	sting groundwater well to anti-degradation, the following information must be und economic importance of the proposed activity. The application. No The Department for the new or increased discharge and the conomic importance of the proposed activity. The application is a second to the application of the proposed activity. The application is a second to the proposed activity of the application. The Department for the new or increased discharge and the proposed activity. The application is a second to the proposed activity of the application of the proposed activity. The application is a second to the proposed activity of the application of the proposed activity. The application is a second to the proposed activity of the application of the proposed activity. The application is a second to the proposed activity of the application of the proposed activity. The application is a second to the proposed activity of the application of the proposed activity of the application of the proposed activity. The proposed activity of the application of the proposed activity of the proposed activity of the proposed activity of the application of the proposed activity of the proposed activity of the proposed activity of the application of the proposed activity of t	Does the project involve construction on beaches or dune areas?		
11. Does the project involve the registration, sale, use, or application of pesticides?	11. Does the project involve the registration, sale, use, or application of pesticides?	sting groundwater well to ell installation been r anti-degradation, the following information must be and economic importance of the proposed activity. The application. No Department for the new or increased discharge at the control of the proposed activity. The control of the proposed activity are the application. The Department for the new or increased discharge at the control of the proposed activity. The control of the proposed activity are the proposed activity. The proposed activity are the proposed activity are the proposed activity. The proposed activity are the proposed activity are the proposed activity. The proposed activity are the proposed activity are the proposed activity. The proposed activity are the proposed activity are the proposed activity. The proposed activity are the proposed activity are the proposed activity. The proposed activity are the proposed activity are the proposed activity. The proposed activity are the proposed activity are the proposed activity are the proposed activity. The proposed activity are the proposed activity are the proposed activity are the proposed activity are the proposed activity. The proposed activity are the proposed activity.	Will the project interfere with public access to coastal waters?		
12. Does the project propose or require construction of a new well or to alter an existing groundwater well to pump more than 50 gallons per day (GPD)?	12. Does the project propose or require construction of a new well or to alter an existing groundwater well to pump more than 50 gallons per day (GPD)?	r anti-degradation, the following information must build economic importance of the proposed activity. The application. No No Department for the new or increased discharge in the control of the proposed activity. The control of the proposed activity is the application. The Department for the new or increased discharge in 313- Calculation of Total Annualized Project Cost in 312 or ADEM Form 313, whichever is applicable.	D. Does the project lie within the 100-year floodplain?		
If yes, has the applicable permit for groundwater recovery or for groundwater well installation been obtained?	pump more than 50 gallons per day (GPD)?	ell installation been r anti-degradation, the following information must be and economic importance of the proposed activity. The application. No No ne Department for the new or increased discharge at the control of the proposed activity. The control of the proposed activity at the application. In the control of the new or increased discharge at the control of the control o	1. Does the project involve the registration, sale, use, or application of pesticides?		
SECTION F – ANTI-DEGRADATION EVALUATION In accordance with 40 CFR §131.12 and the ADEM Admin. Code r. 335-6-1004 for anti-degradation, the following information muprovided, if applicable. It is the applicant's responsibility to demonstrate the social and economic importance of the proposed active further information is required to make this demonstration, attach additional sheets to the application. 1. Is this a new or increased discharge that began after April 3, 1991? Yes No If yes, complete F.2 below. If no, go to Section G. 2. Has an Anti-Degradation Analysis been previously conducted and submitted to the Department for the new or increased discharge referenced in F.1? Yes No If yes, do not complete this section. If no and the discharge is to a Tier II waterbody as defined in ADEM Admin. Code r. 335-6-1012(4), complete F.2.A – F.2.F b ADEM Form 311-Alternatives Analysis, and either ADEM Form 312 or ADEM Form 313- Calculation of Total Annualized Project (Public-Sector or Private-Sector Projects, whichever is applicable). ADEM Form 312 or ADEM Form 313, whichever is applicable be provided for each_treatment discharge alternative considered technically viable. ADEM forms can be found on Department's website at http://adem.alabama.gov/DeptForms/ . Information required for new or increased discharges to high quality waters:	SECTION F – ANTI-DEGRADATION EVALUATION In accordance with 40 CFR §131.12 and the ADEM Admin. Code r. 335-6-1004 for anti-degradation, the following information provided, if applicable. It is the applicant's responsibility to demonstrate the social and economic importance of the proposed further information is required to make this demonstration, attach additional sheets to the application. 1. Is this a new or increased discharge that began after April 3, 1991? Yes No If yes, complete F.2 below. If no, go to Section G. 2. Has an Anti-Degradation Analysis been previously conducted and submitted to the Department for the new or increased discreferenced in F.1? Yes No If yes, do not complete this section. If no and the discharge is to a Tier II waterbody as defined in ADEM Admin. Code r. 335-6-1012(4), complete F.2.A – F.2.A – F.2.A DEM Form 311-Alternatives Analysis, and either ADEM Form 312 or ADEM Form 313 - Calculation of Total Annualized Prof (Public-Sector or Private-Sector Projects, whichever is applicable). ADEM Form 312 or ADEM Form 313, whichever is a must be provided for each treatment discharge alternative considered technically viable. ADEM forms can be foun Department's website at http://adem.alabama.gov/DeptForms/ . Information required for new or increased discharges to high quality waters:	r anti-degradation, the following information must be and economic importance of the proposed activity. The application. No No Department for the new or increased discharge of the proposed activity. The application of the proposed activity and the proposed activity activity activity. The application of the proposed activity activity activity activity activity activity activity. The application of the proposed activity activity activity activity activity activity activity activity acti			
In accordance with 40 CFR §131.12 and the ADEM Admin. Code r. 335-6-1004 for anti-degradation, the following information muprovided, if applicable. It is the applicant's responsibility to demonstrate the social and economic importance of the proposed activifurther information is required to make this demonstration, attach additional sheets to the application. 1. Is this a new or increased discharge that began after April 3, 1991? Yes No If yes, complete F.2 below. If no, go to Section G. 2. Has an Anti-Degradation Analysis been previously conducted and submitted to the Department for the new or increased dischargeferenced in F.1? Yes No If yes, do not complete this section. If no and the discharge is to a Tier II waterbody as defined in ADEM Admin. Code r. 335-6-1012(4), complete F.2.A – F.2.F b ADEM Form 311-Alternatives Analysis, and either ADEM Form 312 or ADEM Form 313- Calculation of Total Annualized Project (Public-Sector or Private-Sector Projects, whichever is applicable). ADEM Form 312 or ADEM Form 313, whichever is applicable be provided for each treatment discharge alternative considered technically viable. ADEM forms can be found or Department's website at http://adem.alabama.gov/DeptForms/ . Information required for new or increased discharges to high quality waters:	In accordance with 40 CFR §131.12 and the ADEM Admin. Code r. 335-6-1004 for anti-degradation, the following information provided, if applicable. It is the applicant's responsibility to demonstrate the social and economic importance of the proposed further information is required to make this demonstration, attach additional sheets to the application. 1. Is this a new or increased discharge that began after April 3, 1991? Yes No If yes, complete F.2 below. If no, go to Section G. 2. Has an Anti-Degradation Analysis been previously conducted and submitted to the Department for the new or increased discreterenced in F.1? Yes No If yes, do not complete this section. If no and the discharge is to a Tier II waterbody as defined in ADEM Admin. Code r. 335-6-1012(4), complete F.2.A – F.2. ADEM Form 311-Alternatives Analysis, and either ADEM Form 312 or ADEM Form 313- Calculation of Total Annualized Proj (Public-Sector or Private-Sector Projects, whichever is applicable). ADEM Form 312 or ADEM Form 313, whichever is a must be provided for each_treatment discharge alternative considered technically viable. ADEM forms can be foun Department's website at http://adem.alabama.gov/DeptForms/ . Information required for new or increased discharges to high quality waters:	ind economic importance of the proposed activity. the application. No ne Department for the new or increased discharge te r. 335-6-1012(4), complete F.2.A – F.2.F below 313- Calculation of Total Annualized Project Cost 312 or ADEM Form 313, whichever is applicable			
 Is this a new or increased discharge that began after April 3, 1991? Yes No If yes, complete F.2 below. If no, go to Section G. Has an Anti-Degradation Analysis been previously conducted and submitted to the Department for the new or increased dischargeferenced in F.1? Yes No If yes, do not complete this section. If no and the discharge is to a Tier II waterbody as defined in ADEM Admin. Code r. 335-6-1012(4), complete F.2.A – F.2.F b ADEM Form 311-Alternatives Analysis, and either ADEM Form 312 or ADEM Form 313- Calculation of Total Annualized Project (Public-Sector or Private-Sector Projects, whichever is applicable). ADEM Form 312 or ADEM Form 313, whichever is applicable. ADEM forms 314 or ADEM forms can be found or Department's website at http://adem.alabama.gov/DeptForms/. Information required for new or increased discharges to high quality waters: 	 Is this a new or increased discharge that began after April 3, 1991? Yes No If yes, complete F.2 below. If no, go to Section G. Has an Anti-Degradation Analysis been previously conducted and submitted to the Department for the new or increased discreterenced in F.1? Yes No If yes, do not complete this section. If no and the discharge is to a Tier II waterbody as defined in ADEM Admin. Code r. 335-6-1012(4), complete F.2.A – F.2 ADEM Form 311-Alternatives Analysis, and either ADEM Form 312 or ADEM Form 313- Calculation of Total Annualized Proj (Public-Sector or Private-Sector Projects, whichever is applicable). ADEM Form 312 or ADEM Form 313, whichever is a must be provided for each treatment discharge alternative considered technically viable. ADEM forms can be foun Department's website at http://adem.alabama.gov/DeptForms/. Information required for new or increased discharges to high quality waters: 	□ No ne Department for the new or increased discharge de r. 335-6-1012(4), complete F.2.A – F.2.F below in 313- Calculation of Total Annualized Project Cos in 312 or ADEM Form 313, whichever is applicable	n accordance with 40 CFR §131.12 and the ADEM Admin. Code r. 335-6-1004 for anti-degradation, the followi rovided, if applicable. It is the applicant's responsibility to demonstrate the social and economic importance of t	ng inform he propo	nation must b
If yes, complete F.2 below. If no, go to Section G. 2. Has an Anti-Degradation Analysis been previously conducted and submitted to the Department for the new or increased dischargeferenced in F.1? Yes No If yes, do not complete this section. If no and the discharge is to a Tier II waterbody as defined in ADEM Admin. Code r. 335-6-1012(4), complete F.2.A – F.2.F b ADEM Form 311-Alternatives Analysis, and either ADEM Form 312 or ADEM Form 313- Calculation of Total Annualized Project (Public-Sector or Private-Sector Projects, whichever is applicable). ADEM Form 312 or ADEM Form 313, whichever is applicant the provided for each treatment discharge alternative considered technically viable. ADEM forms can be found on Department's website at http://adem.alabama.gov/DeptForms/ . Information required for new or increased discharges to high quality waters:	If yes, complete F.2 below. If no, go to Section G. 2. Has an Anti-Degradation Analysis been previously conducted and submitted to the Department for the new or increased discreterenced in F.1? Yes No If yes, do not complete this section. If no and the discharge is to a Tier II waterbody as defined in ADEM Admin. Code r. 335-6-1012(4), complete F.2.A – F.2 ADEM Form 311-Alternatives Analysis, and either ADEM Form 312 or ADEM Form 313- Calculation of Total Annualized Proj (Public-Sector or Private-Sector Projects, whichever is applicable). ADEM Form 312 or ADEM Form 313, whichever is a must be provided for each_treatment discharge alternative considered technically viable. ADEM forms can be foun Department's website at http://adem.alabama.gov/DeptForms/ . Information required for new or increased discharges to high quality waters:	the Department for the new or increased discharge the r. 335-6-1012(4), complete F.2.A – F.2.F below the r. 313- Calculation of Total Annualized Project Cost to 312 or ADEM Form 313, whichever is applicable			
If yes, do not complete this section. If no and the discharge is to a Tier II waterbody as defined in ADEM Admin. Code r. 335-6-1012(4), complete F.2.A – F.2.F b ADEM Form 311-Alternatives Analysis, and either ADEM Form 312 or ADEM Form 313- Calculation of Total Annualized Project (Public-Sector or Private-Sector Projects, whichever is applicable). ADEM Form 312 or ADEM Form 313, whichever is applicant to be provided for each treatment discharge alternative considered technically viable. ADEM forms can be found on Department's website at http://adem.alabama.gov/DeptForms/ . Information required for new or increased discharges to high quality waters:	If yes, do not complete this section. If no and the discharge is to a Tier II waterbody as defined in ADEM Admin. Code r. 335-6-1012(4), complete F.2.A – F.2 ADEM Form 311-Alternatives Analysis, and either ADEM Form 312 or ADEM Form 313- Calculation of Total Annualized Proj (Public-Sector or Private-Sector Projects, whichever is applicable). ADEM Form 312 or ADEM Form 313, whichever is a must be provided for each_treatment discharge alternative considered technically viable. ADEM forms can be foun Department's website at http://adem.alabama.gov/DeptForms/ . Information required for new or increased discharges to high quality waters:	de r. 335-6-1012(4), complete F.2.A – F.2.F below m 313- Calculation of Total Annualized Project Cos m 312 or ADEM Form 313, whichever is applicable			
If no and the discharge is to a Tier II waterbody as defined in ADEM Admin. Code r. 335-6-1012(4), complete F.2.A – F.2.F b ADEM Form 311-Alternatives Analysis, and either ADEM Form 312 or ADEM Form 313- Calculation of Total Annualized Project (Public-Sector or Private-Sector Projects, whichever is applicable). ADEM Form 312 or ADEM Form 313, whichever is applicable be provided for each_treatment treatment discharge alternative considered technically viable. ADEM forms can be found or Department's website at http://adem.alabama.gov/DeptForms/ . Information required for new or increased discharges to high quality waters:	If no and the discharge is to a Tier II waterbody as defined in ADEM Admin. Code r. 335-6-1012(4), complete F.2.A – F.2 ADEM Form 311-Alternatives Analysis, and either ADEM Form 312 or ADEM Form 313- Calculation of Total Annualized Proj (Public-Sector or Private-Sector Projects, whichever is applicable). ADEM Form 312 or ADEM Form 313, whichever is a must be provided for each_treatment discharge alternative considered technically viable. ADEM forms can be foun Department's website at http://adem.alabama.gov/DeptForms/ . Information required for new or increased discharges to high quality waters:	m 313- Calculation of Total Annualized Project Cos n 312 or ADEM Form 313, whichever is applicabl	Has an Anti-Degradation Analysis been previously conducted and submitted to the Department for the new or referenced in F.1? ■ Yes □ No	increase	d discharge
ADEM Form 311-Alternatives Analysis, and either ADEM Form 312 or ADEM Form 313- Calculation of Total Annualized Project (Public-Sector or Private-Sector Projects, whichever is applicable). ADEM Form 312 or ADEM Form 313, whichever is applicable must be provided for each_treatment discharge alternative considered technically viable. ADEM forms can be found or Department's website at http://adem.alabama.gov/DeptForms/ . Information required for new or increased discharges to high quality waters:	ADEM Form 311-Alternatives Analysis, and either ADEM Form 312 or ADEM Form 313- Calculation of Total Annualized Proj (Public-Sector or Private-Sector Projects, whichever is applicable). ADEM Form 312 or ADEM Form 313, whichever is a must be provided for each_treatment discharge alternative considered technically viable. ADEM forms can be foun Department's website at http://adem.alabama.gov/DeptForms/ . Information required for new or increased discharges to high quality waters:	m 313- Calculation of Total Annualized Project Cos n 312 or ADEM Form 313, whichever is applicable	If yes, do not complete this section.		
			ADEM Form 311-Alternatives Analysis, and either ADEM Form 312 or ADEM Form 313- Calculation of Total Ar (Public-Sector or Private-Sector Projects, whichever is applicable). ADEM Form 312 or ADEM Form 313, we must be provided for each_treatment discharge alternative considered technically viable. ADEM forms	nualized hichever	Project Cos
A. What environmental or public health problem will the discharger be correcting?	A. What environmental or public health problem will the discharger be correcting?		Information required for new or increased discharges to high quality waters:		
		g?	A. What environmental or public health problem will the discharger be correcting?		

B.	How much will the discharger be increasing employment (at its existing facility or as the result of locating a new facility)?
C.	How much reduction in employment will the discharger be avoiding?
D.	How much additional state or local taxes will the discharger be paying?
Ε.	What public service to the community will the discharger be providing?
F.	What economic or social benefit will the discharger be providing to the community?

SECTION G - EPA Application Forms

All Applicants must submit certain EPA permit application forms. More than one application form may be required from a POTW or other TWTDS depending on the number and types of discharges or outfalls. The EPA application forms are found on the Department's website at http://adem.alabama.gov/programs/water/waterforms.cnt. The EPA application forms must be submitted in duplicate as follows:

- Applicants for new or existing discharges of sanitary wastewater from Publicly-Owned Treatment Works (POTW) and Other Treatment Works Treating Domestic Sewage (TWTDS) must submit Form 2A. If the facility design capacity is equal to or greater than 1 MGD, Form 2F is also required.
- 2. Applicants for new or existing land application of sanitary wastewater must submit Form 2A and Form 2F.
- 3. Applicants for new and existing discharges of process wastewater from water treatment facilities (i.e. public water supply treatment plants) must submit Form 1 and Form 2C.
- Applicants that generate sewage sludge, derive a material from sewage sludge, or dispose of sewage sludge must submit Part 2 of Form 2S.

SECTION H- ENGINEERING REPORT/BMP PLAN REQUIREMENTS

See ADEM 335-6-6-.08(i) & (j).

SECTION I– RECEIVING WATERS

Outfall No.	Receiving Water(s)	303(d) Se	egment?	Included i	n TMDL?*
001	Tennessee River	Yes	No	Yes	■No
		☐ Yes	□No	Yes	□No
		Yes	□No	☐ Yes	□No

^{*}If a TMDL Compliance Schedule is requested, the following should be attached as supporting documentation:

- (1) Justification for the requested Compliance Schedule (e.g. time for design and installation of control equipment, etc.);
- (2) Monitoring results for the pollutant(s) of concern which have not previously been submitted to the Department (sample collection dates, analytical results (mass and concentration), methods utilized, MDL/ML, etc. should be submitted as available);
- (3) Requested interim limitations, if applicable;
- (4) Date of final compliance with the TMDL limitations; and,
- (5) Any other additional information available to support requested compliance schedule.

SECTION J - APPLICATION CERTIFICATION

The information contained in this form must be certified by a responsible official as defined in ADEM Administrative Code r. 335-6-6-.09 "signatories to permit applications and reports" (see below).


"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment for knowing violations."

Signature of Responsible Official:	anna M Solton	Date Signed: 4-1-2022
Name: Donna Bolton	Title: Interim Manage	r
If the Responsible Official signing this appli	cation is <u>not</u> identified in Section A.4 or A.7, provide	the following information:
Mailing Address: 21700 AL Hwy 117		
City: Ider	_State: AL	Zip: <u>35981</u>

335-6-6-.09 SIGNATORIES TO PERMIT APPLICATIONS AND REPORTS.

- (1) The application for an NPDES permit shall be signed by a responsible official, as indicated below:
 - (a) In the case of a corporation, by a principal executive officer of at least the level of vice president, or a manager assigned or delegated in accordance with corporate procedures, with such delegation submitted in writing if required by the Department, who is responsible for manufacturing, production, or operating facilities and is authorized to make management decisions which govern the operation of the regulated facility;
 - (b) In the case of a partnership, by a general partner;
 - (c) In the case of a sole proprietorship, by the proprietor; or
 - (d) In the case of a municipal, state, federal, or other public entity, by either a principal executive officer, or ranking elected official.

DeKalb Jackson Water Supply District Water Treatment Facility Vicinity Map




NOV 1 5 2022 **MUNICIPAL SECTION**



NOV 1 5 2022

MUNICIPAL SECTION



EP	A Identifica	ation Number	NPDES Permit Number AL0081850		cility Name	Form Approved 03/05/19 OMB No. 2040-0004						
Form 1 NPDES	9	EPA		on for NPDES P	ntal Protection Agency ermit to Discharge Wa	stewater						
CECTIO	NA AC	TIVITIES DECLUDING	AN NIDDEC DEDMIT (40)									
SECTIO	1.1		AN NPDES PERMIT (40	CFR 122.21(f) ar	ia (f)(1))							
	1.1.1			1.1.2	Is the facility a new or treating domestic set If yes, STOP. Do NO complete Form 1. Cor Form 2S.	✓ No						
	1.2	Applicants Require	ed to Submit Form 1		4.5	Tank to the state of the state of						
DES Permit	1.2.1	operation or a con- production facility Yes → Com			currently discharging ✓ Yes → Comple	r silvicultural facility that is g process wastewater?						
Activities Requiring an NPDES Permit	1.2.3	Is the facility a new mining, or silvicultur commenced to dis ☐ Yes → Com	manufacturing, commercia al facility that has not yet charge?		Is the facility a new or commercial, mining, o discharges only non ☐ Yes → Comple	existing manufacturing, r silvicultural facility that process wastewater?						
Activities R	1.2.5	discharge is compose associated with indischarge is compose non-stormwater? Yes → Compose and unles 40 C	Form 2F ss exempted by FR 26(b)(14)(x) or									
SECTIO	N 2. NA		MAILING ADDRESS, AND LOCATION (40 CFR 122.21(f)(2))									
	2.1	Facility Name		The state of the s								
		DeKalb Jackson Wat	er Supply District Treatme	nt Facility								
_				Ter dulley	· · · · · · · · · · · · · · · · · · ·							
ocatio.	2.2	EPA Identification	Number									
, and I	2.3	Facility Contact										
Name, Mailing Address, and Location		Name (first and last Donna Bolton		Manager		ne number 632-2254						
lailing /		Email address dbolton@djwaterus	mgas.com									
e, P	2.4	Facility Mailing Ad	dress									
Nam		Street or P.O. box 21700 AL Hwy 117										
		City or town	State Alabama	3	ZIP 0 3598	code 1						
	1											

RECEIVED

AL0081850 DeKalb Jackson Water Supp 2.5 Facility Location Street, route number, or other specific identifier 6549 County Road 91 County name Jackson City or town Stevenson State Alabama SECTION 3. SIC AND NAICS CODES (40 CFR 122.21(f)(3)) 3.1 SIC Code(s) DeKalb Jackson Water Supp DeKalb Jackson Water Supp County code (if known) State Alabama Description (optional)	ZIP code 35966							
Street, route number, or other specific identifier 6549 County Road 91 County name County code (if known) Jackson City or town Stevenson State Alabama SECTION 3. SIC AND NAICS CODES (40 CFR 122.21(f)(3))								
SECTION 3. SIC AND NAICS CODES (40 CFR 122.21(f)(3))								
SECTION 3. SIC AND NAICS CODES (40 CFR 122.21(f)(3))								
SECTION 3. SIC AND NAICS CODES (40 CFR 122.21(f)(3))								
3.1 SIC Code(s) Description (optional)								
4941 Water Supply								
3.2 NAICS Code(s) Description (optional) 221310 Water Treatment and Distribution								
3.2 NAICS Code(s) Description (optional)	100							
221310 Water Treatment and Distribution								
SECTION 4. OPERATOR INFORMATION (40 CFR 122.21(f)(4)) 4.1 Name of Operator DeKalb Jackson Water Supply District								
4.3 Operator Status								
	public (specify)							
4.4 Phone Number of Operator								
(256) 437-9001								
_ 4.5 Operator Address								
Street or P.O. Box 21700 AL Hwy 117								
Street or P.O. Box 21700 AL Hwy 117 City or town Ider Email address of operator Despres Relicon of Holton (Identity Institution) Company Relicon of Holton (Identity Institution) State Alabama Email address of operator	ZIP code 35981							
Dollina Bolton Cabolton@djwaterdsiligas.com>								
SECTION 5. INDIAN LAND (40 CFR 122.21(f)(5))								
5.1 Is the facility located on Indian Land?								

RECEIVED

EP	A Identificat	tion Number	NPDES Permit N	lumber		Facility Name		Form Approved 03/05/19				
			AL0081850	0	DeKa	ib Jackson Water Supp	ly	OMB No. 2040-0004				
SECTIO	N 6. EXI	STING ENVIRON	MENTAL PERMITS	(40 CFR 122	.21(f)(6)j						
, ,	6.1					·	resnon	ding permit number for each)				
<u> </u>	0.1											
je	l ·		ischarges to surface	☐ RCRA	lous wastes)		JIC (underground injection of					
ी हु। इ	1	water)					1	fluids)				
Environ				<u></u>		·						
E S		□ PSD (air e	missions)	☐ Nonatta	ainment	program (CAA)	יםו	NESHAPs (CAA)				
Existing Environmental Permits	ļ											
Ä	ļ	│ └─ Ocean dun	nping (MPRSA)	☐ Dredge	or fill (CWA Section 404)		Other (specify)				
								ADEM Drinking Water Branch				
SECTIO	N 7. MA	(40 CFR 122.2	l(f)(7))									
	7.1			p containing	all requ	ired information to this	applic	ation? (See instructions for				
Мар		specific require	ments.)									
		✓ Yes ☐ No ☐ CAFO—Not Applicable (See requirements in Form 2B.)										
					(00010	quiremento in i onni 20:	٠,					
SECTIO			ESS (40 CFR 122.21)									
7	8.1	l .	ature of your business									
		Produce potabl	e water for the reside	ents in Jackso	n and C	ekalb Counties on nor	thern S	Sand Mountain.				
SS												
Nature of Business	ļ			•		•						
Bas												
'ক												
l an												
Sat	!											
								·				
								r				
SECTIO	NO CO	LING WATER I	NTAKE STRUCTURE	S (40 CER 4	22 24/	F\(0\\		<u> </u>				
350110					22.21)(a))						
	9.1	Does your lacii	ity use cooling water?									
- S		☐ Yes ☑	No → SKIP to Item	10.1.								
Cooling Water Intake Structures	9.2							structure as described at				
P S								R 122.21(r). Consult with your				
ke ei	}	NPDES permit	ling authority to deterr	mine what sp	ecific in	formation needs to be	submit	ted and when.)				
ु है	l											
								,				
		·										
SECTIO			ESTS (40 CFR 122.21									
	10.1							122.21(m)? (Check all that				
\$			with your NPDES per	mitting autho	nty to d	etermine what informat	tion ne	eds to be submitted and				
Variance Requests		when.)		(0)11/4	_	_\\	_ #1	Alimitations (OMA Ossalisa				
Sed	ŀ		entally different factor	rs (CWA	Ш		enluer	nt limitations (CWA Section				
8		Section	,		_	302(b)(2))	،	,				
ian			nventional pollutants (0	CWA		Thermal discharges (CWAS	section 31b(a))				
Va		l	301(c) and (g))					•				
		✓ Not app	licable									
'	ı							,				

EP	A Identifica	llon Number	NPDES Permit Number		Facility Name Form Approved 03/0							
			AL0081850	DeKalb	Jacks	on Water Supply 🖽	OMB No. 2040-0004					
SECTIO	N 11eCF	IECKLIST AN	D CERTIFICATION STATEMENT (4	0 CFR 122	,22(a) and (d))						
	11.1	In Column 1 For each se	below, mark the sections of Form 1 to tion, specify in Column 2 any attach pplicants are required to provide atta	that you ha ments that	you a	mpleted and are su re enclosing to ale	t the permitting authority. Note					
		#19 ×19 (c)	Column 1	HAMBLY.		HARRIST I	Column 2					
		☑ Sec	tion 1: Activities Requiring an NPDES	3 Permit		w/ attachments						
		☑ Sec	tlon 2: Name, Malling Address, and L	ocation		w/ attachments ·						
		☐ Sec	llon 3: SIC Codes			w/ attachments						
		☐ Sec	tion 4: Operator Information			w/ attachments						
		☐ Sec	tion 5; Indian Land		П	w/ attachments						
		☐ Sec	tlon 6: Existing Environmental Permit	s		w/ attachments	,					
Checklist and Certification Statement		☑ Sec	tion 7: Map		Ø	w/ topographlo map	☐ w/ additional attachments					
fion S		☐· Sec	llon 8; Nature of Business			w/ attachments						
tifica		☐ Sec	lion 9; Cooling Water Intake Structure	38		w/ attachments						
nd Ce		☑ Sec	tion 10: Variance Requests			w/ attachments						
dista		☑ Sec	tion 11: Checkilst and Certification St	atement		w/ attachments						
heci	11.2	Certification Statement										
9		I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.										
		Name (print	or type first and last name)		Offici	al title						
		Donna Bolto	n .		Interl	m Manager						
		Signature			Date	signed						
		Z)a	madelten	\supset		5/2022						
لنسبب	L	L	<u>/</u>									

Form Approved 03/05/19 EPA Identification Number NPDES Permit Number Facility Name OMB No. 2040-0004 AL0081850 **DeKalb Jackson Water Supply -U.S. Environmental Protection Agency** Form **Application for NPDES Permit to Discharge Wastewater** SEPA 2C **NPDES** EXISTING MANUFACTURING, COMMERCIAL, MINING, AND SILVICULTURE OPERATIONS SECTION 1, OUTFALL LOCATION (40 CFR 122.21(g)(1)) Provide information on each of the facility's outfalls in the table below. Outfall Longitude Outfall Location **Receiving Water Name** Latitude Number 001 34° 53' 49.84" N 85° 43' 03.48" **Tennessee River** SECTION 2. LINE DRAWING (40 CFR:122.21(g)(2)) Have you attached a line drawing to this application that shows the water flow through your facility with a water Line Drawing balance? (See instructions for drawing requirements. See Exhibit 2C-1 at end of instructions for example.) ✓ Yes ☐ No SECTION 3, AVERAGE FLOWS AND TREATMENT (40 CFR 122.21(g)(3)) For each outfall identified under Item 1.1, provide average flow and treatment information. Add additional sheets if 3.1 necessary. **Outfall Number** 001 **Operations Contributing to Flow** Average Flow Operation Pretreatment Waste and Filter Backwash 0.153 mgd Average Flows and Treatment mgd mgd mgd Treatment Units Final Disposal of Solid or Description Code from **Liquid Wastes Other Than** (include size, flow rate through each treatment unit, Table 2C-1 by Discharge retention time, etc.) Pretreatment waste and Filter Backwash 10 Sludge stays in pond. 4A Discharge

NOV 2 8 2022
MUNICIPAL SECTION

. EPA,	Identificatio	on Number	NPDES Permit Number AL0081850 DeKalb				son Water Supply -	Form Approved 03/05/19 OMB No. 2040-0004		
1 1,	3.1	2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1 4 2 Carl	i, de Vila		all Number**	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1			
	cont.	1. 1. 1. 1	2 = 93 1 - 12		35. 27	ons Contribu				500
		STATE OF THE STATE	9.0	peration	\$ 10 graphs		A STATE OF THE STA	erage Flow	र्वरकीय है।	100
									· mg	ga
		1		`		Ì			mç	gd
									, mg	gd
				·					mg	
		·				Treatment U	Inite		1110	yu
			. De	scription	N -4 4 2 1 2 1 1	Treatment C	Code from	Final Dis	posal of Solid or	r (
		(include	size, flow rate			unit,	Table 2C-1	Liquid W	astes Other Thar Discharge	'n
	,		retenu	on time, etc.)	e we designed the	Part Congress of		Dy	Discharge	-
une					. ,			 		
onti										
3										
atm				· · · · · · · · · · · · · · · · · · ·						
		1 15 E			**Outf:	all Number**	The second secon		y and a second	M
san		,	T H THE	88	5 636.55	ons Contribu	iting to Flow	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	330.2	, x, 3
Average Flows and Treatment Continued		ing Agric	. 0	peration				erage Flow		
. age							•	,	mg	gd
AVer				J	,				mg	gd
			•						me	gd
		~		·			 			_
	£					Treatment U	Inite	•.	HI	gd
# 10 m			De	scription	1967	reallient C	1.3	Final Dis	posal of Solid or	ر المة
		(include:	size, flow rate	through each		unit,	Code from Table 2C-1	Liquid W	astes Other Thai	n
		, A. T. A.	retenti	on time, etc.)	6.54.155		200 A 100 A	Dy	Discharge	14 1
		ļ						ļ		
. 27										
			··					-		
	3.2	Are you app	lving for an N	PDES permit	to operate	a privately ow	med treatment works?			-
me si		Yes Yes	., ., ., .	pomik	oporato		_			
System Users	3.3		tached a list tl	hat identifies	each user o	of the treatmen				
2.0		☐ Yes					No			

Form Approved 03/05/19 OMB No. 2040-0004 NPDES Permit Number Facility Name **EPA Identification Number** AL0081850 DeKalb Jackson Water Supply -SECTION 4. INTERMITTENT FLOWS (40 CFR 122.21(g)(4)) Except for storm runoff, leaks, or spills, are any discharges described in Sections 1 and 3 intermittent or seasonal? 4.1 No → SKIP to Section 5. 4.2 Provide information on intermittent or seasonal flows for each applicable outfall. Attach additional pages, if necessary. Frequency Flow Rate Outfall Operation Long-Term Maximum Duration Average Average Number (list) Average Days/Week Months/Year Daily days/week months/year mgd mgd days Intermittent Flows days/week months/year mgd. mgd days days/week months/year mgd mgd days days/week months/year mgd. mgd days days/week months/year days mgd mġđ days/week months/year mgd mgd days days/week months/year mgd mgd days days/week months/year mgd days mgd days/week months/year mgd days mgd **SECTION 5. PRODUCTION (40 CFR 122.21(g)(5))** Do any effluent limitation guidelines (ELGs) promulgated by EPA under Section 304 of the CWA apply to your facility? 5.1 No → SKIP to Section 6. \square Provide the following information on applicable ELGs. 5.2 Applicable ELGs **ELG Subcategory** Regulatory Citation ELG Category 2000 Are any of the applicable ELGs expressed in terms of production (or other measure of operation)? 5.3 No → SKIP to Section 6. Production-Based Limitations ☐ Yes Provide an actual measure of daily production expressed in terms and units of applicable ELGs. 5.4 Unit of Outfall : Operation, Product, or Material Quantity per Day Measure Number

EPA	Identificati	on Number	NPDES Permit Number		Facility Name			Approved 03/05/19 MB No. 2040-0004				
			AL0081850	DeKalb	Jackson Wat	er Supply -						
SECTIO	N 6. IMP		(40 CFR 122.21(g)(6))									
	6.1	upgrading, o	sently required by any federal, st or operating wastewater treatmen scharges described in this applica-	nt equipment or	practices or	et an implemany other en	vironmental prograr	r constructing, ns that could				
	6.2	Briefly identi	fy each applicable project in the	table below.		- Calmirena						
ınts	0.2			Affected			Final Comp	liance Dates				
proveme		Brief Ident	ification and Description of Project	Outfalls (list outfall number)		urce(s) of scharge	Required	Projected				
Upgrades and Improvements				and the second		-						
	6.3		tached sheets describing any ad ect your discharges) that you no				item)	ental projects				
SECTIO	N 7 EEE	LIENT AND	INTAKE CHARACTERISTICS (4	10 CEP 122 21/	a\/7\\							
	comple	ete. Not all app A. Convention	o determine the pollutants and p licants need to complete each ta nat and Non-Conventional Poll- uesting a waiver from your NPDE ?	ble. utants			· · · · · · · · · · · · · · · · · · ·					
		☐ Yes ☑ No → SKIP to Item 7.3.										
	7.2	If yes, indica	ate the applicable outfalls below.	Attach waiver n	equest and o	ther require	d information to the	application.				
		Out	fall Number		Outfall Number							
Characteristics	7.3	Have you completed monitoring for all Table A pollutants at each of your outfalls for which a waiver has not requested and attached the results to this application package? No; a waiver has been requested from n										
hara	Table	permitting authority for all pollutants at all outrails.										
Effluent and Intake C	7.4	B. Toxic Metals, Cyamide, Total Phenols, and Organic Toxic Pollutants □ Do any of the facility's processes that contribute wastewater fall into one or more of the primary industry categories listed in Exhibit 2C-3? (See end of instructions for exhibit.) □ Yes □ No → SKIP to Item 7.8.										
nt a	7.5		necked "Testing Required" for all	tovic metale m				o B2				
Efflue	7.5	Yes	resulty required for all	toxic metals, c	□ No	otal phenois		CDI				
	7.6	List the app	licable primary industry categoric	es and check the	e boxes indic	ating the re	quired GC/MS fraction	তা(ঙ) identified				
			Primary Industry Category		New I		GC/MS Fraction(s applicable boxes.)					
					☐ Volatile	☐ Acid	☐ Base/Neutral	☐ Pesticide				
					☐ Volatile	☐ Acid	☐ Base/Neutral	☐ Pesticide				
			4		☐ Volatile	☐ Acid	☐ Base/Neutral	☐ Pesticide				

EPA Idea	ntificatio	n Number	NPDES Permit Number AL0081850		cility Name son Water Supply -	Form Approved 03/05 OMB No. 2040-00
	7.7		necked "Testing Required" for all requitions checked in Item 7.6?	red pollutants i	n Sections 2 through 5	of Table B for each of the
1	7.8	Have you ch	necked "Believed Present" or "Believed g is not required?	d Absent" for al		ctions 1 through 5 of Table B
		✓ Yes			No	
	7.9	required or	ovided (1) quantitative data for those (2) quantitative data or other required a "Believed Present" in your discharge	information for		
7	7.10	Does the ap	plicant qualify for a small business ex	emption under	the criteria specified in	the instructions?
			Note that you qualify at the top of Ta then SKIP to Item 7.12.		No	
Danielle and literaccensus of the continued of the contin	7.11	determined	ovided (1) quantitative data for those testing is required or (2) quantitative dou have indicated are "Believed Prese	ata or an expla	nation for those Section	
T	able C	. Certain Co	nventional and Non-Conventional P	ollutants		
7	7.12		dicated whether pollutants are "Believ		"Believed Absent" for a	ill pollutants listed on Table C
		✓ Yes			No	
7	7.13	indirectly in "Believed Pr	impleted Table C by providing (1) qua an ELG and/or (2) quantitative data or esent"?			
		✓ Yes			No	
Ta	able D		cardous Substances and Asbestos			
7	7.14	all outfalls?	dicated whether pollutants are "Believ	ed Present" or	"Believed Absent" for a	all pollutants listed in Table D
		✓ Yes			No	
7	7.15	and (2) by p	empleted Table D by (1) describing the roviding quantitative data, if available?			expected to be discharged
		✓ Yes			No	
			achlorodibenzo-p-Dioxin (2,3,7,8-TC			
1.7	7.16	know or hav	ility use or manufacture one or more o e reason to believe that TCDD is or m	of the 2,3,7,8-T ay be present i	CDD congeners listed in the effluent?	In the instructions, or do you
		☐ Yes →	Complete Table E.		No → SKIP to Secti	ion 8.
7	7.17	Have you co	mpleted Table E by reporting qualitati	ive data for TC	DD? No	
TION 8	USE	OR MANUE	ACTURED TOXICS (40 CFR 122 21	(a)(a))	STATE OF THE PARTY	
	8.1	Is any pollut	ant listed in Table B a substance or a ate or final product or byproduct?		a substance used or m	anufactured at your facility as
		☐ Yes			No → SKIP to Sec	tion 9.
2	8.2	List the police	tants below.			
Toxics		1.	4.		7.	
		2.	5.		8.	
		3.	. 6.		9.	

RECEIVED

EPA	Identificatio	n Number	NPD	ES Permit Number	1.	Facility Name	ė	Form Approved 03/05/19						
				AL0081850	DeKa	lb Jackson Wat	er Supply -	OMB No. 2040-0004						
SECTION	V 9. BIOL	OGICAL TOX	ICITY TESTS	S (40 CFR 122.21(g)(1	1))									
	9.1					hiological test	for acute or o	hronic toxicity has been made						
The second second	V.,							relation to your discharge?						
		☐ Yes		, , , , , , , , , , , , , , , , , , ,	9		→ SKIP to Se							
Sts				<u> </u>		<u> </u>	J SINIF LO SE	ection, to.						
Biological Toxicity Tests	9.2	Identify the te	ests and their	purposes below.			4. <u>0</u>	Same to the terms of the terms						
:		Tes	t(s)	Purpose of Test	(s)	Submitted		- Date Submitted						
Š					16.2 46.0	Permitting /	Authority							
<u></u>						☐ Yes	☐ No							
ig	,.													
<u> </u>						☐ Yes	☐ No							
"						100								
			**			☐ Yes	□ No							
						☐ Yes	∐ No							
SECTION	10. CO	NTRACT ANA	LYSES (40 C	CFR 122.21(g)(12))										
A PERM	10.1	Were any of	the analyses	reported in Section 7	erformed	by a contract	laboratory or	consulting firm?						
		Yes				☑ No •	SKIP to Se	ection 11.						
	40.0			-ttt										
	10.2	Provide infor	Provide information for each contract laboratory or consulting firm below. Laboratory Number 1 Laboratory Number 2 Laboratory Number 3											
		Nome of labor	noton /firm	Laboratory Numb	er"	Laborato	ry Number 2	Laboratory Number 3						
		Name of labo	oratory/fillin											
1100		1			l			·						
SS .				~ ;										
S∑i		Laboratory a	ddress		. [
A					İ									
act					.			İ						
Contract Analyses		Phone numb												
ತ		Phone numb	er		1									
		Pollutant(s) a	analyzed											
				*•										
		. :												
		,	, }	•										
	ero to c					· · · · · · · · · · · · · · · · · · ·								
SECTIO	MANAGER C. M. C. T.	N 3 5		(40 CFR 122.21(g)(13		N y		15 144						
general participation of the second of the s	11.1	Has the NPD	ES permittin	g authority requested a	additional	information?		•						
الع		Yes	•			☑ No	SKIP to S	ection 12:						
atio	11.2		motion roque	atad and attach it to thi	in: applica									
ΝĔ	11.2	List the infor	mation reque	sted and attach it to thi	is applica	uon.								
E		1.				4.								
Ial														
Additional Information	,	2.,				5.		•						
Add	,						3.77							
		3.				6.								
		J.				U.								

AL0081850 DeKalb Jackson Water Supply -
ALOUGICO DERAID MERSON WATER Supply
TION STATEMENT (40 CFR 122,22(a) and (d))
Ī

Form Approved 03/05/19 OMB No. 2040-0004

SECTION	1 12. CH	ECKL	IST AND CERTIFICATION STATEM	ENT (40 CFR 122,22(a) and (d))					
	12.1	In C For	olumn 1 below, mark the sections of F each section, specify in Column 2 any not all applicants are required to com	Form 2 y attac	C that you have completed a hments that you are enclosing	g to alert the p				
			Column 1			olumn 2				
		Section 1: Outfall Location			w/ altachments					
		7	Section 2: Line Drawing	Ø	w/ line drawing		w/ additional attachments			
		V	Section 3: Average Flows and Treatment		w/ attachments		w/ list of each user of privately owned treatment works			
		Section 4: Intermittent Flows			w/ attachments					
		Section 5: Production			w/ attachments					
		Section 6: Improvements			w/ attachments		w/ optional additional sheets describing any additional pollution control plans			
*					w/ request for a waiver and supporting information		w/ explanation for identical outfalls			
tетег			0.4. 7.6%		w/ small business exemption request	n 🔲	w/ other attachments			
n Sta		V	Section 7: Effluent and Intake Characteristics	\square	w/ Table A	✓.	w/ Table B			
ficatio				\square	w/ Table C	\checkmark	w/ Table D			
Certi			·	V	w/ Table E		w/ analytical results as an attachment			
st and		Section 8: Used or Manufactured Toxics Section 9: Biological Toxicity Tests Section 10: Contract Analyses			☐ w/ attachments					
Checklist and Certification Statement					w/ attachments					
0					w/ attachments					
	!		Section 11: Additional Information		w/ attachments					
		Ø	Section 12: Checklist and Certification Statement		w/ attachments					
	12.2	Cer	tification Statement							
		acc sub resp acc	rtify under penalty of law that this doc ordance with a system designed to as mitted. Based on my inquiry of the pe consible for gathering the information, urate, and complete. I am aware that sibility of fine and imprisonment for kr	ssure to rson o the in there a	hat qualified personnel proper or persons who manage the sy formation submitted is, to the are significant penalties for su	ly gather and stem, or thos best of my kn	evaluate the information e persons directly owledge and belief, true,			
		Nar	ne (print or type first and last name)			Official title				
		Don	na Bolton	•		Interim Man	aager			
	1	Sign	gature		LAVA	Date signed				
			y massello			1151	2//22			
			Jagar VIII							

RECEIVED

This page intentionally left blank.

	EPA Identification Number		S Permit Number - 0081850	DeKail	Facility Name Dackson Water St	upply -	Outfall Number 001		OMB Intake (Optional) er of Long-Term	Approved 03/05/19 MB No. 2040-0004
TAI	BLE A. CONVENTIONAL AND N		TIONAL POLLUTA	NTS (40 C	FR 122.21(g)(7)(ii		fluent			
	Pollutant	Waiver Requested (if applicable)	Units (specify)		Maximum Dally Discharge (required)	Maximum Monthly Discharge (if available)	Long-Term Average Dally Discharge (if available)	Number of Analyses		Number of Analyses
V	Check here if you have applied	d to your NPDI	ES permitting author	ity for a wa	iver for all of the p	ollutants listed on	this table for the no	ted outfall.		
1.	Biochemical oxygen demand		Concentration							
1.	(BOD ₅)	W.	Mass							
2.	Chemical oxygen demand	Ø	Concentration							`
2.	(COD)	N.	Mass							
3.	Total organic carbon (TOC)	Ø	Concentration							
٥,	Total organic carbon (100)	A	Mass							
4.	Total suspended solids (TSS)		Concentration	mg/l	6.0		4.03	12		
4.	Total suspended solids (155)		Mass							
5.	Ammonia (as N)	Ø	Concentration							
J,	Politicatia (as N)	N.	Mass							
6.	Flow		Rate	mgd	0.153					
7.	Temperature (winter)		°C	°C						
<i>'</i> .	Temperature (summer)		°C	°C						
8.	pH (minimum)		Standard units	s.u.	6.0					
0.	pH (maximum)		Standard units	s.u.	9.0					

¹ Sampling shall be conducted according to sufficiently sensitive test procedures (i.e., methods) approved under 40 CFR 136 for the analysis of pollutants or pollutant parameters or required under 40 CFR chapter I, subchapter N or O. See instructions and 40 CFR 122.21(e)(3).



	EPA Identification Number	.,	ermit Number 81850	Del	Facility Name Kalb Jackson Water Supply -	0	utfall Number 001				wed 03/05/19 o. 2040-0004
TABL	E B. TOXIC METALS, CYANIDE	Preser		ND ORGANIC TOXIC POLLUTANTS (40 CF) the or Absence heck one)		R 122.21(g)(7)	Intake (optional)				
	Pollutant/Parameter (and CAS Number, if available)	Testing Required	Believed Present	Believed Absent	Units (specify)	Maximum Daily Discharge (required)	Maximum Monthly Discharge (if available)	Long-Term Average Daily Discharge (if available)	Number of Analyses	Long- Term Average Value	Number of Analyses
	Check here if you qualify as a s 2 through 5 of this table. Note,										
Secti	on 1. Toxic Metals, Cyanide, an	d Total Pheno	ols								
1.1	Antimony, total	D		V	Concentration						
	(7440-36-0)				Mass						
1.2	Arsenic, total			V	Concentration						
	(7440-38-2)				Mass						
1,3	Beryllium, total			V	Concentration						
	(7440-41-7)				Mass	-					
1.4	Cadmium, total (7440-43-9)			V	Concentration					-	
					Mass	-			-		
1.5	Chromium, total (7440-47-3)			V	Concentration Mass						
					Concentration	-					
1.6	(7440-50-8)			$\overline{\mathbf{V}}$	Mass						
	Lead, total				Concentration	-			1		
1.7	(7439-92-1)				Mass						
	Mercury, total	-			Concentration						
1.8	(7439-97-6)			V	Mass						
	Nickel, total			-	Concentration	al Residence of	1 0 0 VI	AND THE STREET			
1.9	(7440-02-0)			V	Mass						
1.40	Selenium, total			V	Concentration			1000			
1.10	(7782-49-2)			N.	Mass						
1.11	Silver, total			V	Concentration						
1411	(7440-22-4)			I V	Mass						

	EPA Identification Number		ermit Number		Facility Name	•	0	utfail Number			Form Approx	
			81850		alb Jackson Water			001			OMB NO	2040-0004
TABL	E B. TOXIC METALS, CYANIDE	TOTAL PHE	NOLS, AND	ORGANIC T	OXIC POLLUTAN	TS (40 CF	R 122.21(g)(7)	(V)) ¹			-	
	Barang F Barang San di V	t t		or Absence ck one)			, ,	Efflo	iënt	, AH &		ake ional)
	Pollutant/Parameter (and CAS Number, if available)	Testing Required	Believed Present	Belleved Absent	Units (specify)	4 × 5	Maximum Dally Discharge (required)	Maximum Monthly Discharge (if available)	Long-Term Average Daily Discharge (if available)	Number of Analyses	Long- Term Average Value	Number of Analyses
1.12	Thallium, total (7440-28-0)			Ø	Concentration Mass							
1.13	Zinc, total (7440-66-6)			. 🗹	Concentration Mass							
1.14	Cyanide, total (57-12-5)			Ø	Concentration Mass							
1.15	Phenols, total			Ø	Concentration Mass							
Section	on 2. Organic Toxic Pollutants (GC/MS Fract	ion—Volatil	e Compound	is)						-	
2.1	Acrolein (107-02-8)			Ø	Concentration Mass		·.					
2.2	Acrylonitrile (107-13-1)			Ø	Concentration Mass							
2.3	Benzene (71-43-2)			Ø	Concentration Mass							
2.4	Bromoform (75-25-2)	-		Ø	Concentration Mass							
2.5	Carbon tetrachloride (56-23-5)			Ø	Concentration Mass							
2.6	Chlorobenzene (108-90-7)			D	Concentration Mass							
2.7	Chlorodibromomethane (124-48-1)		Π.	Ø	Concentration Mass							
2.8	Chloroethane (75-00-3)		□.	Ø	Concentration Mass							

	EPA Identification Number		ermit Number 81850	De	Facility Name Kalb Jackson Water Supply -	0	oo1				ved 03/05/19 o. 2040-0004
TABL	E B. TOXIC METALS, CYÁNIDE	, TOTAL PHE	Presence	ORGANIC or Absence ck one)		R 122.21(g)(7)		uent			take tional)
	Pollutant/Parameter (and CAS Number, if available)	Testing Required	Belleved Present	Believed Absent	Units (specify)	Maximum Daily Discharge (required)	Maximum Monthly Discharge (if available)	Long-Term Average Daily Discharge (f available)	Number of Analyses	Long- Term Average Value	Number of Analyses
2.9	2-chloroethylvinyl ether (110-75-8)			Ø	Concentration						
2.10	(110-75-8) Chloroform (67-66-3)			Ø	Mass Concentration Mass						
2.11	Dichlorobromomethane (75-27-4)			Ø	Concentration Mass						
2.12	1,1-dichloroethane (75-34-3)			Ø	Concentration Mass						
2.13	1,2-dichloroethane (107-06-2)			Ø	Concentration Mass						
2.14	1,1-dichloroethylene (75-35-4)			Ø	Concentration Mass						
2.15	1,2-dichloropropane (78-87-5)			Ø	Concentration Mass			,			
2.16	1,3-dichioropropylene (542-75-6)				Concentration Mass		-				
2.17	Ethylbenzene (100-41-4)			Ø	Concentration Mass						
2.18	Methyl bromide (74-83-9)			V	Concentration Mass						
2.19	Methyl chloride (74-87-3)			Ø	Concentration Wess						
2.20	Methylene chloride (75-09-2)	а	а	Ø	Concentration Mass						
2.21	1,1,2,2- tetrachloroethane (79-34-5)			Ø	Concentration						

	EPA Identification Number			. 1	Facility Name alb Jackson Water Supply -		utfall Number 001			o. 2040-0004
TABL	E B. TOXIC METALS, CYANIDE,	TOTAL PHE	Presence (chec	ORGANIC I or Absence k one)	OXIC POLLUTANTS (40 CFF	R 122.21(g)(7)	(v)) ¹ Effluent	1 d g = 10		take tonal)
	Pollutant/Parameter (and CAS Number, if available)	Testing Required	Believed Present	Believed Absent	Units (specify)	Maximum Dally Discharge (required)	Monthly Discharge	Average Numb Daily of Discharge Analys	Vorage	Number of Analyses
2.22	Tetrachloroethylene (127-18-4)			V	Concentration Mass					
2.23	Toluene (108-88-3)			V	Concentration Mass	·				
2.24	1,2-trans-dichloroethylene (156-60-5)			V	Concentration Mass					
2.25	1,1,1-trichloroethane (71-55-6)		. 🗆	V	Concentration Mass					
2:26	1,1,2-trichloroethane (79-00-5)			V	Concentration Mass					
2.27	Trichloroethylene (79-01-6)			Ø	Concentration Mass					
2.28	Vinyl chloride (75-01-4)			V	Concentration Mass					
Section	on 3. Organic Toxic Pollutants (3C/MS Fract	ion—Acid C	ompounds)	h					
3.1	2-chlorophenol (95-57-8)			Ø	Concentration Mass					
3.2	2,4-dichlorophenol (120-83-2)			⋈	Concentration Mass					
3.3	2,4-dimethylphenol (105-67-9)			Ø	Concentration Mass					
3.4	4,6-dinitro-o-cresol (534-52-1)			Ø	Concentration Mass			,		
3.5	2,4-dinitrophenol (51-28-5)			Ø	Concentration Mass					

	EPA Identification Number		ermit Number 81850	Dek	Facility Name Kalb Jackson Water Supply -	C	Outfall Number OO1			Form Approv	wed 03/05/19 a. 2040-0004
TABL	E B. TOXIC METALS, CYANIDE	, TOTAL PHE	Presence	ORGANIC I or Absence ck one)	OXIC POLLUTANTS (40 CF	R 122,21(g)(7)		uent			take tional)
	Pollutant/Parameter (and CAS Number, if available)	Testing Required	Believed Present	Believed Absent	Units (specify)	Maximum Daily Discharge (required)	Maximum Monthly Discharge (if available)	Long-Term Average Daily Discharge (If available)	Number of Analyses	Long- Term Average Value	Number of Analyses
3,6	2-nitrophenol			Ø	Concentration						
	(88-75-5) 4-nitrophenol	-			Mass Concentration						
3.7	(100-02-7)			✓	Mass						
3.8	p-chloro-m-cresol (59-50-7)			Ø	Concentration Mass						
3.9	Pentachlorophenol (87-86-5)			Ø	Concentration Mass						
3.10	Phenol (108-95-2)	ο.		. 🗸	Concentration Mass						
3.11	2,4,6-trichlorophenol (88-05-2)			Ø	Concentration Mass						
Secti	on 4. Organic Toxic Pollutants	(GC/MS Fract	ion-Base /	Neutral Com	pounds)					I	
4.1	Acenaphthene (83-32-9)			. 🔼	Concentration Mass						
4.2	Acenaphthylene (208-96-8)			Ø	Concentration Mass						
4.3	Anthracene (120-12-7)			☑.	Concentration . Mass						
4.4	Benzidine (92-87-5)			V	Concentration Mass						
4.5	Benzo (a) anthracene (56-55-3)			Ø	Concentration Mass						
4.6	Benzo (a) pyrene (50-32-8)			V	Concentration Mass		4				

	EPA Identification Number		ermit Number 81850	Dei	Facility Name (alb Jackson Water Supply -	C	utfall Number 001				ved 03/05/19 o. 2040-0004
TABL	E B. TOXIC METALS, CYANIDE	TOTAL PHE	Presence.	ORGANIC or Absence k one)	TOXIC POLLUTANTS (40 CF	R 122.21(g)(7)	(v)) ^L Effi	uent			take tional)
	Pollutant/Parameter (and CAS Number, if available)	Testing Required	Believed Present	Belleved Absent	Units (specify)	Maximum Daily Discharge (required)	Maximum Monthly Discharge (If available)	Long-Term Average Daily Discharge (if available)	Number of Analyses	Long- Term Average Value	Number of Analyses
4.7	3,4-benzofluoranthene			V	Concentration						
4.1	(205-99-2)			L.	Mass						
4.8	Benzo (ghi) perylene			V	Concentration						
1.0	(191-24-2)				Mass						
4.9	Benzo (k) fluoranthene			V	Concentration						
	(207-08-9)				Mass						
4.10	Bls (2-chloroethoxy) methane (111-91-1)			Ø	Concentration Mass						
	Bis (2-chloroethyl) ether				Concentration						
4.11	(111-44-4)				Mass						
4.12	Bis (2-chloroisopropyl) ether			V	Concentration						
4.12	(102-80-1)		Ц	A	Mass						
4.13	Bis (2-ethylhexyl) phthalate				Concentration						
7.13	(117-81-7)		-		Mass						
4.14	4-bromophenyl phenyl ether	П		V	Concentration						
****	(101-55-3)				Mass						
4.15	Butyl benzyl phthalate				Concentration						
	(85-68-7)				Mass						
4.16	2-chioronaphthalene (91-58-7)			V	Concentration						
					Mass				-		
4.17	4-chiorophenyl phenyl ether (7005-72-3)			V	Concentration Mass						
-	,	1			Concentration						
4.18	Chrysene (218-01-9)			V	Mass						
4.40	Dibenzo (a,h) anthracene				Concentration						
4.19	(53-70-3)			✓	Mass						A STORY

	EPA Identification Number		ermit Number 81850	Dek	Facility Name	0	utfall Number 001		Form Approv OMB No	red 03/05/19 a. 2040-0004
TABL	E B. TOXIC METALS, CYANIDE,	TOTAL PHE	Presence	or Absence k one)	The Committee of the Co		1	8 8 8 8 14 15 15 15 15 15 15 15 15 15 15 15 15 15	int:	
3	Pollutant/Parameter (and CAS Number, if available)	Testing Required	Believed Present	Believed Absent	Units- (specify)	Maximum Daily Discharge (required)	Maximum And And And And And And And And And And	ng-Term verage Number Daily of scharge Analyses	Long- Term Average Value	Number of Analyses
4.20	1,2-dichlorobenzene (95-50-1)			Ø	Concentration Mass					
4.21	1,3-dichlorobenzene (541-73-1)	. 🗆		☑.	Concentration Mass					
4.22	1,4-dichlorobenzene (106-46-7)				Concentration Mass					
4.23	3,3-dichlorobenzidine (91-94-1)			Ø	Concentration Mass					
4.24	Diethyl phthalate (84-66-2)			Ø	Concentration Mass					
4.25	Dimethyl phthalate (131-11-3)			Ø	Concentration Mass					
4.26	Di-n-butyl phthalate (84-74-2)			Ø	Concentration Mass					
4.27	2,4-dinitrotoluene (121-14-2)			Ø	Concentration Mass					
4.28	2,6-dinitrotoluene (606-20-2)			Ø	Concentration Mass					
4.29	Di-n-octyl phthalate (117-84-0)			Ø	Concentration Mass				,	
4.30	1,2-Diphenylhydrazine (as azobenzene) (122-66-7)			Ø	Concentration Mass					
4.31	Fluoranthene (206-44-0)			Ø	Concentration Mass					
4.32	Fluorene (86-73-7)			Ø	Concentration Mass					


	EPA Identification Number	NPDES Permit Number AL0081850		Dak	Facility Name	Supply -	0	utfall Number 001				ved 03/05/19 o. 2040-0004
	E B. TOWO DETAILS OVANIDE						2 440 047: (125)			* * * * * * * * * * * * * * * * * * * *		
IABL	E B. TOXIC METALS, CYANIDE,	101 AL, PHE	Presence	or Absence	OXIC POLLUTANI	S (40 CF	₹ 122.21(<u>9)(</u> 1)	Effiú	ent			take tional)
	Pollutant/Parameter (and CAS Number, if available)	Testing Required	Believed Present	Belleved Absent	Units (specify)	H M ×	Maximum Dally Discharge (required)	Maximum Monthly Discharge (if available)	Long-Term Average Dally Discharge (if available)	Number of Analyses	Long- Term Average Value	Number of Analyses
4.33	Hexachlorobenzene (118-74-1)			Ø	Concentration Mass							
4.34	Hexachlorobutadiene (87-68-3)			Ø	Concentration Mass							
4.35	Hexachlorocyclopentadiene (77-47-4)			Ø	Concentration Mass							
4.36	Hexachloroethane (67-72-1)			Ø	Concentration Mass							
4.37	Indeno (1,2,3-cd) pyrene (193-39-5)			Ø	Concentration Mass							
4.38	Isophorone (78-59-1)		·	Ø	Concentration Mass							
4.39	Naphthalene (91-20-3)			Ø	Concentration Mass							
4.40	Nitrobenzene (98-95-3)			Ø.	Concentration Mass							
4.41	N-nitrosodimethylamine (62-75-9)		- 🗆	Ø	Concentration Mass							
4.42	N-nitrosodi-n-propylamine (621-64-7)			Ø	Concentration Mass							
4.43	N-nitrosodiphenylamine (86-30-6)			Ø	Concentration Mass							
4.44	Phenanthrene (85-01-8)			Ø	Concentration Mass							
4.45	Pyrene (129-00-0)			Ø	Concentration Mass							

	EPA Identification Number	ALOO	Permit Number 81850		Facility Name Kalb Jackson Water Suppl			utfall Number 001			Form Appro OMB N	ved 03/05/19 b. 2040-0004
TABL	E.B. TOXIC METALS, CYANIDE	, TOTAL PHE	Presence	ORGANIC T or Absence ck one)	OXIC POLLUTANTS (40	CF	R 122.21(g)(7)	E#file	ient .	* H		ake ional)
	Pollutant/Parameter (and CAS Number, if available)	Testing Required	Believed Present	Believed Absent	Units (specify)	R ·	Maximum Daily Discharge (required)	Maximum Monthly Discharge (if available)	Long-Ter Average Daily Discharg	Number of Analyses	Long- Term Average Value	Number of Analyses
4.46	1,2,4-trichlorobenzene (120-82-1)			7	Concentration Mass							
Section	on 5. Organic Toxic Pollutants	GC/MS Fract	ion—Pestic	ides).	Concentration		······································	**			1:	-
5.1	Aldrin (309-00-2)			Ø	Mass						1	
5,2	α-BHC (319-84-6)			Ø	Concentration Mass							
5.3	β-BHC (319-85-7)			Ø	Concentration Mass							
5.4	y-BHC (58-89-9)			Ø	Concentration Mass							
5.5	δ-BHC (319-86-8)			Ø	Concentration Mass							
5.6	Chlordane (57-74-9)			✓	Concentration Mass							
5.7	4,4'-DDT (50-29-3)			✓	Concentration Mass							
5.8	4,4'-DDE (72-55-9)			Ø	Concentration Mass							
5.9	4,4'-DDD (72-54-8)	- 🗆		. 🗹	Concentration Mass						-	
5.10	Dieldrin (60-57-1)			Ø	Concentration Mass							
5.11	α-endosulfan (115-29-7)			Ø	Concentration Mass				_			

	EPA Identification Number	NPDES Permit Number AL0081850		De	Facility Name Kalb Jackson Water Supply -	C	OO1				ved 03/05/19 o. 2040-0004
TABL	E B. TOXIC METALS, CYANIDE	TOTAL PHE	Presence	ORGANIC or Absence kone)		R 122.21(g)(7)	(v)) ¹ Effl	uent			take tional)
	Pollutant/Parameter (and CAS Number, if available)	Testing Required	Believed Present	Believed Absent	Units (specify)	Maximum Daily Discharge (required)	Maximum Monthly Discharge (If available)	Long-Tenn Average Daily Discharge (if available)	Number of Analyses	Long- Term Average Value	Number of Analyses
5.12	β-endosulfan	П		V	Concentration						
4112	(115-29-7)	_	_		Mass						
5.13	Endosulfan sulfate			Ø	Concentration						
0.10	(1031-07-8)				Mass						
5.14	Endrin			V	Concentration						_
0.17	(72-20-8)				Mass						
5.15	Endrin aldehyde				Concentration						
0.10	(7421-93-4)			ابنا	Mass						
5.16	Heptachlor			Ø	Concentration						
0.10	(76-44-8)				Mass						
5.17	Heptachlor epoxide (1024-57-3)			V	Concentration						
0.11			L-,1	Ľ	Mass						
5.18	PCB-1242 (53469-21-9)	П		Ø	Concentration						
0.10	, ,		LI		Mass						
5.19	PCB-1254 (11097-69-1)			Ø	Concentration .						
00			L 1		Mass						
5.20	PCB-1221 (11104-28-2)			Ø	Concentration						
Ų.Lu				البضا	Mass						
5.21	PCB-1232 (11141-16-5)			Ø	Concentration						
0.21					Mass						
5.22	PCB-1248 (12672-29-6)				Concentration						
-				2 2 3 3	Mass						
5.23	PCB-1260 (11096-82-5)			V	Concentration	100					
		1 -			Mass	1					
5.24	PCB-1016 (12674-11-2)				Concentration						
	(12014-11-2)		_	_	Mass						

	EPA Identification Number	.,	ermit Number 81850	Dok	Facility Name alb Jackson Water	Cummlu	Ó	utfall Number 001			Form Approv	ved 03/05/19 o. 2040-0004
TABL	E B. TOXIC METALS, CYANIDE		NOLS, AND	ORGANIC T			 R 122.21(g)(7)(lie a	42 0 VB 2
				or Absence k one)				Effiu				ake ional)
	Pollutant/Parameter (and CAS Number, if available)	Testing Required	Believed Present	Belleved Absent	Units (specify)		Maximum Daily Discharge (required)	Maximum Monthly Discharge (If available)	Long-Term Average Dally Discharge (if available)	Number of	Long- Term Average Value	Number of Analyses
5.25	Toxaphene (8001-35-2)			Ø	Concentration Mass		-					

¹ Sampling shall be conducted according to sufficiently sensitive test procedures (i.e., methods) approved under 40 CFR 136 for the analysis of pollutants or pollutant parameters or required under 40 CFR chapter I, subchapter N or O. See instructions and 40 CFR 122.21(e)(3).




	EPA Identification Numb	per	NPDES Perr	nit Number		Facility Name	0	utfall Number			proved 03/05/19
			AL0081	850	DeKalb Jac	kson, Water Supply	.			OMI	B No. 2040-0004
TAE	LE C. CERTAIN CO	NVENTIONAL	AND NON CO	NVENTIONAL PC	LLUTANTS	(40 CFR 122.21(g)	(7)(vi))¹	The second secon			
		Presence o			9 * # # # # # # # # # # # # # # # # # #		Efflüe	ent .		intal (Option	
	Pollutant	Believed Present	Believed Absent	Units (specify		Maximum Dally Discharge (required)	Maximum Monthly Discharge (if available)	Long-Term Average Daily Discharge (if available)	Number of Analyses	Long-Term Average Value	Number of Analyses
	Check here if you be each pollutant.	elieve all pollut	ants on Table (to be <i>present</i> in	your discha	rge from the noted o	utfall. You need n	ot complete the "Pr	resence or Abse	ence" column of Ta	able C for
	Check here if you be each pollutant.	elieve all pollut	ants on Table (C to be <i>absent</i> in y	our discharg	ge from the noted or	utfall. You need no	of complete the "Pre	esence or Abser	nce" column of Ta	ble C for
1.	Bromide		Ø	Concentration							
L.	(24959-67-9)		· _	Mass							
2.	Chlorine, total residual	. 🗹		Concentration Mass	mg/l	0,3		0.096	12		
├	Toblada		 	Concentration	 			-			
3.	Color			Mass	-						
				Concentration							
4.	Fecal coliform			Mass							
5.	Fluoride		Ø	Concentration							
3.	(16984-48-8)	Ш		Mass			•				
6	Nitrate-nitrite		Ø	Concentration							
Ľ	THU die-siillite	. Ц		Mass				-			
7.	Nitrogen, total			Concentration						<u> </u>	
<u>''</u>	organic (as N)			Mass	1						
8.	Oil and grease		Ø	Concentration	ļ						
L	on and groups			Mass	<u> </u>						
9.	Phosphorus (as	✓		Concentration	mg/I	0.92 .		0.12	12		
_	P), total (7723-14-0)			Mass	-						
10.	Sulfate (as SO ₄) (14808-79-8)			Concentration Mass							
	(1.00070-0)			Concentration							-
11.	Sulfide (as S)			Mass	1						

	EPA Identification Num	ber	NPDES Per ALOOS:		DeKalb Ja	Facility Name		Outfall Number		Form A	Approved 03/05/19 AB No. 2040-0004
TAB	LE C. CERTAIN CO	Presence o	or Absence	ONVENTIONAL PO	DLLUTANT	S (40 CFR 122,21(g)		uent		Inta	
		(check	(one)	-			Emi	uent		(Optic	inal)
	Pollutant	Belleved Present	Believed Absent	Units (specify		Maximum Dally Discharge (required)	Maximum Monthly Discharge (if available)	Long-Term Average Daily Discharge (# available)	Number of Analyses	Long-Term Average Value	Number of Analyses
40	Sulfite (as SO ₃)		☑.	Concentration			1				
12.	(14265-45-3)			Mass							
13.	Oudestants	П	Ø	Concentration							
13.	Surfactants		A	Mass							
14.	Aluminum, total			Concentration	mg/l	3.08		1.4	12	•	
179.	(7429-90-5)	V		Mass							
15.	Barium, total			Concentration							
10.	(7440-39-3)		-	Mass							
16.	Boron, total		Ø Ø	Concentration							
10.	(7440-42-8)			Mass							
17.	Cobalt, total	П	IZI	Concentration							
11.	(7440-48-4)			Mass							
18.	Iron, total			Concentration							
10.	(7439-89-6)	hand	hand	Mass							
19.	Magnesium, total		7	Concentration							
	(7439-95-4)		hand	Mass							
20.	Motybdenum, total	П	[Z]	Concentration	-						-
	(7439-98-7)			Mass				3			
21.	Manganese, total		Z	Concentration							
21.	(7439-96-5)			Mass							
22.	Tin, total		[V]	Concentration			***************************************				
22.	(7440-31-5)	hand		Mass					*		
23.	Titanium, total		Concentration			Maria Maria					
	(7440-32-6)		hand	Mass					1000	1,	1,

EPA Identification Number NPDES Perm AL0081		The state of the s			Outfall Number		Form Approved 03/05/19 OMB No. 2040-0004				
AB	LE C. CERTAIN COM	VENTIONAL	AND NON CO	NVENTIONAL PO	DLLUTAN	TS (40 CFR 122.21(g)	7)(vi)) ¹				
	Pollutant	Presence or Absence (check one)					Intake (Optional)				
		Belleved Present	Belleved Absent	Units (specify)		Maximum Daily Discharge (required)	Maximum Monthly Discharge (if available)	Long-Term Average Daily Discharge (if available)	Number of Analyses	Long-Term Average Value	Number of Analyses
24.	Radioactivity										
	Alpha, total			Concentration							
	Alpha, total		\\	Mass							
	Data tatal		V	Concentration							
	Beta, total		\\X	Mass							
	0-5			Concentration							
	Radium, total			Mass							
	D- 4: 000 t-t-1			Concentration							
	Radium 226, total			Mass							

¹ Sampling shall be conducted according to sufficiently sensitive test procedures (i.e., methods) approved under 40 CFR 136 for the analysis of pollutants or pollutant parameters or required under 40 CFR chapter I, subchapter N or O. See instructions and 40 CFR 122.21(e)(3).



		NPDES Permit Number , AL0081850		Facility Name ckson Water Supply -	Outfall Number · 001	Form Approved 03/05/19 OMB No. 2040-0004		
TAE	LE D. GERTAIN HAZARDOUS	SUBSTANC	Presence or	Absence		contraction to the second	Available Quantitative Data	
		₽¹ '	Believed Present	Believed Absent	Reason Pollut	ant Belleved Present in Discharge	(specify units)	
1.	Asbestos			Ø				
2.	Acetaldehyde			Ø				
3.	Allyl alcohol			Ø				
4.	Allyl chloride		, □ .	□		,		
5.	Amyl acetate			· 🗹				
6.	Aniline			Ø				
7.	Benzonitrile							
8.	Вепzyl chloride			Ø				
9.	Butyl acetate			V				
10.	Butylamine			Ø				
11.	Captan			7			·	
12.	Carbaryl			Ø				
13.	Carbofuran		. 🗆	Ø				
14.	Carbon disulfide							
15.	Chlorpyrifos			Ø	,			
16.	Coumaphos			☑				
17.	Cresol			Ø				
18.	Crotonaldehyde			Ø				
19.	Cyclohexane			Ø				

			NPDES Permit Number AL0081850 DeKalb J.		son Water Supply -	Outfall Number 001	Form Approved 03/05/19 OMB No. 2040-0004	
TAE	BLE D. CERTAIN HAZARDOUS SU	JBSTANCE	ES AND ASBEST Presence of (check	r Absence			Available Quantitative Data	
	Pollutant		Believed Present	Believed Absent	Reason Pollutant Believed Present in Discharge		(specify units)	
20.	2,4-D (2,4-dichlorophenoxyacetic	acid)		Ø				
21.	Diazinon			Ø				
22.	Dicamba		· 🗆	Ø				
23.	Dichlobenil			Ø				
24.	Dichlone			Ø				
25.	2,2-dichloropropionic acid			Ø				
26.	Dichlorvos			Ø				
27.	Diethyl amine			Ø				
28.	Dimethyl amine			Ø				
29.	Dintrobenzene			Ø	•			
30.	Diquat			Ø		•		
31.	Disulfoton ·			Ø		,,		
32.	Diuron			Ø				
33.	Epichlorohydrin			Ø				
34.	Ethlon			Ø				
35.	Ethylene diamine			Ø				
36.	Ethylene dibromide			V				
37.	Formaldehyde			Ø				
38.	Furfural	,		Ø				

EPA Identification Number		ı	ES Permit Number AL0081850	l l	Facility Name ockson Water Supply -	Oulfall Number 001	Form Approved 03/05/19 OMB No. 2040-0004	
ŤAE	BLE D. CERTAIN HAZARDOU	SUBSTAN			-21(g)(7)(vii))!			
	Pollutant		Presence or	Absence ne)		tant Believed Present in Discharge	Avallable Quantitative Data	
	S.A.		Believed Present	Believed Absent	Keason Rollu	tant, Belleved, Present in Discharge	(specify units)	
39.	Guthion			V				
40.	Isoprene			Ø				
41.	Isopropanolamine			7				
42.	Kelthane			V				
43.	Kepone			7			,	
44.	Malathion			V		•		
45.	Mercaptodimethur			Ø				
46.	Methoxychlor			I				
47.	Methyl mercaptan			Ø				
48.	Methyl methacrylate	, "		Ø				
49.	Methyl parathion			Ø				
50,	Mevinphos		Π,	Ø				
51.	Mexacarbate			Ø			,	
52.	Monoethyl amine			V			,	
53.	Monomethyl amine			Ø				
54.	Naled		<u> </u>	Ø				
55.	Naphthenic acid							
56.	Nitrotoluene			V				
57.	Parathion			V				

	EPA Identification Number	NPDES Permit Number AL0081850		cility Name son Water Supply -	Outfall Number 001	Form Approved 03/05/19 OMB No. 2040-0004	
TAE	BLE D. CERTAIN HAZARDOUS SUB-	STANCES AND ASSEST Presence of (sheck	Absence			Available Quantitative Data	
	Pollutant	Belleved Present	Believed Absent	Reason Pollutant Belleved Present In Discharge		(specify units)	
58.	Phenoisulfonate		Ø				
59.	Phosgene		Ø				
60.	Propargite		Ø				
61.	Propylene oxide		Ø				
62.	Pyrethrins		Ø				
63.	Quinoline		Ø				
64.	Resordinol	. 🗆	Ø				
65.	Strontium		Ø				
66.	Strychnine		Ø				
67.	Styrene		Ø				
68.	2,4,5-T (2,4,5-trichlorophenoxyacetic acid)	·	Ø		·		
69.	TDE (tetrachlorodiphenyl ethane)						
70.	2,4,5-TP [2-(2,4,5-trichlorophenoxy) propanoic acid]		Ø				
71.	Trichlorofon		Ø				
72	Triethanolamine		Ø				
73.	Triethylamine		Ø				
74.	Trimethylamine		Ø				
75.	Uranium		Ø				
76.	Vanadium		Ø				


	EPA Identification Number		ES Permit Number AL0081850	1	Facility Name ckson Water Supply -	Outfall Number 001	Form Approved 03/05/19 OMB No. 2040-000		
TAE	BLE D. CERTAIN HAZARDOU	SUBSTAN	ES AND ASBEST	OS (40 CFR 122	.21(g)(7)(vii)) ¹		de, as a manual - 14 habeter a minoral		
	Pollutant	dom.	Presence of Check Believed Present		Reason Pollut	ant Belleved Present in Discharge	Available Quantitative Data (specify units)		
77.	Vinyl acetate			Ø					
78.	Xylene			Ø		•			
79.	Xylenol			Ø					
80.	Zirconium			. 🗹					

¹ Sampling shall be conducted according to sufficiently sensitive test procedures (i.e., methods) approved under 40 CFR 136 for the analysis of pollutants or pollutant parameters or required under 40 CFR chapter I, subchapter N or O. See instructions and 40 CFR 122.21(e)(3).



EPA Identification Number		NPDES Permit Number AL0081850		DeKa	Facility Name DeKalb Jackson Water Supply -			Outfall Number	Form Approved 03/05/19 OMB No. 2040-0004		
TAI	BLE E. 2,3,7,8 TETRACHLOROL	IBENZO P DIOX	IN (2,3,7,8 T	CDD) (40 CF	Ř 122,21	(g)(7)(viii))					
10 E	Pollutant	TCDD Congeners Used or Manufactured	Prese Absi (check Believed Present	ence	e graph	- E- 10		Results of Screening Proc	cedure. *		
	2,3,7,8-TCDD			7							

DeKalb Jackson Water Supply District Water Treatment Facility Vicinity Map





RECEIVED

OCT 2 1 2022

MUNICIPAL SECTION

