

MAJOR SOURCE OPERATING PERMIT

PERMITTEE:COLORMASTERS, INC.

FACILITY NAME:COLORMASTERS (MEDLOCK ROAD FACILITY)

FACILITY/PERMIT NO.:711-0066

LOCATION:ALBERTVILLE, ALABAMA

In accordance with and subject to the provisions of the Alabama Air Pollution Control Act of 1971, Ala. Code §§ 22-28-1 to 22-28-23, as amended, the Alabama Environmental Management Act, Ala. Code §§ 22-22A-1 to 22-22A-17, as amended, and rules and regulations adopted there under, and subject further to the conditions set forth in this permit, the Permittee is hereby authorized to construct, install and use the equipment, device or other article described above.

*Pursuant to the **Clean Air Act of 1990**, all conditions of this permit are federally enforceable by EPA, the Alabama Department of Environmental Management, and citizens in general. Those provisions which are not required under the **Clean Air Act of 1990** are considered to be state permit provisions and are not federally enforceable by EPA and citizens in general. Those provisions are contained in separate sections of this permit.*

Issuance Date: July 8, 2023

Effective Date: July 8, 2023

Expiration Date: July 7, 2028

TABLE OF CONTENTS

GENERAL PERMIT PROVISOS	1
1. <i>Transfer</i>	1
2. <i>Renewals</i>	1
3. <i>Severability Clause</i>	1
4. <i>Compliance</i>	1
5. <i>Termination for Cause</i>	2
6. <i>Property Rights</i>	2
7. <i>Submission of Information</i>	2
8. <i>Economic Incentives, Marketable Permits, and Emissions Trading</i>	2
9. <i>Certification of Truth, Accuracy, and Completeness</i>	2
10. <i>Inspection and Entry</i>	2
11. <i>Compliance Provisions</i>	3
12. <i>Compliance Certification</i>	3
13. <i>Reopening for Cause</i>	4
14. <i>Additional Rules and Regulations</i>	4
15. <i>Equipment Maintenance or Breakdown</i>	5
16. <i>Operation of Capture and Control Devices</i>	5
17. <i>Obnoxious Odors</i>	6
18. <i>Fugitive Dust</i>	6
19. <i>Additions and Revisions</i>	6
20. <i>Recordkeeping Requirements</i>	7
21. <i>Reporting Requirements</i>	7
22. <i>Emission Testing Requirements</i>	7
23. <i>Payment of Emission Fees</i>	8
24. <i>Other Reporting and Testing Requirements</i>	9
25. <i>Title VI Requirements (Refrigerants)</i>	9
26. <i>Chemical Accidental Prevention Provisions</i>	9
27. <i>Display of Permit</i>	10
28. <i>Circumvention</i>	10
29. <i>Visible Emissions</i>	10
30. <i>Fuel-Burning Equipment</i>	10
31. <i>Process Industries – General</i>	10
32. <i>Averaging Time for Emission Limits</i>	10
33. <i>Open Burning</i>	111
EMISSION UNIT NO. 001 (LINE NO. 006 – PRESSES NO. 1 AND NO. 2 WITH RTO-2)	122
<i>Summary Page</i>	12
<i>Unit Specific Provisos</i>	13
1. <i>Applicability</i>	13
2. <i>Emission Standards</i>	13
3. <i>Compliance and Performance Test Methods and Procedures</i>	13
4. <i>Emission Monitoring</i>	13
5. <i>Recordkeeping and Reporting Requirements</i>	15

**EMISSION UNIT NO. 002 (LINE NO. 007 – PRESSES NO. 3 AND NO. 4 WITH RTO-1) ..ERROR!
BOOKMARK NOT DEFINED.**

Summary Page 18

Unit Specific Provisos..... **Error! Bookmark not defined.**

1. Applicability **Error! Bookmark not defined.**

2. Emission Standards **Error! Bookmark not defined.**

3. Compliance and Performance Test Methods and Procedures ..**Error! Bookmark not defined.**

4. Emission Monitoring..... **Error! Bookmark not defined.**

Recordkeeping and Reporting Requirements **Error! Bookmark not defined.**

EMISSION UNIT NO. 003 (LINE NO. 008 – PRESSES NO. 5 AND NO. 6 WITH RTO-3) 24

Summary Page 24

Unit Specific Provisos..... **Error! Bookmark not defined.**24

1. Applicability 24

2. Emission Standards 24

3. Compliance and Performance Test Methods and Procedures 24

4. Emission Monitoring..... 24

5. Recordkeeping and Reporting Requirements..... 27

General Permit Provisos

Federally Enforceable Provisos

Regulations

1. Transfer

This permit is not transferable, whether by operation of law or otherwise, either from one location to another, from one piece of equipment to another, or from one person to another, except as provided in ADEM Admin. Code r. 335-3-16-.13(1)(a)5.

ADEM Admin. Code r.
335-3-16-.02(6)

2. Renewals

An application for permit renewal shall be submitted at least six (6) months, but not more than eighteen (18) months, before the date of expiration of this permit.

ADEM Admin. Code r.
335-3-16-.12(2)

The source for which this permit is issued shall lose its right to operate upon the expiration of this permit unless a timely and complete renewal application has been submitted within the time constraints listed in the previous paragraph.

3. Severability Clause

The provisions of this permit are declared to be severable and if any section, paragraph, subparagraph, subdivision, clause, or phrase of this permit shall be adjudged to be invalid or unconstitutional by any court of competent jurisdiction, the judgment shall not affect, impair, or invalidate the remainder of this permit, but shall be confined in its operation to the section, paragraph, subparagraph, subdivisions, clause, or phrase of this permit that shall be directly involved in the controversy in which such judgment shall have been rendered.

ADEM Admin. Code r.
335-3-16-.05(e)

4. Compliance

(a) The permittee shall comply with all conditions of ADEM Admin. Code 335-3. Noncompliance with this permit will constitute a violation of the Clean Air Act of 1990 and ADEM Admin. Code 335-3 and may result in an enforcement action; including but not limited to, permit termination, revocation and reissuance, or modification; or denial of a permit renewal application by the permittee.

ADEM Admin. Code r.
335-3-16-.05(f)

(b) The permittee shall not use as a defense in an enforcement action that maintaining compliance with conditions of this permit would have required halting or reducing the permitted activity.

ADEM Admin. Code r.
335-3-16-.05(g)

General Permit Provisos

Federally Enforceable Provisos	Regulations
<p>5. <u>Termination for Cause</u></p> <p>This permit may be modified, revoked, reopened, and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance will not stay any permit condition.</p>	ADEM Admin. Code r. 335-3-16-.05(h)
<p>6. <u>Property Rights</u></p> <p>The issuance of this permit does not convey any property rights of any sort, or any exclusive privilege.</p>	ADEM Admin. Code r. 335-3-16-.05(i)
<p>7. <u>Submission of Information</u></p> <p>The permittee must submit to the Air Division, within 30 days or for such other reasonable time as the Air Division may set, any information that the Air Division may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit or to determine compliance with this permit. Upon receiving a specific request, the permittee shall also furnish to the Air Division copies of records required to be kept by this permit.</p>	ADEM Admin. Code r. 335-3-16-.05(j)
<p>8. <u>Economic Incentives, Marketable Permits, and Emissions Trading</u></p> <p>No permit revision shall be required, under any approved economic incentives, marketable permits, emissions trading and other similar programs or processes for changes that are provided for in this permit.</p>	ADEM Admin. Code r. 335-3-16-.05(k)
<p>9. <u>Certification of Truth, Accuracy, and Completeness</u></p> <p>Any application form, report, test data, monitoring data, or compliance certification submitted pursuant to this permit shall contain certification by a responsible official of truth, accuracy, and completeness. This certification shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate and complete.</p>	ADEM Admin. Code r. 335-3-16-.07(a)
<p>10. <u>Inspection and Entry</u></p> <p>Upon presentation of credentials and other documents as may be required by law, the permittee shall allow authorized representatives of the Alabama Department of Environmental Management and EPA to conduct the following:</p>	ADEM Admin. Code r. 335-3-16-.07(b)

General Permit Provisos

Federally Enforceable Provisos	Regulations
<p>(a) Enter upon the permittee’s premises where a source is located or emissions-related activity is conducted, or where records must be kept pursuant to the conditions of this permit;</p> <p>(b) Review and/or copy, at reasonable times, any records that must be kept pursuant to the conditions of this permit;</p> <p>(c) Inspect, at reasonable times, this facility’s equipment (including monitoring equipment and air pollution control equipment), practices, or operations regulated or required pursuant to this permit;</p> <p>(d) Sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with this permit or other applicable requirements.</p>	
<p>11. <u>Compliance Provisions</u></p> <p>(a) The permittee shall continue to comply with the applicable requirements with which the company has certified that it is already in compliance.</p> <p>(b) The permittee shall comply in a timely manner with applicable requirements that become effective during the term of this permit.</p>	<p>ADEM Admin. Code r. 335-3-16-.07(c)</p>
<p>12. <u>Compliance Certification</u></p> <p>The permittee shall submit a complete and accurate compliance certification by February 19th of each year for each reporting period of this permit (December 29th – December 28th).</p> <p>(a) The compliance certification shall include the following:</p> <p>(1) The identification of each term or condition of this permit that is the basis of the certification;</p> <p>(2) The compliance status;</p> <p>(3) The method(s) used for determining the compliance status of the source, currently and over the reporting period consistent with ADEM Admin. Code r. 335-3-16-.05(c) (Monitoring and Recording Keeping Requirements);</p> <p>(4) Whether compliance has been continuous or intermittent;</p> <p>(5) Such other facts as the Air Division may require to determine the compliance status of the source;</p> <p>(b) The compliance certification shall be submitted to:</p>	<p>ADEM Admin. Code r. 335-3-16-.07(e)</p>

General Permit Provisos

Federally Enforceable Provisos	Regulations
<p align="center">Alabama Department of Environmental Management Air Division P.O. Box 301463 Montgomery, AL 36130-1463</p> <p align="center">and to:</p> <p align="center">Air and EPCRA Enforcement Branch EPA Region IV 61 Forsyth Street, SW Atlanta, GA 30303</p> <p>13. Reopening for Cause</p> <p>Under any of the following circumstances, this permit will be reopened prior to the expiration of the permit:</p> <ul style="list-style-type: none"> (a) Additional applicable requirements under the Clean Air Act of 1990 become applicable to the permittee with a remaining permit term of three (3) or more years. Such a reopening shall be completed not later than eighteen (18) months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which this permit is due to expire. (b) Additional requirements (including excess emissions requirements) become applicable to an affected source under the acid rain program. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into this permit. (c) The Department or EPA determines that this permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of this permit. (d) The Administrator or the Department determines that this permit must be revised or revoked to assure compliance with the applicable requirements. <p>14. Additional Rules and Regulations</p> <p>This permit is issued on the basis of Rules and Regulations existing on the date of issuance. In the event additional Rules and Regulations are adopted, it shall be the permit holder's responsibility to comply with such rules.</p>	<p>ADEM Admin. Code r. 335-3-16-.13(5)</p> <p>§22-28-16(d), Code of Alabama 1975, as amended</p>

General Permit Provisos

Federally Enforceable Provisos	Regulations
<p><u>15. Equipment Maintenance or Breakdown</u></p> <p>(a) In case of shutdown of air pollution control equipment (which operates pursuant to any permit issued by the Director) for necessary scheduled maintenance, the intent to shut down such equipment shall be reported to the Air Division at least (24) hours prior to the planned shutdown, unless such shutdown is accompanied by the shutdown of the source which such equipment is intended to control. Such prior notice shall include, but is not limited to the following:</p> <ul style="list-style-type: none">(1) Identification of the specific facility to be taken out of service as well as its location and permit number;(2) The expected length of time that the air pollution control equipment will be out of service;(3) The nature and quality of emissions of air contaminants likely to occur during the shutdown period;(4) Measures such as the use of off-shift labor and equipment that will be taken to minimize the length of the shutdown period;(5) The reasons that it would be impossible or impractical to shut down the sources operation during the maintenance period. <p>(b) In the event that there is a breakdown of equipment or upset of process in such a manner as to cause, or is expected to cause, increased emissions of air contaminants which are above an applicable standard, the person responsible for such equipment shall notify the Director within 24 hours or the next working day and provide a statement giving all pertinent facts, including the estimated duration of the breakdown. The Director will be notified when the breakdown has been corrected.</p>	<p>ADEM Admin. Code r. 335-3-1-.07(1),(2)</p>
<p><u>16. Operation of Capture and Control Devices</u></p> <p>All air pollution control devices and capture systems for which this permit is issued shall be maintained and operated at all times in a manner so as to minimize the emissions of air contaminants. Procedures for ensuring that the above equipment is properly operated and maintained so as to minimize the emission of air contaminants shall be established.</p>	<p>§22-28-16(d), <u>Code of Alabama 1975</u>, as amended</p>

General Permit Provisos

Federally Enforceable Provisos	Regulations
<p>17. <u>Obnoxious Odors</u></p> <p>This permit is issued with the condition that, should obnoxious odors arising from the plant operations be verified by Air Division inspectors, measures to abate the odorous emissions shall be taken upon a determination by the Alabama Department of Environmental Management that these measures are technically and economically feasible.</p>	<p>ADEM Admin. Code r. 335-3-1-.08</p>
<p>18. <u>Fugitive Dust</u></p> <p>(a) Precautions shall be taken to prevent fugitive dust emanating from plant roads, grounds, stockpiles, screens, dryers, hoppers, ductwork, etc.</p> <p>(b) Plant or haul roads and grounds will be maintained in the following manner so that dust will not become airborne. A minimum of one, or a combination, of the following methods shall be utilized to minimize airborne dust from plant or haul roads and grounds:</p> <p>(1) By the application of water any time the surface of the road is sufficiently dry to allow the creation of dust emissions by the act of wind or vehicular traffic;</p> <p>(2) By reducing the speed of vehicular traffic to a point below that at which dust emissions are created;</p> <p>(3) By paving;</p> <p>(4) By the application of binders to the road surface at any time the road surface is found to allow the creation of dust emissions.</p> <p>Should one, or a combination, of the above methods fail to adequately reduce airborne dust from plant or haul roads and grounds, alternative methods shall be employed, either exclusively or in combination with one or all of the above control techniques, so that dust will not become airborne. Alternative methods shall be approved by the Air Division prior to utilization.</p>	<p>ADEM Admin. Code r. 335-3-4-.02</p>
<p>19. <u>Additions and Revisions</u></p> <p>Any modifications to this source shall comply with the modification procedures in ADEM Admin. Code r. 335-3-16-.13 or 335-3-16-.14.</p>	<p>ADEM Admin. Code r. 335-3-16-.13 and 335-3-16-.14</p>

General Permit Provisos

Federally Enforceable Provisos	Regulations
<p>20. <u>Recordkeeping Requirements</u></p> <p>(a) Records of required monitoring information of the source shall include the following:</p> <ul style="list-style-type: none">(1) The date, place, and time of all sampling or measurements;(2) The date analyses were performed;(3) The company or entity that performed the analyses;(4) The analytical techniques or methods used;(5) The results of all analyses; and(6) The operating conditions that existed at the time of sampling or measurement. <p>(b) Retention of records of all required monitoring data and support information of the source for a period of at least 5 years from the date of the monitoring sample, measurement, report, or application. Support information includes all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation and copies of all reports required by the permit.</p>	<p>ADEM Admin. Code r. 335-3-16-.05(c)2.</p>
<p>21. <u>Reporting Requirements</u></p> <p>(a) Reports to the Air Division of any required monitoring shall be submitted at least every 6 months. All instances of deviations from permit requirements must be clearly identified in said reports. All required reports must be certified by a responsible official consistent with ADEM Admin. Code r. 335-3-16-.04(9).</p> <p>(b) Deviations from permit requirements shall be reported within 48 hours or 2 working days of such deviations, including those attributable to upset conditions as defined in the permit. The report will include the probable cause of said deviations, and any corrective actions or preventive measures that were taken.</p>	<p>ADEM Admin. Code r. 335-3-16-.05(c)3.</p>
<p>22. <u>Emission Testing Requirements</u></p> <p>Each point of emission which requires testing will be provided with sampling ports, ladders, platforms, and other safety equipment to facilitate testing performed in accordance with procedures established by Part 60 of Title 40 of the Code of Federal Regulations, as the same may be amended or revised.</p>	<p>ADEM Admin. Code r. 335-3-1-.05(3) and 335-3-1-.04(1)</p>

General Permit Provisos

Federally Enforceable Provisos	Regulations
<p>The Air Division must be notified in writing at least 10 days in advance of all emission tests to be conducted and submitted as proof of compliance with the Department’s air pollution control rules and regulations.</p> <p>To avoid problems concerning testing methods and procedures, the following shall be included with the notification letter:</p> <ul style="list-style-type: none"> (a) The date the test crew is expected to arrive, the date and time anticipated of the start of the first run, how many and which sources are to be tested, and the names of the persons and/or testing company that will conduct the tests. (b) A complete description of each sampling train to be used, including type of media used in determining gas stream components, type of probe lining, type of filter media, and probe cleaning method and solvent to be used (if test procedures requires probe cleaning). (c) A description of the process(es) to be tested including the feed rate, any operating parameters used to control or influence the operations, and the rated capacity. (d) A sketch or sketches showing sampling point locations and their relative positions to the nearest upstream and downstream gas flow disturbances. <p>A pretest meeting may be held at the request of the source owner or the Air Division. The necessity for such a meeting and the required attendees will be determined on a case-by-case basis.</p> <p>All test reports must be submitted to the Air Division within 30 days of the actual completion of the test unless an extension of time is specifically approved by the Air Division.</p>	<p>ADEM Admin. Code r. 335-3-1-.04</p> <p>ADEM Admin. Code r. 335-3-1-.04</p>
<p>23. <u>Payment of Emission Fees</u></p> <ul style="list-style-type: none"> (a) The permittee shall remit the annual Operating Permit Fees required by ADEM Admin. Code r. 335-1-7-.04 according to the schedule in ADEM Admin. Code r. 335-1-7-.05. (b) The permittee shall submit its estimate of actual emissions for the previous calendar year according to the schedule in ADEM Admin. Code r. 335-1-7-.05. 	<p>ADEM Admin. Code r. 335-1-7-.04</p> <p>ADEM Admin. Code r. 335-1-7-.05</p>

General Permit Provisos

Federally Enforceable Provisos

Regulations

24. Other Reporting and Testing Requirements

Submission of other reports regarding monitoring records, fuel analyses, operating rates, and equipment malfunctions may be required as authorized in the Department's air pollution control rules and regulations. The Department may require emission testing at any time.

ADEM Admin. Code r.
335-3-1-.04(1)

25. Title VI Requirements (Refrigerants)

Any facility having appliances or refrigeration equipment, including air conditioning equipment, which use Class I or Class II ozone-depleting substances as listed in 40 CFR Part 82, Subpart A, Appendices A and B, shall service, repair, and maintain such equipment according to the work practices, personnel certification requirements, and certified recycling and recovery equipment specified in 40 CFR Part 82, Subpart F.

ADEM Admin. Code r.
335-3-16-.05(a)

No person shall knowingly vent or otherwise release any Class I or Class II substance into the environment during the repair, servicing, maintenance, or disposal of any device except as provided in 40 CFR Part 82, Subpart F.

The responsible official shall comply with all reporting and recordkeeping requirements of 40 CFR 82.166. Reports shall be submitted to the US EPA and the Department as required.

26. Chemical Accidental Prevention Provisions

If a chemical listed in Table 1 of 40 CFR Part 68.130 is present in a process in quantities greater than the threshold quantity listed in Table 1, then:

40 CFR Part 68

- (a) The owner or operator shall comply with the provisions in 40 CFR Part 68.
- (b) The owner or operator shall submit one of the following:
 - (1) A compliance schedule for meeting the requirements of 40 CFR Part 68 by the date provided in 40 CFR Part 68 § 68.10(a) or,
 - (2) A certification statement that the source is in compliance with all requirements of 40 CFR Part 68, including the registration and submission of the Risk Management Plan.

General Permit Provisos

Federally Enforceable Provisos	Regulations
<p><u>27. Display of Permit</u></p> <p>This permit shall be kept under file or on display at all times at the site where the facility for which the permit is issued is located and will make the permit readily available for inspection by any or all persons who may request to see it.</p>	<p>ADEM Admin. Code r. 335-3-14-.01(1)(d)</p>
<p><u>28. Circumvention</u></p> <p>No person shall cause or permit the installation or use of any device or any means which, without resulting in the reduction in the total amount of air contaminant emitted, conceals or dilutes any emission of air contaminant which would otherwise violate the Division 3 rules and regulations.</p>	<p>ADEM Admin. Code r. 335-3-1-.10</p>
<p><u>29. Visible Emissions</u></p> <p>Unless otherwise specified in the Unit Specific provisos of this permit, any source of particulate emissions shall not discharge more than one 6-minute average opacity greater than 20% in any 60-minute period. At no time shall any source discharge a 6-minute average opacity of particulate emissions greater than 40%. Opacity will be determined by 40 CFR Part 60, Appendix A, Method 9, unless otherwise specified in the Unit Specific provisos of this permit.</p>	<p>ADEM Admin. Code r. 335-3-4-.01(1)</p>
<p><u>30. Fuel-Burning Equipment</u></p> <p>Unless otherwise specified in the Unit Specific provisos of this permit, no fuel-burning equipment may discharge particulate emissions in excess of the emissions specified in ADEM Admin. Code r. 335-3-4-.03.</p> <p>Unless otherwise specified in the Unit Specific provisos of this permit, no fuel-burning equipment may discharge sulfur dioxide emissions in excess of the emissions specified in ADEM Admin. Code r. 335-3-5-.01.</p>	<p>ADEM Admin. Code r. 335-3-4-.03</p> <p>ADEM Admin. Code r. 335-3-5-.01</p>
<p><u>31. Process Industries – General</u></p> <p>Unless otherwise specified in the Unit Specific provisos of this permit, no process may discharge particulate emissions in excess of the emissions specified in ADEM Admin. Code R. 335-3-4-.04.</p>	<p>ADEM Admin. Code r. 335-3-4-.04</p>
<p><u>32. Averaging Time for Emission Limits</u></p> <p>Unless otherwise specified in the permit, the averaging time for the emission limits listed in this permit shall be the nominal time required by the specific test method.</p>	<p>ADEM Admin. Code r. 335-3-1-.05</p>

General Permit Provisos

Federally Enforceable Provisos

Regulations

33. Open Burning

Precautions should be taken to ensure that no person shall ignite, cause to ignite, permit to be ignited, or maintain any open fire in such a manner as to cause the Department's rules and regulations applicable to open burning to be violated.

ADEM Admin. Code r.
335-3-3-.01

Emission Unit No. 001 (Line No. 006 – Presses No. 1 and No. 2 with RTO-2)

Summary Page

Description: Flexographic printing presses No. 1 and No. 2 with associated equipment and 4.0 MMBTU/hr natural gas fired regenerative thermal oxidizer (RTO-2).

Permitted Operating Schedule: $\frac{24 \text{ Hours}}{\text{Day}} \times \frac{365 \text{ Days}}{\text{Year}} = \frac{8760 \text{ Hours}}{\text{Year}}$

Emission limitations:

Pollutant	Regulatory Emission Limit	Applicable Standard
VOCs	245 tons any rolling 12 month period	SYNTHETIC MINOR PSD
HAP/HAPs	9.5/24.5 tons any rolling 12 month period facility wide	SYNTHETIC MINOR HAP LIMITS

Emission Unit No. 001 (Line No. 006 – Presses No. 1 and No. 2 with RTO-2)

Unit Specific Provisos

Federally Enforceable Provisos	Regulations
1. <u>Applicability</u>	
(a) These units are subject to the applicable requirements of ADEM Admin. Code r. 335-3-16-.03, “Major Source Operating Permits.”	ADEM Admin. Code r. 335-3-16-.03
(b) This source is subject to a PSD synthetic minor emission limitation.	ADEM Admin. Code R. 335-3-14-.04
(c) This source is subject to synthetic minor limitations for Hazardous Air Pollutants.	ADEM Admin. Code R. 335-3-14
2. <u>Emission Standards</u>	
(a) Emissions of Volatile Organic Compounds (VOCs) from Unit 006 shall not exceed 245 tons per year (TPY) in any consecutive rolling 12-month period.	ADEM Admin. Code R. 335-3-14-.04(8)
(b) Emissions of Hazardous Air Pollutants (HAPs) from this facility shall not exceed 9.5 tons for any single HAP nor 24.5 tons for any combination of HAPs during any consecutive 12-month period.	ADEM Admin. Code R. 335-3-11-.06(36)
3. <u>Compliance and Performance Test Methods and Procedures</u>	
(a) The HAPs content by weight of each HAPs containing material used shall be determined using EPA Test Method 311, as defined in 40 CFR 63, Appendix A. Vendor data based on this method is an appropriate substitute.	ADEM Admin. Code R. 335-3-11-.06(35)
(b) The VOC content by weight of each VOC containing material used shall be determined using EPA Test Method 24, as defined in 40 CFR 60, Appendix A. Vendor data based on this method is an appropriate substitute.	ADEM Admin. Code R. 335-3-1-.04
4. <u>Emission Monitoring</u>	
(a) The temperature of the RTO shall be maintained at a minimum of the combustion chamber temperature used to demonstrate that 95% DRE is being achieved during the most recent RTO efficiency performance (3-run arithmetic average) test. If future testing is required by ADEM, a new temperature parameter shall be established.	ADEM Admin. Code r. 335-3-16-.02

Federally Enforceable Provisos	Regulations
<p>(b) The minimum temperatures of the RTO, as required above shall be maintained at all times, except during emissions testing as approved by the Department. The combustion chamber temperature of the RTO must be continuously recorded on a chart or other permanent record. The RTO must have audible alarm or other easily detectable signal, which will provide a warning when the instantaneous combustion chamber temperature decreases to less than the established minimum operational (3-hour rolling average) temperature. If the 3-hour rolling average falls below the minimum operational temperature for more than 15 minutes, the process(es) will automatically shut down.</p>	<p>ADEM Admin. Code R. 335-3-16-.02</p>
<p>(c) The origin and detectability of the audible or other signal shall be such that it can be readily heard or detected by the operator or another person who will immediately determine the cause and take appropriate action to correct any problem and/or record the malfunction/reason. The time, duration, cause(s), and the action(s) taken for any operating temperature less than the established minimum shall be recorded in a form suitable for inspection. These records shall be maintained for at least five years. For periods when the temperature is less than the minimum operating (3-hour rolling average) temperature, VOC will be calculated as if there was no (0%) capture and destruction of VOC in the RTO.</p>	<p>ADEM Admin. Code R. 335-3-16-.02</p>
<p>(d) The permittee shall conduct a performance test by October 6, 2023, and thereafter within 5 years following the previous performance test.</p> <p>A notification of performance testing must be submitted in writing to the Department at least 60 calendar days prior to the date of the scheduled performance test, pursuant to §63.9(e). Performance test data must be submitted through CEDRI within 60 days after the date of completing each performance test.</p>	<p>ADEM Admin. Code R. 335-3-16-.05</p>

Federally Enforceable Provisos	Regulations
<p>5. <u>Recordkeeping and Reporting Requirements</u></p> <p>(a) A written report for the RTO shall be submitted to the Air Division along with the emission reports. The report shall provide the following information, as applicable.</p> <ul style="list-style-type: none"> i. The quantity of solvents/inks of VOC and HAP in the coating applied. ii. The amount of VOC and HAP vented to the RTO by the printing presses. iii. The estimated average DRE of the RTO iv. The amount of VOC and HAP released or exhausted into the atmosphere by the RTO. v. The overall reduction of the VOC and HAP emissions from the presses. vi. The time and date of any and all periods of coating operations where the temperature of the RTO is below the established minimum temperature. vii. The cumulative or total quantity of VOC and HAP released or exhausted into the atmosphere during the applicable month and previous eleven months. <p>(b) When the bypassing occurs on the RTO, the time, date, duration and estimated VOC and HAP emissions will be recorded</p> <p>(c) Records will be maintained of any malfunction or non-operation of the common RTO, which results in an increase in the VOC and HAP emissions from the presses. These records will be maintained in a form suitable for inspection for a period of five years.</p>	<p>ADEM Admin. Code r. 335-3-16-.02</p> <p>ADEM Admin. Code r. 335-3-16-.02</p> <p>ADEM Admin. Code r. 335-3-16-.02</p>

Federally Enforceable Provisos	Regulations
<p>(d) Accurate and understandable records of consumption, which record at least the last five years of data, will be maintained in a permanent form suitable for inspection and be available immediately upon request. This facility shall provide a copy of records and supporting background documents upon request that pertain to this air permit. These records shall contain the following information:</p> <ul style="list-style-type: none"> i. The type and quantity of each VOC and HAP containing material used by the flexographic press. ii. VOC, HAP and water content shall be determined from the evaluation data supplied by the ink manufacturer with each shipment of purchased raw inks and related coatings used. iii. The percentage by volume of VOCs, water, solids, HAPs, and exempt VOC compounds content of each VOC containing material used each calendar month. iv. Compliance with VOC and HAP limits shall be based upon monthly material use inventories. Emissions may be adjusted for VOC and HAP content of material removed from the plant as waste or returns if the record keeping and details surrounding the materials are approved in advance. v. Complete inventories of the VOC and HAP containing materials (their usage, VOC content and HAP content) shall be made at the end of each calendar month. vi. The amount of VOCs emitted per calendar month from the coating and cleaning operations in units of pounds and tons. vii. The rolling 12-month total of VOCs emitted from the coating and cleaning operations in units of pounds and tons. viii. Within the first 20 days of each month, compliance with all provisos in this permit will be determined. These records will be maintained for 5 years. Should this facility, at any time, exceed the limits in this permit, the Air Division must be notified in writing within ten (10) days of the identification of the exceedance. 	<p>ADEM Admin. Code r. 335-3-1-.04</p>

Federally Enforceable Provisos	Regulations
(e) A report summarizing the information in Section 5 shall be submitted each calendar quarter by the 20th day of the month following the end of the quarter, in a format approved by the Department in advance.	ADEM Admin. Code r. 335-3-1-.04

Emission Unit No. 002 (Line No. 007 – Presses No. 3 and No. 4 with RTO-1)

Summary Page

Description: Flexographic printing presses No. 3 and No. 4 with associated equipment and 4.0 MMBTU/hr natural gas fired regenerative thermal oxidizer (RTO-1).

Permitted Operating Schedule: $\frac{24 \text{ Hours}}{\text{Day}} \times \frac{365 \text{ Days}}{\text{Year}} = \frac{8760 \text{ Hours}}{\text{Year}}$

Emission limitations:

Pollutant	Regulatory Emission Limit	Applicable Standard
VOCs	245 tons any rolling 12 month period	SYNTHETIC MINOR PSD
HAP/HAPs	9.5/24.5 tons any rolling 12 month period facility wide	SYNTHETIC MINOR HAP LIMITS

Emission Unit No. 002 (Line No. 007 – Presses No. 3 and No. 4 with RTO-1)

Unit Specific Provisos

Federally Enforceable Provisos	Regulations
6. <u>Applicability</u>	
(d) These units are subject to the applicable requirements of ADEM Admin. Code r. 335-3-16-.03, “Major Source Operating Permits.”	ADEM Admin. Code r. 335-3-16-.03
(e) This source is subject to a PSD synthetic minor emission limitation.	ADEM Admin. Code R. 335-3-14-.04
(f) This source is subject to synthetic minor limitations for Hazardous Air Pollutants.	ADEM Admin. Code R. 335-3-14
7. <u>Emission Standards</u>	
(e) Emissions of Volatile Organic Compounds (VOCs) from Unit 006 shall not exceed 245 tons per year (TPY) in any consecutive rolling 12-month period.	ADEM Admin. Code R. 335-3-14-.04(8)
(f) Emissions of Hazardous Air Pollutants (HAPs) from this facility shall not exceed 9.5 tons for any single HAP nor 24.5 tons for any combination of HAPs during any consecutive 12-month period.	ADEM Admin. Code R. 335-3-11-.06(36)
8. <u>Compliance and Performance Test Methods and Procedures</u>	
(g) The HAPs content by weight of each HAPs containing material used shall be determined using EPA Test Method 311, as defined in 40 CFR 63, Appendix A. Vendor data based on this method is an appropriate substitute.	ADEM Admin. Code R. 335-3-11-.06(35)
(h) The VOC content by weight of each VOC containing material used shall be determined using EPA Test Method 24, as defined in 40 CFR 60, Appendix A. Vendor data based on this method is an appropriate substitute.	ADEM Admin. Code R. 335-3-1-.04
9. <u>Emission Monitoring</u>	
(i) The temperature of the RTO shall be maintained at a minimum of the combustion chamber temperature used to demonstrate that 95% DRE is being achieved during the most recent RTO efficiency performance (3-run arithmetic average) test. If future testing is required by ADEM, a new temperature parameter shall be established.	ADEM Admin. Code r. 335-3-16-.02

Federally Enforceable Provisos	Regulations
<p>(j) The minimum temperatures of the RTO, as required above shall be maintained at all times, except during emissions testing as approved by the Department. The combustion chamber temperature of the RTO must be continuously recorded on a chart or other permanent record. The RTO must have audible alarm or other easily detectable signal, which will provide a warning when the instantaneous combustion chamber temperature decreases to less than the established minimum operational (3-hour rolling average) temperature. If the 3-hour rolling average falls below the minimum operational temperature for more than 15 minutes, the process(es) will automatically shut down.</p>	<p>ADEM Admin. Code R. 335-3-16-.02</p>
<p>(k) The origin and detectability of the audible or other signal shall be such that it can be readily heard or detected by the operator or another person who will immediately determine the cause and take appropriate action to correct any problem and/or record the malfunction/reason. The time, duration, cause(s), and the action(s) taken for any operating temperature less than the established minimum shall be recorded in a form suitable for inspection. These records shall be maintained for at least five years. For periods when the temperature is less than the minimum operating (3-hour rolling average) temperature, VOC will be calculated as if there was no (0%) capture and destruction of VOC in the RTO.</p>	<p>ADEM Admin. Code R. 335-3-16-.02</p>
<p>(l) The permittee shall conduct a performance test by October 6, 2023, and thereafter within 5 years following the previous performance test.</p> <p>A notification of performance testing must be submitted in writing to the Department at least 60 calendar days prior to the date of the scheduled performance test, pursuant to §63.9(e). Performance test data must be submitted through CEDRI within 60 days after the date of completing each performance test.</p>	<p>ADEM Admin. Code R. 335-3-16-.05</p>

Federally Enforceable Provisos	Regulations
<p>10. Recordkeeping and Reporting Requirements</p> <p>(f) A written report for the RTO shall be submitted to the Air Division along with the emission reports. The report shall provide the following information, as applicable.</p> <ul style="list-style-type: none"> i. The quantity of solvents/inks of VOC and HAP in the coating applied. ii. The amount of VOC and HAP vented to the RTO by the printing presses. iii. The estimated average DRE of the RTO iv. The amount of VOC and HAP released or exhausted into the atmosphere by the RTO. v. The overall reduction of the VOC and HAP emissions from the presses. vi. The time and date of any and all periods of coating operations where the temperature of the RTO is below the established minimum temperature. vii. The cumulative or total quantity of VOC and HAP released or exhausted into the atmosphere during the applicable month and previous eleven months. <p>(g) When the bypassing occurs on the RTO, the time, date, duration and estimated VOC and HAP emissions will be recorded</p> <p>(h) Records will be maintained of any malfunction or non-operation of the common RTO, which results in an increase in the VOC and HAP emissions from the presses. These records will be maintained in a form suitable for inspection for a period of five years.</p>	<p>ADEM Admin. Code r. 335-3-16-.02</p> <p>ADEM Admin. Code r. 335-3-16-.02</p> <p>ADEM Admin. Code r. 335-3-16-.02</p>

Federally Enforceable Provisos	Regulations
<p>(i) Accurate and understandable records of consumption, which record at least the last five years of data, will be maintained in a permanent form suitable for inspection and be available immediately upon request. This facility shall provide a copy of records and supporting background documents upon request that pertain to this air permit. These records shall contain the following information:</p> <ul style="list-style-type: none"> i. The type and quantity of each VOC and HAP containing material used by the flexographic press. ii. VOC, HAP and water content shall be determined from the evaluation data supplied by the ink manufacturer with each shipment of purchased raw inks and related coatings used. iii. The percentage by volume of VOCs, water, solids, HAPs, and exempt VOC compounds content of each VOC containing material used each calendar month. iv. Compliance with VOC and HAP limits shall be based upon monthly material use inventories. Emissions may be adjusted for VOC and HAP content of material removed from the plant as waste or returns if the record keeping and details surrounding the materials are approved in advance. v. Complete inventories of the VOC and HAP containing materials (their usage, VOC content and HAP content) shall be made at the end of each calendar month. vi. The amount of VOCs emitted per calendar month from the coating and cleaning operations in units of pounds and tons. vii. The rolling 12-month total of VOCs emitted from the coating and cleaning operations in units of pounds and tons. viii. Within the first 20 days of each month, compliance with all provisos in this permit will be determined. These records will be maintained for 5 years. Should this facility, at any time, exceed the limits in this permit, the Air Division must be notified in writing within ten (10) days of the identification of the exceedance. 	<p>ADEM Admin. Code r. 335-3-1-.04</p>

Federally Enforceable Provisos	Regulations
(j) A report summarizing the information in Section 5 shall be submitted each calendar quarter by the 20th day of the month following the end of the quarter, in a format approved by the Department in advance.	ADEM Admin. Code r. 335-3-1-.04

Emission Unit No. 003 (Line No. 008 – Presses No. 5 and No. 6 with RTO-3)
Summary Page

Description: Flexographic printing presses No. 5 and No. 6 with associated equipment and 4.0 MMBTU/hr natural gas fired regenerative thermal oxidizer (RTO-3).

Permitted Operating Schedule: $\frac{24 \text{ Hours}}{\text{Day}} \times \frac{365 \text{ Days}}{\text{Year}} = \frac{8760 \text{ Hours}}{\text{Year}}$

Emission limitations:

Pollutant	Regulatory Emission Limit	Applicable Standard
VOCs	39.0 tons any rolling 12 month period	SYNTHETIC MINOR PSD
HAP/HAPs	9.5/24.5 tons any rolling 12 month period facility wide	SYNTHETIC MINOR HAP LIMITS

Emission Unit No. 003 (Line No. 008 – Presses No. 5 and No. 6 with RTO-3)

Unit Specific Provisos

Federally Enforceable Provisos	Regulations
<p>11. <u>Applicability</u></p> <p>(g) These units are subject to the applicable requirements of ADEM Admin. Code r. 335-3-16-.03, “Major Source Operating Permits.”</p> <p>(h) This source is subject to a PSD synthetic minor emission limitation.</p> <p>(i) This source is subject to synthetic minor limitations for Hazardous Air Pollutants.</p>	<p>ADEM Admin. Code r. 335-3-16-.03</p> <p>ADEM Admin. Code R. 335-3-14-.04</p> <p>ADEM Admin. Code R. 335-3-14</p>
<p>12. <u>Emission Standards</u></p> <p>(m) Emissions of Volatile Organic Compounds (VOCs) from Unit 006 shall not exceed 39.0 tons per year (TPY) in any consecutive rolling 12-month period.</p> <p>(n) Emissions of Hazardous Air Pollutants (HAPs) from this facility shall not exceed 9.5 tons for any single HAP nor 24.5 tons for any combination of HAPs during any consecutive 12-month period.</p>	<p>ADEM Admin. Code R. 335-3-14-.04(8)</p> <p>ADEM Admin. Code R. 335-3-11-.06(36)</p>
<p>13. <u>Compliance and Performance Test Methods and Procedures</u></p> <p>(o) The HAPs content by weight of each HAPs containing material used shall be determined using EPA Test Method 311, as defined in 40 CFR 63, Appendix A. Vendor data based on this method is an appropriate substitute.</p> <p>(p) The VOC content by weight of each VOC containing material used shall be determined using EPA Test Method 24, as defined in 40 CFR 60, Appendix A. Vendor data based on this method is an appropriate substitute.</p>	<p>ADEM Admin. Code R. 335-3-11-.06(35)</p> <p>ADEM Admin. Code R. 335-3-1-.04</p>
<p>14. <u>Emission Monitoring</u></p> <p>(q) The temperature of the RTO shall be maintained at a minimum of the combustion chamber temperature used to demonstrate that 95% DRE is being achieved during the most recent RTO efficiency performance (3-run arithmetic average) test. If future testing is required by ADEM, a new temperature parameter shall be established.</p>	<p>ADEM Admin. Code r. 335-3-16-.02</p>

Federally Enforceable Provisos	Regulations
<p>(r) The minimum temperatures of the RTO, as required above shall be maintained at all times, except during emissions testing as approved by the Department. The combustion chamber temperature of the RTO must be continuously recorded on a chart or other permanent record. The RTO must have audible alarm or other easily detectable signal, which will provide a warning when the instantaneous combustion chamber temperature decreases to less than the established minimum operational (3-hour rolling average) temperature. If the 3-hour rolling average falls below the minimum operational temperature for more than 15 minutes, the process(es) will automatically shut down.</p>	<p>ADEM Admin. Code R. 335-3-16-.02</p>
<p>(s) The origin and detectability of the audible or other signal shall be such that it can be readily heard or detected by the operator or another person who will immediately determine the cause and take appropriate action to correct any problem and/or record the malfunction/reason. The time, duration, cause(s), and the action(s) taken for any operating temperature less than the established minimum shall be recorded in a form suitable for inspection. These records shall be maintained for at least five years. For periods when the temperature is less than the minimum operating (3-hour rolling average) temperature, VOC will be calculated as if there was no (0%) capture and destruction of VOC in the RTO.</p>	<p>ADEM Admin. Code R. 335-3-16-.02</p>
<p>(t) The permittee shall conduct a performance test by October 6, 2023, and thereafter within 5 years following the previous performance test.</p> <p>A notification of performance testing must be submitted in writing to the Department at least 60 calendar days prior to the date of the scheduled performance test, pursuant to §63.9(e). Performance test data must be submitted through CEDRI within 60 days after the date of completing each performance test.</p>	<p>ADEM Admin. Code R. 335-3-16-.05</p>

Federally Enforceable Provisos	Regulations
<p><u>15. Recordkeeping and Reporting Requirements</u></p> <p>(k) A written report for the RTO shall be submitted to the Air Division along with the emission reports. The report shall provide the following information, as applicable.</p> <ul style="list-style-type: none"> i. The quantity of solvents/inks of VOC and HAP in the coating applied. ii. The amount of VOC and HAP vented to the RTO by the printing presses. iii. The estimated average DRE of the RTO iv. The amount of VOC and HAP released or exhausted into the atmosphere by the RTO. v. The overall reduction of the VOC and HAP emissions from the presses. vi. The time and date of any and all periods of coating operations where the temperature of the RTO is below the established minimum temperature. vii. The cumulative or total quantity of VOC and HAP released or exhausted into the atmosphere during the applicable month and previous eleven months. <p>(l) When the bypassing occurs on the RTO, the time, date, duration and estimated VOC and HAP emissions will be recorded</p> <p>(m) Records will be maintained of any malfunction or non-operation of the common RTO, which results in an increase in the VOC and HAP emissions from the presses. These records will be maintained in a form suitable for inspection for a period of five years.</p>	<p>ADEM Admin. Code r. 335-3-16-.02</p> <p>ADEM Admin. Code r. 335-3-16-.02</p> <p>ADEM Admin. Code r. 335-3-16-.02</p>

Federally Enforceable Provisos	Regulations
<p>(n) Accurate and understandable records of consumption, which record at least the last five years of data, will be maintained in a permanent form suitable for inspection and be available immediately upon request. This facility shall provide a copy of records and supporting background documents upon request that pertain to this air permit. These records shall contain the following information:</p> <ul style="list-style-type: none"> i. The type and quantity of each VOC and HAP containing material used by the flexographic press. ii. VOC, HAP and water content shall be determined from the evaluation data supplied by the ink manufacturer with each shipment of purchased raw inks and related coatings used. iii. The percentage by volume of VOCs, water, solids, HAPs, and exempt VOC compounds content of each VOC containing material used each calendar month. iv. Compliance with VOC and HAP limits shall be based upon monthly material use inventories. Emissions may be adjusted for VOC and HAP content of material removed from the plant as waste or returns if the record keeping and details surrounding the materials are approved in advance. v. Complete inventories of the VOC and HAP containing materials (their usage, VOC content and HAP content) shall be made at the end of each calendar month. vi. The amount of VOCs emitted per calendar month from the coating and cleaning operations in units of pounds and tons. vii. The rolling 12-month total of VOCs emitted from the coating and cleaning operations in units of pounds and tons. viii. Within the first 20 days of each month, compliance with all provisos in this permit will be determined. These records will be maintained for 5 years. Should this facility, at any time, exceed the limits in this permit, the Air Division must be notified in writing within ten (10) days of the identification of the exceedance. 	<p>ADEM Admin. Code r. 335-3-1-.04</p>

Federally Enforceable Provisos	Regulations
(o) A report summarizing the information in Section 5 shall be submitted each calendar quarter by the 20th day of the month following the end of the quarter, in a format approved by the Department in advance.	ADEM Admin. Code r. 335-3-1-.04