

Alabama Department of Environmental Management adem.alabama.gov

1400 Coliseum Blvd. 36110-2400 Post Office Box 301463 Montgomery, Alabama 36130-1463 (334) 271-7700 FAX (334) 271-7950

APR 2 2 2025

MR. JOE CHESHIRE, JR. ESH SPECIALIST HYCO ALABAMA, LLC 218 ARAD THOMPSON RD NE ARAB, AL 35016

RF. DRAFT PERMIT NPDES PERMIT NUMBER AL0065111

Dear Mr.Cheshire, Jr.: Transmitted herein is a draft of the referenced permit.

We would appreciate your comments on the permit within 30 days of the date of this letter. Please direct any comments of a technical or administrative nature to the undersigned.

By copy of this letter and the draft permit, we are also requesting comments within the same time frame from EPA.

Our records indicate that you have utilized the Department's web-based electronic environmental (E2) reporting system for submittal of discharge monitoring reports (DMRs). The Department transitioned from the E2 Reporting System to the Alabama Environmental Permitting and Compliance System (AEPACS) for the submittal of DMRs on November 15, 2021. AEPACS is an electronic system that allows facilities to apply for and maintain permits as well as submit other required applications, registrations, and certifications. In addition, the system allows facilities to submit required compliance reports or other information to the Department. The Department has used the E2 User account information to set up a similar User Profile in AEPACS based on the following criteria:

- 1. The user has logged in to E2 since October 1, 2019; and
- The E2 user account is set up using a unique email address. 2.

E2 users that met the above criteria will only need to establish an ADEM Web Portal account (https://prd.adem.alabama.gov/awp) under the same email address as their E2 account to have the same permissions in AEPACS as they did in E2. They will also automatically be linked to the same facilities they were in E2.

The Alabama Department of Environmental Management encourages you to voluntarily consider pollution prevention practices and alternatives at your facility. Pollution Prevention may assist you in complying with effluent limitations, and possibly reduce or eliminate monitoring requirements.

If you have questions regarding this permit or monitoring requirements, please contact Muhammad Mehmood by e-mail at muhammad.mehmood/a/adem.alabama.gov or by phone at (334) 279-3065.

Sincerely Soott Jac son Chief

Industrial Section Industrial/Municipal Branch Water Division

Enclosure:

Draft Permit

pc via website:

Montgomery Field Office EPA Region IV U.S. Fish & Wildlife Service AL Historical Commission Advisory Council on Historic Preservation Department of Conservation and Natural Resources

Birmingham Office 110 Vulcan Road Birmingham, AL 35209-4702 (205) 942-6168 (205) 941-1603 (FAX)

Decatur Office

2715 Sandlin Road, S.W. Decatur, AL 35603-1333 (256) 353-1713 (256) 340-9359 (FAX)

Coastal Office

1615 South Broad Street Mobile, AL 36605 (251) 450-3400 (251) 479-2593 (FAX)

Table of Contents

PART	I: DISCHARGE LIMITATIONS, CONDITIONS, AND REQUIREMENTS	1
	Discharge Limitations and Monitoring Requirements	
	Discharge Monitoring and Record Keeping Requirements	
	1. Representative Sampling	
	2. Test Procedures	
	3. Recording of Results	
	4. Records Retention and Production	
	5. Monitoring Equipment and Instrumentation	
C.	Discharge Reporting Requirements	
	1. Reporting of Monitoring Requirements	
	2. Noncompliance Notification	
D.	Other Reporting and Notification Requirements	
	1. Anticipated Noncompliance	9
	2. Termination of Discharge	
	3. Updating Information	
	4. Duty to Provide Information	
	5. Cooling Water and Boiler Water Additives	
	6. Permit Issued Based on Estimated Characteristics	. 10
E.		
PART	II: OTHER REQUIREMENTS, RESPONSIBILITIES, AND DUTIES	. 11
	Operational and Management Requirements	
	I. Facilities Operation and Maintenance	
	 Best Management Practices	
	 Spill Prevention, Control, and Management	
B.	Other Responsibilities	
	1. Duty to Mitigate Adverse Impacts	
	2. Right of Entry and Inspection	
C.		
	I. Bypass	
	2. Upset	
D.	Duty to Comply with Permit, Rules, and Statutes	
	1. Duty to Comply	
	2. Removed Substances	
	3. Loss or Failure of Treatment Facilities	
	4. Compliance with Statutes and Rules	. 13
E.	Permit Transfer, Modification, Suspension, Revocation, and Reissuance	. 13
	1. Duty to Reapply or Notify of Intent to Cease Discharge	. 13
	2. Change in Discharge	. 13
	3. Transfer of Permit	. 14
	4. Permit Modification and Revocation	
	5. Permit Termination	
	6. Permit Suspension	
	7. Request for Permit Action Does Not Stay Any Permit Requirement	
F.	Compliance with Toxic Pollutant Standard or Prohibition	
G.		
	III: OTHER PERMIT CONDITIONS	
A.	Civil and Criminal Liability	. 16
	1. Tampering	
	2. False Statements	
	3. Permit Enforcement	
	4. Relief from Liability	. 16
B.	Oil and Hazardous Substance Liability	
C.	Property and Other Rights	. 16

The second

7537.04

Table of Contents (continued)

D.	Availability of Reports	17
E.	Expiration of Permits for New or Increased Discharges	17
F.	Compliance with Water Quality Standards	17
G.	Groundwater	17
H.	Definitions	
Ι.	Severability	20
PART I	V: ADDITIONAL REQUIREMENTS, CONDITIONS, AND LIMITATIONS	21
Α.	Best Management Practices (BMP) Plan Requirements	21
В.	Stormwater Flow Measurement and Sampling Requirements	22





NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

PERMITTEE:HYCO ALABAMA, LLC**FACILITY LOCATION:**HYCO ALABAMA LLC
218 ARAD THOMPSON RD NE
ARAB, ALABAMA 35016
MARSHALL COUNTY

PERMIT NUMBER: AL0065111

RECEIVING WATERS:	002 - SHOAL CREEK
	003 - SHOAL CREEK

In accordance with and subject to the provisions of the Federal Water Pollution Control Act, as amended, 33 U.S.C. §§1251-1388 (the "FWPCA"), the Alabama Water Pollution Control Act, as amended, Code of Alabama 1975, §§ 22-22-1 to 22-22-14 (the "AWPCA"), the Alabama Environmental Management Act, as amended, Code of Alabama 1975, §§22-22A-1 to 22-22A-17, and rules and regulations adopted thereunder, and subject further to the terms and conditions set forth in this permit, the Permittee is hereby authorized to discharge into the above-named receiving waters.

ISSUANCE DATE:

EFFECTIVE DATE:

EXPIRATION DATE:

DRAFT

Alabama Department of Environmental Management

Page 1 of 23

PART I: DISCHARGE LIMITATIONS, CONDITIONS, AND REQUIREMENTS

A. DISCHARGE LIMITATIONS AND MONITORING REQUIREMENTS

DSN002Q: Storm water runoff associated with electroplating and metal finishing operations 3/4/

During the period beginning on the effective date of this permit and lasting through the expiration date of this permit, the Permittee is authorized to discharge from the outfall(s) listed above and described more fully in the Permittee's application. Such discharges shall be limited and monitored by the Permittee as specified below:

Parameter	Quantity or Loading		Units	Q	uality or Concentra	ation	Units	Sample Frequency ²	Sample Type ¹	Seasonal
Solids, Total Suspended (00530) Effluent Gross Value	****	****	****	****	****	(Report) Maximum Daily	mg/l	Quarterly	Grab	All Months
Zinc Total Recoverable (01094) 5/ Effluent Gross Value	****	****	****	****	****	(Report) Maximum Daily	mg/l	Quarterly	Grab	All Months
Lead, Total Recoverable (01114) 5/ Effluent Gross Value	****	****	****	****	****	(Report) Maximum Daily	mg/l	Quarterly	Grab	All Months
Copper Total Recoverable (01119) 5/ Effluent Gross Value	****	*****	****	****	****	(Report) Maximum Daily	mg/l	Quarterly	Grab	All Months
Chromium, Trivalent Total Recoverable (04262) 5/ Effluent Gross Value	****	****	****	****	****	(Report) Maximum Daily	mg/l	Quarterly	Grab	All Months
Chromium, Hexavalent Tot Recoverable (78247) 5/ Effluent Gross Value	****	****	****	****	****	(Report) Maximum Daily	mg/l	Quarterly	Grab	All Months
Chemical Oxygen Demand (COD) (81017) Effluent Gross Value	****	****	****	****	****	(Report) Maximum Daily	mg/l	Quarterly	Grab	All Months

- 1/ Samples collected to comply with the monitoring requirements specified above shall be collected at the following location: At the nearest accessible location just prior to discharge and after final treatment. Unless otherwise specified, composite samples shall be time composite samples collected using automatic sampling equipment or a minimum of eight (8) equal volume grab samples collected over equal time intervals. All composite samples shall be collected for the total period of discharge not to exceed 24 hours.
- 2/ If only one sampling event occurs during a month, the sample result shall be reported on the discharge monitoring report as both the monthly average and daily maximum value for all parameters with a monthly average limitation.
- 3/ See Part IV.A for Best Management Practices (BMP) Plan Requirements.
- 4/ See Part IV.B for Stormwater Measurement and Sampling Requirements.
- 5/ For the purpose of demonstration of compliance with this parameter, "Total" and "Total recoverable" shall be considered equivalent.

DSN002S: Storm water runoff associated with electroplating and metal finishing operations 3/4/

During the period beginning on the effective date of this permit and lasting through the expiration date of this permit, the Permittee is authorized to discharge from the outfall(s) listed above and described more fully in the Permittee's application. Such discharges shall be limited and monitored by the Permittee as specified below:

Parameter	Quantity	or Loading	Units	Qu	Units	Sample Frequency ²	Sample Type ¹	Seasonal		
pH (00400) Effluent Gross Value	****	****	*****	6.0 Minimum Daily	****	8.5 Maximum Daily	S.U.	Semi- Annually	Grab	All Months
Oil & Grease (00556) Effluent Gross Value	*****	*****	*****	****	*****	15 Maximum Daily	mg/l	Semi- Annually	Grab	All Months
Flow, In Conduit or Thru Treatment Plant (50050) Effluent Gross Value	****	(Report) Maximum Daily	MGD	****	****	****	****	Semi- Annually	Estimate	All Months

- 1/ Samples collected to comply with the monitoring requirements specified above shall be collected at the following location: At the nearest accessible location just prior to discharge and after final treatment. Unless otherwise specified, composite samples shall be time composite samples collected using automatic sampling equipment or a minimum of eight (8) equal volume grab samples collected over equal time intervals. All composite samples shall be collected for the total period of discharge not to exceed 24 hours.
- 2/ If only one sampling event occurs during a month, the sample result shall be reported on the discharge monitoring report as both the monthly average and daily maximum value for all parameters with a monthly average limitation.
- 3/ See Part IV.A for Best Management Practices (BMP) Plan Requirements.
- 4/ See Part IV.B for Stormwater Measurement and Sampling Requirements.

DSN003Q: Storm water runoff associated with electroplating and metal finishing operations 3/4/

During the period beginning on the effective date of this permit and lasting through the expiration date of this permit, the Permittee is authorized to discharge from the outfall(s) listed above and described more fully in the Permittee's application. Such discharges shall be limited and monitored by the Permittee as specified below:

Parameter	Quantity of	or Loading	Units	Q	uality or Concentr	ation	Units	Sample Frequency ²	Sample Type ¹	Seasonal
Solids, Total Suspended (00530) Effluent Gross Value	****	****	****	****	****	(Report) Maximum Daily	mg/l	Quarterly	Grab	All Months
Zinc Total Recoverable (01094) 5/ Effluent Gross Value	****	****	****	****	****	(Report) Maximum Daily	mg/l	Quarterly	Grab	All Months
Lead, Total Recoverable (01114) 5/ Effluent Gross Value	****	****	****	****	****	(Report) Maximum Daily	mg/l	Quarterly	Grab	All Months
Copper Total Recoverable (01119) 5/ Effluent Gross Value	****	****	****	****	****	(Report) Maximum Daily	mg/l	Quarterly	Grab	All Months
Chromium, Trivalent Total Recoverable (04262) 5/ Effluent Gross Value	****	****	****	****	****	(Report) Maximum Daily	mg/l	Quarterly	Grab	All Months
Chromium, Hexavalent Tot Recoverable (78247) 5/ Effluent Gross Value	****	****	****	****	****	(Report) Maximum Daily	mg/l	Quarterly	Grab	All Months
Chemical Oxygen Demand (COD) (81017) Effluent Gross Value	****	****	****	****	****	(Report) Maximum Daily	mg/l	Quarterly	Grab	All Months

- 1/ Samples collected to comply with the monitoring requirements specified above shall be collected at the following location: At the nearest accessible location just prior to discharge and after final treatment. Unless otherwise specified, composite samples shall be time composite samples collected using automatic sampling equipment or a minimum of eight (8) equal volume grab samples collected over equal time intervals. All composite samples shall be collected for the total period of discharge not to exceed 24 hours.
- 2/ If only one sampling event occurs during a month, the sample result shall be reported on the discharge monitoring report as both the monthly average and daily maximum value for all parameters with a monthly average limitation.
- 3/ See Part IV.A for Best Management Practices (BMP) Plan Requirements.
- 4/ See Part IV.B for Stormwater Measurement and Sampling Requirements.
- 5/ For the purpose of demonstration of compliance with this parameter, "Total" and "Total recoverable" shall be considered equivalent.

DSN003S: Storm water runoff associated with electroplating and metal finishing operations 3/4/

During the period beginning on the effective date of this permit and lasting through the expiration date of this permit, the Permittee is authorized to discharge from the outfall(s) listed above and described more fully in the Permittee's application. Such discharges shall be limited and monitored by the Permittee as specified below:

Parameter	Quantity or Loading			Qu	lity or Concentration		Units	Sample Frequency ²	Sample Type ¹	Seasonal
pH (00400) Effluent Gross Value	****	****	****	6.0 Minimum Daily	****	8.5 Maximum Daily	S.U.	Semi- Annually	Grab	All Months
Oil & Grease (00556) Effluent Gross Value	****	****	****	****	****	15 Maximum Daily	mg/l	Semi- Annually	Grab	All Months
Flow, In Conduit or Thru Treatment Plant (50050) Effluent Gross Value	****	(Report) Maximum Daily	MGD	****	****	****	****	Semi- Annually	Estimate	All Months

- 1/ Samples collected to comply with the monitoring requirements specified above shall be collected at the following location: At the nearest accessible location just prior to discharge and after final treatment. Unless otherwise specified, composite samples shall be time composite samples collected using automatic sampling equipment or a minimum of eight (8) equal volume grab samples collected over equal time intervals. All composite samples shall be collected for the total period of discharge not to exceed 24 hours.
- 2/ If only one sampling event occurs during a month, the sample result shall be reported on the discharge monitoring report as both the monthly average and daily maximum value for all parameters with a monthly average limitation.
- 3/ See Part IV.A for Best Management Practices (BMP) Plan Requirements.
- 4/ See Part IV.B for Stormwater Measurement and Sampling Requirements.

B. DISCHARGE MONITORING AND RECORD KEEPING REQUIREMENTS

1. Representative Sampling

Samples and measurements taken as required herein shall be representative of the volume and nature of the monitored discharge and shall be in accordance with the provisions of this permit.

2. Test Procedures

For the purpose of reporting and compliance, permittees shall use one of the following procedures:

- a. For parameters with an EPA established Minimum Level (ML), report the measured value if the analytical result is at or above the ML and report "0" for values below the ML. Test procedures for the analysis of pollutants shall conform to 40 CFR Part 136 and guidelines published pursuant to Section 304(h) of the FWPCA, 33 U.S.C. Section 1314(h). If more than one method for analysis of a substance is approved for use, a method having a minimum level lower than the permit limit shall be used. If the minimum level of all methods is higher than the permit limit, the method having the lowest minimum level shall be used and a report of less than the minimum level shall be reported as zero and will constitute compliance; however, should EPA approve a method with a lower minimum level during the term of this permit the permit the newly approved method.
- b. For pollutants parameters without an established ML, an interim ML may be utilized. The interim ML shall be calculated as 3.18 times the Method Detection Level (MDL) calculated pursuant to 40 CFR Part 136, Appendix B.

Permittees may develop an effluent matrix-specific ML, where an effluent matrix prevents attainment of the established ML. However, a matrix specific ML shall be based upon proper laboratory method and technique. Matrix-specific MLs must be approved by the Department, and may be developed by the permittee during permit issuance, reissuance, modification, or during compliance schedule.

In either case the measured value should be reported if the analytical result is at or above the ML and "0" reported for values below the ML.

c. For parameters without an EPA established ML, interim ML, or matrix-specific ML, a report of less than the detection limit shall constitute compliance if the detection limit of all analytical methods is higher than the permit limit using the most sensitive EPA approved method. For the purpose of calculating a monthly average, "0" shall be used for values reported less than the detection limit.

The Minimum Level utilized for procedures A and B above shall be reported on the permittee's DMR. When an EPA approved test procedure for analysis of a pollutant does not exist, the Director shall approve the procedure to be used.

3. Recording of Results

For each measurement or sample taken pursuant to the requirements of this permit, the permittee shall record the following information:

- a. The facility name and location, point source number, date, time and exact place of sampling;
- b. The name(s) of person(s) who obtained the samples or measurements;
- c. The dates and times the analyses were performed;
- d. The name(s) of the person(s) who performed the analyses;
- e. The analytical techniques or methods used, including source of method and method number; and
- f. The results of all required analyses.

4. Records Retention and Production

The permittee shall retain records of all monitoring information, including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation, copies of all reports required by the permit, and records of all data used to complete the above reports or the application for this permit, for a period of at least three years from the date of the sample measurement, report or application. This period may be extended by request of the Director at any time. If litigation or other enforcement action, under the AWPCA and/or the FWPCA, is ongoing which involves any of the above records, the records shall be kept until the litigation is resolved. Upon the written request of the Director or his designee, the





Stand Barris and Section

permittee shall provide the Director with a copy of any record required to be retained by this paragraph. Copies of these records shall not be submitted unless requested.

All records required to be kept for a period of three years shall be kept at the permitted facility or an alternate location approved by the Department in writing and shall be available for inspection.

5. Monitoring Equipment and Instrumentation

All equipment and instrumentation used to determine compliance with the requirements of this permit shall be installed, maintained, and calibrated in accordance with the manufacturer's instructions or, in the absence of manufacturer's instructions, in accordance with accepted practices. The permittee shall develop and maintain quality assurance procedures to ensure proper operation and maintenance of all equipment and instrumentation. The quality assurance procedures shall include the proper use, maintenance, and installation, when appropriate, of monitoring equipment at the plant site.

C. DISCHARGE REPORTING REQUIREMENTS

1. Reporting of Monitoring Requirements

a. The permittee shall conduct the required monitoring in accordance with the following schedule:

MONITORING REQUIRED MORE FREQUENTLY THAN MONTHLY AND MONTHLY shall be conducted during the first full month following the effective date of coverage under this permit and every month thereafter.

QUARTERLY MONITORING shall be conducted at least once during each calendar quarter. Calendar quarters are the periods of January through March, April through June, July through September, and October through December. The permittee shall conduct the quarterly monitoring during the first complete calendar quarter following the effective date of this permit and is then required to monitor once during each quarter thereafter. Quarterly monitoring may be done anytime during the quarter, unless restricted elsewhere in this permit, but it should be submitted with the last DMR due for the quarter, i.e., (March, June, September and December DMR's).

SEMIANNUAL MONITORING shall be conducted at least once during the period of January through June and at least once during the period of July through December. The permittee shall conduct the semiannual monitoring during the first complete calendar semiannual period following the effective date of this permit and is then required to monitor once during each semiannual period thereafter. Semiannual monitoring may be done anytime during the semiannual period, unless restricted elsewhere in this permit, but it should be submitted with the last DMR for the month of the semiannual period, i.e. (June and December DMR's).

ANNUAL MONITORING shall be conducted at least once during the period of January through December. The permittee shall conduct the annual monitoring during the first complete calendar annual period following the effective date of this permit and is then required to monitor once during each annual period thereafter. Annual monitoring may be done anytime during the year, unless restricted elsewhere in this permit, but it should be submitted with the December DMR.

b. The permittee shall submit discharge monitoring reports (DMRs) on the forms provided by the Department and in accordance with the following schedule:

REPORTS OF MORE FREQUENTLY THAN MONTHLY AND MONTHLY TESTING shall be submitted on a **monthly** basis. The first report is due on the **28th day of (MONTH, YEAR)**. The reports shall be submitted so that they are received by the Department no later than the 28th day of the month following the reporting period.

REPORTS OF QUARTERLY TESTING shall be submitted on a **quarterly** basis. The first report is due on the **28th day of [Month, Year].** The reports shall be submitted so that they are received by the Department no later than the **28th** day of the month following the reporting period.

REPORTS OF SEMIANNUAL TESTING shall be submitted on a semiannual basis. The reports are due on the 28th day of JANUARY and the 28th day of JULY. The reports shall be submitted so that they are received by the Department no later than the 28th day of the month following the reporting period.

REPORTS OF ANNUAL TESTING shall be submitted on an annual basis. The first report is due on the 28th day of JANUARY. The reports shall be submitted so that they are received by the Department no later than the 28th day of the month following the reporting period.

c. Except as allowed by Provision I.C.1.c.(1) or (2), the permittee shall submit all Discharge Monitoring Reports (DMRs) required by Provision I.C.1.b electronically.

(1) If the permittee is unable to complete the electronic submittal of DMR data due to technical problems originating with the Department's electronic system (this could include entry/submittal issues with an entire set of DMRs or individual parameters), the permittee is not relieved of their obligation to submit DMR data to the Department by the date specified in Provision I.C.1.b, unless otherwise directed by the Department.

If the Department's electronic system is down on the 28th day of the month in which the DMR is due or is down for an extended period of time, as determined by the Department, when a DMR is required to be submitted, the permittee may submit the data in an alternate manner and format acceptable to the Department. Preapproved alternate acceptable methods include faxing, e-mailing, mailing, or hand-delivery of data such that they are received by the required reporting date. Within 5 calendar days of the Department's electronic system resuming operation, the permittee shall enter the data into the Department's electronic system, unless an alternate timeframe is approved by the Department. A comment should be included on the electronic DMR submittal verifying the original submittal date (date of the fax, copy of the dated e-mail, or hand-delivery stamped date), if applicable.

(2) The permittee may submit a request to the Department for a temporary electronic reporting waiver for DMR submittals. The waiver request should include the permit number; permittee name; facility/site name; facility address; name, address, and contact information for the responsible official or duly authorized representative; a detailed statement regarding the basis for requesting such a waiver; and the duration for which the waiver is requested. Approved electronic reporting waivers are not transferrable.

Permittees with an approved electronic reporting waiver for DMRs may submit hard copy DMRs for the period that the approved electronic reporting waiver request is effective. The permittee shall submit the Department-approved DMR forms to the address listed in Provision I.C.1.e.

- (3) If a permittee is allowed to submit a hard copy DMR, the DMR must be legible and bear an original signature. Photo and electronic copies of the signature are not acceptable and shall not satisfy the reporting requirements of this permit.
- (4) If the permittee, using approved analytical methods as specified in Provision I.B.2, monitors any discharge from a point source for a limited substance identified in Provision I.A. of this permit more frequently than required by this permit, the results of such monitoring shall be included in the calculation and reporting of values on the DMR and the increased frequency shall be indicated on the DMR.
- (5) In the event no discharge from a point source identified in Provision I.A. of this permit and described more fully in the permittee's application occurs during a monitoring period, the permittee shall report "No Discharge" for such period on the appropriate DMR.
- d. All reports and forms required to be submitted by this permit, the AWPCA and the Department's Rules, shall be electronically signed (or, if allowed by the Department, traditionally signed) by a "responsible official" of the permittee as defined in ADEM Administrative Code Rule 335-6-6-.09 or a "duly authorized representative" of such official as defined in ADEM Administrative Code Rule 335-6-6-.09 and shall bear the following certification:

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

e. Discharge Monitoring Reports required by this permit, the AWPCA, and the Department's Rules that are being submitted in hard copy shall be addressed to:

Alabama Department of Environmental Management Water Division Office of Water Services Post Office Box 301463 Montgomery, Alabama 36130-1463 Certified and Registered Mail containing Discharge Monitoring Reports shall be addressed to:

Alabama Department of Environmental Management Water Division Office of Water Services 1400 Coliseum Boulevard Montgomery, Alabama 36110-2400

f. All other correspondence and reports required to be submitted by this permit, the AWPCA, and the Department's Rules shall be addressed to:

Alabama Department of Environmental Management' Water Division Post Office Box 301463 Montgomery, Alabama 36130-1463

Certified and Registered Mail shall be addressed to:

Alabama Department of Environmental Management Water Division 1400 Coliseum Boulevard Montgomery, Alabama 36110-2400

g. If this permit is a re-issuance, then the permittee shall continue to submit DMRs in accordance with the requirements of their previous permit until such time as DMRs are due as discussed in Part I.C.1.b above.

2. Noncompliance Notification

a. 24-Hour Noncompliance Reporting

The permittee shall report to the Director, within 24-hours of becoming aware of the noncompliance, any noncompliance which may endanger health or the environment. This shall include but is not limited to the following circumstances:

- does not comply with any daily minimum or maximum discharge limitation for an effluent characteristic specified in Provision I. A. of this permit which is denoted by an "(X)";
- (2) threatens human health or welfare, fish or aquatic life, or water quality standards;
- (3) does not comply with an applicable toxic pollutant effluent standard or prohibition established under Section 307(a) of the FWPCA, 33 U.S.C. Section 1317(a);
- (4) contains a quantity of a hazardous substance which has been determined may be harmful to public health or welfare under Section 311(b)(4) of the FWPCA, 33 U.S.C. Section 1321(b)(4);
- (5) exceeds any discharge limitation for an effluent characteristic as a result of an unanticipated bypass or upset; and
- (6) is an unpermitted direct or indirect discharge of a pollutant to a water of the state (unpermitted discharges properly reported to the Department under any other requirement are not required to be reported under this provision).

The permittee shall orally report the occurrence and circumstances of such discharge to the Director within 24-hours after the permittee becomes aware of the occurrence of such discharge. In addition to the oral report, the permittee shall submit to the Director or Designee a written report as provided in Part I.C.2.c no later than five (5) days after becoming aware of the occurrence of such discharge.

- b. If for any reason, the permittee's discharge does not comply with any limitation of this permit, the permittee shall submit to the Director or Designee a written report as provided in Part I.C.2.c below, such report shall be submitted with the next Discharge Monitoring Report required to be submitted by Part I.C.1 of this permit after becoming aware of the occurrence of such noncompliance.
- c. Any written report required to be submitted to the Director or Designee by Part I.C.2 a. or b. shall be submitted using a Noncompliance Notification Form (ADEM Form 421) available on the Department's website (<u>http://adem.alabama.gov/DeptForms/Form421.pdf</u>) and include the following information:
 - (1) A description of the discharge and cause of noncompliance;

- (2) The period of noncompliance, including exact dates and times or, if not corrected, the anticipated time the noncompliance is expected to continue; and
- (3) A description of the steps taken and/or being taken to reduce or eliminate the noncomplying discharge and to prevent its recurrence.

D. OTHER REPORTING AND NOTIFICATION REQUIREMENTS

1. Anticipated Noncompliance

The permittee shall give the Director written advance notice of any planned changes or other circumstances regarding a facility which may result in noncompliance with permit requirements.

2. Termination of Discharge

The permittee shall notify the Director, in writing, when all discharges from any point source(s) identified in Provision I. A. of this permit have permanently ceased. This notification shall serve as sufficient cause for instituting procedures for modification or termination of the permit.

3. Updating Information

- a. The permittee shall inform the Director of any change in the permittee's mailing address, telephone number or in the permittee's designation of a facility contact or office having the authority and responsibility to prevent and abate violations of the AWPCA, the Department's Rules, and the terms and conditions of this permit, in writing, no later than ten (10) days after such change. Upon request of the Director or his designee, the permittee shall furnish the Director with an update of any information provided in the permit application.
- b. If the permittee becomes aware that it failed to submit any relevant facts in a permit application, or submitted incorrect information in a permit application or in any report to the Director, it shall promptly submit such facts or information with a written explanation for the mistake and/or omission.

4. Duty to Provide Information

The permittee shall furnish to the Director, within a reasonable time, any information which the Director or his designee may request to determine whether cause exists for modifying, revoking and re-issuing, suspending, or terminating this permit, in whole or in part, or to determine compliance with this permit.

5. Cooling Water and Boiler Water Additives

- a. The permittee shall notify the Director in writing not later than thirty (30) days prior to instituting the use of any biocide corrosion inhibitor or chemical additive in a cooling or boiler system, not identified in the application for this permit, from which discharge is allowed by this permit. Notification is not required for additives that do not contain a heavy metal(s) as an active ingredient and that pass through a wastewater treatment system prior to discharge nor is notification required for additives that should not reasonably be expected to cause the cooling water or boiler water to exhibit toxicity as determined by analysis of manufacturer's data or testing by the permittee. Such notification shall include:
 - (1) name and general composition of biocide or chemical;
 - (2) 96-hour median tolerance limit data for organisms representative of the biota of the waterway into which the discharge will ultimately reach;
 - (3) quantities to be used;
 - (4) frequencies of use;
 - (5) proposed discharge concentrations; and
 - (6) EPA registration number, if applicable.
- b. The use of a biocide or additive containing tributyl tin, tributyl tin oxide, zinc, chromium or related compounds in cooling or boiler system(s), from which a discharge regulated by this permit occurs, is prohibited except as exempted below. The use of a biocide or additive containing zinc, chromium or related compounds may be used in special circumstances if (1) the permit contains limits for these substances, or (2) the applicant demonstrates during the application process that the use of zinc, chromium or related compounds as a biocide or additive will not pose a reasonable potential to violate the applicable State water quality standards for these substances. The use of any additive, not identified in this permit or in the

application for this permit or not exempted from notification under this permit is prohibited, prior to a determination by the Department that permit modification to control discharge of the additive is not required or prior to issuance of a permit modification controlling discharge of the additive.

6. Permit Issued Based on Estimated Characteristics

- a. If this permit was issued based on estimates of the characteristics of a process discharge reported on an EPA NPDES Application Form 2D (EPA Form 3510-2D), the permittee shall complete and submit an EPA NPDES Application Form 2C (EPA Form 3510-2C) no later than two years after the date that discharge begins. Sampling required for completion of the Form 2C shall occur when a discharge(s) from the process(s) causing the new or increased discharge is occurring. If this permit was issued based on estimates concerning the composition of a stormwater discharge(s), the permittee shall perform the sampling required by EPA NPDES Application Form 2F (EPA Form 3510-2F) no later than one year after the industrial activity generating the stormwater discharge has been fully initiated.
- b. This permit shall be reopened if required to address any new information resulting from the completion and submittal of the Form 2C and or 2F.

E. SCHEDULE OF COMPLIANCE

1. The permittee shall achieve compliance with the discharge limitations specified in Provision I. A. in accordance with the following schedule:

COMPLIANCE SHALL BE ATTAINED ON THE EFFECTIVE DATE OF THIS PERMIT

2. No later than 14 calendar days following a date identified in the above schedule of compliance, the permittee shall submit either a report of progress or, in the case of specific actions being required by identified dates, a written notice of compliance or noncompliance. In the latter case, the notice shall include the cause of noncompliance, any remedial actions taken, and the probability of meeting the next scheduled requirement.

PART II: OTHER REQUIREMENTS, RESPONSIBILITIES, AND DUTIES

A. OPERATIONAL AND MANAGEMENT REQUIREMENTS

1. Facilities Operation and Maintenance

The permittee shall at all times properly operate and maintain all facilities and systems of treatment and control (and related appurtenances) which are installed or used by the permittee to achieve compliance with the conditions of the permit. Proper operation and maintenance includes effective performance, adequate funding, adequate operator staffing and training, and adequate laboratory and process controls, including appropriate quality assurance procedures. This provision requires the operation of backup or auxiliary facilities only when necessary to achieve compliance with the conditions of the permit.

2. Best Management Practices

- a. Dilution water shall not be added to achieve compliance with discharge limitations except when the Director or his designee has granted prior written authorization for dilution to meet water quality requirements.
- b. The permittee shall prepare, implement, and maintain a Spill Prevention, Control and Countermeasures (SPCC) Plan in accordance with 40 C.F.R. Section 112 if required thereby.
- c. The permittee shall prepare, submit for approval and implement a Best Management Practices (BMP) Plan for containment of any or all process liquids or solids, in a manner such that these materials do not present a significant potential for discharge, if so required by the Director or his designee. When submitted and approved, the BMP Plan shall become a part of this permit and all requirements of the BMP Plan shall become requirements of this permit.

3. Spill Prevention, Control, and Management

The permittee shall provide spill prevention, control, and/or management sufficient to prevent any spills of pollutants from entering a water of the state or a publicly or privately owned treatment works. Any containment system used to implement this requirement shall be constructed of materials compatible with the substance(s) contained and which shall prevent the contamination of groundwater and such containment system shall be capable of retaining a volume equal to 110 percent of the capacity of the largest tank for which containment is provided.

B. OTHER RESPONSIBILITIES

1. Duty to Mitigate Adverse Impacts

The permittee shall promptly take all reasonable steps to mitigate and minimize or prevent any adverse impact on human health or the environment resulting from noncompliance with any discharge limitation specified in Provision I. A. of this permit, including such accelerated or additional monitoring of the discharge and/or the receiving waterbody as necessary to determine the nature and impact of the noncomplying discharge.

2. Right of Entry and Inspection

The permittee shall allow the Director, or an authorized representative, upon the presentation of proper credentials and other documents as may be required by law to:

- a. enter upon the permittee's premises where a regulated facility or activity or point source is located or conducted, or where records must be kept under the conditions of the permit;
- b. have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit;
- c. inspect any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under the permit; and
- d. sample or monitor, for the purposes of assuring permit compliance or as otherwise authorized by the AWPCA, any substances or parameters at any location.

C. BYPASS AND UPSET

1. Bypass

- a. Any bypass is prohibited except as provided in b. and c. below:
- b. A bypass is not prohibited if:

- (1) It does not cause any discharge limitation specified in Provision I. A. of this permit to be exceeded;
- (2) It enters the same receiving stream as the permitted outfall; and
- (3) It is necessary for essential maintenance of a treatment or control facility or system to assure efficient operation of such facility or system.
- c. A bypass is not prohibited and need not meet the discharge limitations specified in Provision I. A. of this permit if:
 - (1) It is unavoidable to prevent loss of life, personal injury, or severe property damage;
 - (2) There are no feasible alternatives to the bypass, such as the use of auxiliary treatment facilities, retention of untreated wastes, or maintenance during normal periods of equipment downtime (this condition is not satisfied if adequate back-up equipment should have been installed in the exercise of reasonable engineering judgment to prevent a bypass which occurred during normal periods of equipment downtime or preventive maintenance); and
 - (3) The permittee submits a written request for authorization to bypass to the Director at least ten (10) days prior to the anticipated bypass (if possible), the permittee is granted such authorization, and the permittee complies with any conditions imposed by the Director to minimize any adverse impact on human health or the environment resulting from the bypass.
- d. The permittee has the burden of establishing that each of the conditions of Provision II.C. l.b. or c. have been met to qualify for an exception to the general prohibition against bypassing contained in a. and an exemption, where applicable, from the discharge limitations specified in Provision I. A. of this permit.

2. Upset

- a. A discharge which results from an upset need not meet the discharge limitations specified in Provision I. A. of this permit if:
 - (1) No later than 24-hours after becoming aware of the occurrence of the upset, the permittee orally reports the occurrence and circumstances of the upset to the Director or his designee; and
 - (2) No later than five (5) days after becoming aware of the occurrence of the upset, the permittee furnishes the Director with evidence, including properly signed, contemporaneous operating logs, or other relevant evidence, demonstrating that (i) an upset occurred; (ii) the permittee can identify the specific cause(s) of the upset; (iii) the permittee's facility was being properly operated at the time of the upset; and (iv) the permittee promptly took all reasonable steps to minimize any adverse impact on human health or the environment resulting from the upset.
- b. The permittee has the burden of establishing that each of the conditions of Provision II. C.2.a. of this permit have been met to qualify for an exemption from the discharge limitations specified in Provision I.A. of this permit.

D. DUTY TO COMPLY WITH PERMIT, RULES, AND STATUTES

1. Duty to Comply

- a. The permittee must comply with all conditions of this permit. Any permit noncompliance constitutes a violation of the AWPCA and the FWPCA and is grounds for enforcement action, for permit termination, revocation and reissuance, suspension, modification; or denial of a permit renewal application.
- b. The necessity to halt or reduce production or other activities in order to maintain compliance with the conditions of the permit shall not be a defense for a permittee in an enforcement action.
- c. The discharge of a pollutant from a source not specifically identified in the permit application for this permit and not specifically included in the description of an outfall in this permit is not authorized and shall constitute noncompliance with this permit.
- d. The permittee shall take all reasonable steps, including cessation of production or other activities, to minimize or prevent any violation of this permit or to minimize or prevent any adverse impact of any permit violation.
- e. Nothing in this permit shall be construed to preclude and negate the permittee's responsibility or liability to apply for, obtain, or comply with other ADEM, Federal, State, or Local Government permits, certifications, licenses, or other approvals.

2. Removed Substances

Solids, sludges, filter backwash, or any other pollutant or other waste removed in the course of treatment or control of wastewaters shall be disposed of in a manner that complies with all applicable Department Rules.

3. Loss or Failure of Treatment Facilities

Upon the loss or failure of any treatment facilities, including but not limited to the loss or failure of the primary source of power of the treatment facility, the permittee shall, where necessary to maintain compliance with the discharge limitations specified in Provision I. A. of this permit, or any other terms or conditions of this permit, cease, reduce, or otherwise control production and/or all discharges until treatment is restored. If control of discharge during loss or failure of the primary source of power is to be accomplished by means of alternate power sources, standby generators, or retention of inadequately treated effluent, the permittee must furnish to the Director within six months a certification that such control mechanisms have been installed.

4. Compliance with Statutes and Rules

- a. This permit has been issued under ADEM Administrative Code, Chapter 335-6-6. All provisions of this chapter, that are applicable to this permit, are hereby made a part of this permit. A copy of this chapter may be obtained for a small charge from the Office of General Counsel, Alabama Department of Environmental Management, 1400 Coliseum Blvd., Montgomery, AL 36130.
- b. This permit does not authorize the noncompliance with or violation of any Laws of the State of Alabama or the United States of America or any regulations or rules implementing such laws. FWPCA, 33 U.S.C. Section 1319, and Code of Alabama 1975, Section 22-22-14.

E. PERMIT TRANSFER, MODIFICATION, SUSPENSION, REVOCATION, AND REISSUANCE

1. Duty to Reapply or Notify of Intent to Cease Discharge

- a. If the permittee intends to continue to discharge beyond the expiration date of this permit, the permittee shall file a complete permit application for reissuance of this permit at least 180 days prior to its expiration. If the permittee does not intend to continue discharge beyond the expiration of this permit, the permittee shall submit written notification of this intent which shall be signed by an individual meeting the signatory requirements for a permit application as set forth in ADEM Administrative Code Rule 335-6-6-.09.
- b. Failure of the permittee to apply for reissuance at least 180 days prior to permit expiration will void the automatic continuation of the expiring permit provided by ADEM Administrative Code Rule 335-6-6-.06 and should the permit not be reissued for any reason any discharge after expiration of this permit will be an unpermitted discharge.

2. Change in Discharge

- a. The permittee shall apply for a permit modification at least 180 days in advance of any facility expansion, production increase, process change, or other action that could result in the discharge of additional pollutants or increase the quantity of a discharged pollutant such that existing permit limitations would be exceeded or that could result in an additional discharge point. This requirement applies to pollutants that are or that are not subject to discharge limitations in this permit. No new or increased discharge may begin until the Director has authorized it by issuance of a permit modification or a reissued permit.
- b. The permittee shall notify the Director as soon as it is known or there is reason to believe:
 - (1) That any activity has occurred or will occur which would result in the discharge on a routine or frequent basis, of any toxic pollutant which is not limited in this permit, if that discharge will exceed the highest of the following notification levels:
 - (i) one hundred micrograms per liter;
 - (ii) two hundred micrograms per liter for acrolein and acrylonitrile; five hundred micrograms per liter for 2,4dinitrophenol and for 2-methyl-4,6-dini-trophenol; and one milligram per liter for antimony;
 - (iii) five times the maximum concentration value reported for that pollutant in the permit application; or
 - (2) That any activity has occurred or will occur which would result in any discharge, on a non-routine or infrequent basis, of a toxic pollutant which is not limited in the permit, if that discharge will exceed the highest of the following notification levels:

- (i) five hundred micrograms per liter;
- (ii) one milligram per liter for antimony;
- (iii) ten times the maximum concentration value reported for that pollutant in the permit application.

3. Transfer of Permit

This permit may not be transferred or the name of the permittee changed without notice to the Director and subsequent modification or revocation and reissuance of the permit to identify the new permittee and to incorporate any other changes as may be required under the FWPCA or AWPCA. In the case of a change in name, ownership or control of the permittee's premises only, a request for permit modification in a format acceptable to the Director is required at least 30 days prior to the change. In the case of a change in name, ownership or control of the permittee's premises accompanied by a change or proposed change in effluent characteristics, a complete permit application is required to be submitted to the Director at least 180 days prior to the change. Whenever the Director is notified of a change in name, ownership or control, he may decide not to modify the existing permit and require the submission of a new permit application.

4. Permit Modification and Revocation

- a. This permit may be modified or revoked and reissued, in whole or in part, during its term for cause, including but not limited to, the following:
 - (1) If cause for termination under Provision II. E. 5. of this permit exists, the Director may choose to revoke and reissue this permit instead of terminating the permit;
 - (2) If a request to transfer this permit has been received, the Director may decide to revoke and reissue or to modify the permit; or
 - (3) If modification or revocation and reissuance is requested by the permittee and cause exists, the Director may grant the request.
- b. This permit may be modified during its term for cause, including but not limited to, the following:
 - (1) If cause for termination under Provision II. E. 5. of this permit exists, the Director may choose to modify this permit instead of terminating this permit;
 - (2) There are material and substantial alterations or additions to the facility or activity generating wastewater which occurred after permit issuance which justify the application of permit conditions that are different or absent in the existing permit;
 - (3) The Director has received new information that was not available at the time of permit issuance and that would have justified the application of different permit conditions at the time of issuance;
 - (4) A new or revised requirement(s) of any applicable standard or limitation is promulgated under Sections 301(b)(2)(C), (D), (E), and (F), and 307(a)(2) of the FWPCA;
 - (5) Errors in calculation of discharge limitations or typographical or clerical errors were made;
 - (6) To the extent allowed by ADEM Administrative Code, Rule 335-6-6-.17, when the standards or regulations on which the permit was based have been changed by promulgation of amended standards or regulations or by judicial decision after the permit was issued;
 - (7) To the extent allowed by ADEM Administrative Code, Rule 335-6-6-.17, permits may be modified to change compliance schedules;
 - (8) To agree with a granted variance under 30l(c), 30l(g), 30l(h), 30l(k), or 3l6(a) of the FWPCA or for fundamentally different factors;
 - (9) To incorporate an applicable 307(a) FWPCA toxic effluent standard or prohibition;
 - (10) When required by the reopener conditions in this permit;
 - (11) When required under 40 CFR 403.8(e) (compliance schedule for development of pretreatment program);

- (12) Upon failure of the state to notify, as required by Section 402(b)(3) of the FWPCA, another state whose waters may be affected by a discharge permitted by this permit;
- (13) When required to correct technical mistakes, such as errors in calculation, or mistaken interpretations of law made in determining permit conditions; or
- (14) When requested by the permittee and the Director determines that the modification has cause and will not result in a violation of federal or state law, regulations or rules.

5. Permit Termination

This permit may be terminated during its term for cause, including but not limited to, the following:

- a. Violation of any term or condition of this permit;
- b. The permittee's misrepresentation or failure to disclose fully all relevant facts in the permit application or during the permit issuance process or the permittee's misrepresentation of any relevant facts at any time;
- c. Materially false or inaccurate statements or information in the permit application or the permit;
- d. A change in any condition that requires either a temporary or permanent reduction or elimination of the permitted discharge;
- e. The permittee's discharge threatens human life or welfare or the maintenance of water quality standards;
- f. Permanent closure of the facility generating the wastewater permitted to be discharged by this permit or permanent cessation of wastewater discharge;
- g. New or revised requirements of any applicable standard or limitation that is promulgated under Sections 301(b)(2)(C), (D), (E), and (F), and 307(a)(2) of the FWPCA that the Director determines cannot be complied with by the permittee; or
- h. Any other cause allowed by the ADEM Administrative Code, Chapter 335-6-6.

6. Permit Suspension

This permit may be suspended during its term for noncompliance until the permittee has taken action(s) necessary to achieve compliance.

7. Request for Permit Action Does Not Stay Any Permit Requirement

The filing of a request by the permittee for modification, suspension or revocation of this permit, in whole or in part, does not stay any permit term or condition.

F. COMPLIANCE WITH TOXIC POLLUTANT STANDARD OR PROHIBITION

If any applicable effluent standard or prohibition (including any schedule of compliance specified in such effluent standard or prohibition) is established under Section 307(a) of the FWPCA, 33 U.S.C. Section 1317(a), for a toxic pollutant discharged by the permittee and such standard or prohibition is more stringent than any discharge limitation on the pollutant specified in Provision I. A. of this permit, or controls a pollutant not limited in Provision I. A. of this permit, this permit shall be modified to conform to the toxic pollutant effluent standard or prohibition and the permittee shall be notified of such modification. If this permit has not been modified to conform to the toxic pollutant effluent standard or prohibition before the effective date of such standard or prohibition, the permittee shall attain compliance with the requirements of the standard or prohibition within the time period required by the standard or prohibition and shall continue to comply with the standard or prohibition until this permit is modified or reissued.

G. DISCHARGE OF WASTEWATER GENERATED BY OTHERS

The discharge of wastewater, generated by any process, facility, or by any other means not under the operational control of the permittee or not identified in the application for this permit or not identified specifically in the description of an outfall in this permit is not authorized by this permit.

PART III: OTHER PERMIT CONDITIONS

A. CIVIL AND CRIMINAL LIABILITY

1. Tampering

Any person who falsifies, tampers with, or knowingly renders inaccurate any monitoring device or method required to be maintained or performed under the permit shall, upon conviction, be subject to penalties as provided by the AWPCA.

2. False Statements

Any person who knowingly makes any false statement, representation, or certification in any record or other document submitted or required to be maintained under this permit, including monitoring reports or reports of compliance or noncompliance shall, upon conviction, be subject to penalties as provided by the AWPCA.

3. Permit Enforcement

- a. Any NPDES permit issued or reissued by the Department is a permit for the purpose of the AWPCA and the FWPCA and as such any terms, conditions, or limitations of the permit are enforceable under state and federal law.
- b. Any person required to have a NPDES permit pursuant to ADEM Administrative Code Chapter 335-6-6 and who discharges pollutants without said permit, who violates the conditions of said permit, who discharges pollutants in a manner not authorized by the permit, or who violates applicable orders of the Department or any applicable rule or standard of the Department, is subject to any one or combination of the following enforcement actions under applicable state statutes.
 - (1) An administrative order requiring abatement, compliance, mitigation, cessation, clean-up, and/or penalties;
 - (2) An action for damages;
 - (3) An action for injunctive relief; or
 - (4) An action for penalties.
- c. If the permittee is not in compliance with the conditions of an expiring or expired permit the Director may choose to do any or all of the following provided the permittee has made a timely and complete application for reissuance of the permit:
 - (1) initiate enforcement action based upon the permit which has been continued;
 - (2) issue a notice of intent to deny the permit reissuance. If the permit is denied, the owner or operator would then be required to cease the activities authorized by the continued permit or be subject to enforcement action for operating without a permit;
 - (3) reissue the new permit with appropriate conditions; or
 - (4) take other actions authorized by these rules and AWPCA.

4. Relief from Liability

Except as provided in Provision II.C.1 (Bypass) and Provision II.C.2 (Upset), nothing in this permit shall be construed to relieve the permittee of civil or criminal liability under the AWPCA or FWPCA for noncompliance with any term or condition of this permit.

B. OIL AND HAZARDOUS SUBSTANCE LIABILITY

Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the permittee from any responsibilities, liabilities or penalties to which the permittee is or may be subject under Section 311 of the FWPCA, 33 U.S.C. Section 1321.

C. PROPERTY AND OTHER RIGHTS

This permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize any injury to persons or property or invasion of other private rights, trespass, or any infringement of federal, state, or local laws or regulations, nor does it authorize or approve the construction of any physical structures or facilities or the undertaking of any work in any waters of the state or of the United States.

D. AVAILABILITY OF REPORTS

Except for data determined to be confidential under <u>Code of Alabama</u> 1975, Section 22-22-9(c), all reports prepared in accordance with the terms of this permit shall be available for public inspection at the offices of the Department. Effluent data shall not be considered confidential.

E. EXPIRATION OF PERMITS FOR NEW OR INCREASED DISCHARGES

- 1. If this permit was issued for a new discharger or new source, this permit shall expire eighteen months after the issuance date if construction of the facility has not begun during the eighteen-month period.
- 2. If this permit was issued or modified to allow the discharge of increased quantities of pollutants to accommodate the modification of an existing facility and if construction of this modification has not begun during the eighteen month period after issuance of this permit or permit modification, this permit shall be modified to reduce the quantities of pollutants allowed to be discharged to those levels that would have been allowed if the modification of the facility had not been planned.
- 3. Construction has begun when the owner or operator has:
 - a. begun, or caused to begin as part of a continuous on-site construction program:
 - (1) any placement, assembly, or installation of facilities or equipment; or
 - (2) significant site preparation work including clearing, excavation, or removal of existing buildings, structures, or facilities which is necessary for the placement, assembly, or installation of new source facilities or equipment; or
 - b. entered into a binding contractual obligation for the purpose of placement, assembly, or installation of facilities or equipment which are intended to be used in its operation within a reasonable time. Options to purchase or contracts which can be terminated or modified without substantial loss, and contracts for feasibility, engineering, and design studies do not constitute a contractual obligation under the paragraph. The entering into a lease with the State of Alabama for exploration and production of hydrocarbons shall also be considered beginning construction.

F. COMPLIANCE WITH WATER QUALITY STANDARDS

- 1. On the basis of the permittee's application, plans, or other available information, the Department has determined that compliance with the terms and conditions of this permit should assure compliance with the applicable water quality standards.
- 2. Compliance with permit terms and conditions notwithstanding, if the permittee's discharge(s) from point sources identified in Provision I. A. of this permit cause or contribute to a condition in contravention of state water quality standards, the Department may require abatement action to be taken by the permittee in emergency situations or modify the permit pursuant to the Department's Rules, or both.
- 3. If the Department determines, on the basis of a notice provided pursuant to this permit or any investigation, inspection or sampling, that a modification of this permit is necessary to assure maintenance of water quality standards or compliance with other provisions of the AWPCA or FWPCA, the Department may require such modification and, in cases of emergency, the Director may prohibit the discharge until the permit has been modified.

G. GROUNDWATER

Unless specifically authorized under this permit, this permit does not authorize the discharge of pollutants to groundwater. Should a threat of groundwater contamination occur, the Director may require groundwater monitoring to properly assess the degree of the problem and the Director may require that the Permittee undertake measures to abate any such discharge and/or contamination.

H. DEFINITIONS

- 1. <u>Average monthly discharge limitation</u> means the highest allowable average of "daily discharges" over a calendar month, calculated as the sum of all "daily discharges" measured during a calendar month divided by the number of "daily discharges" measured during that month (zero discharge days shall not be included in the number of "daily discharges" measured and a less than detectable test result shall be treated as a concentration of zero if the most sensitive EPA approved method was used).
- 2. <u>Average weekly discharge limitation</u> means the highest allowable average of "daily discharges" over a calendar week, calculated as the sum of all "daily discharges" measured during a calendar week divided by the number of "daily discharges" measured during that week (zero discharge days shall not be included in the number of "daily discharges" measured and a less than detectable test result shall be treated as a concentration of zero if the most sensitive EPA approved method was used).

- 3. <u>Arithmetic Mean</u> means the summation of the individual values of any set of values divided by the number of individual values.
- 4. <u>AWPCA</u> means the Alabama Water Pollution Control Act.
- 5. <u>BOD</u> means the five-day measure of the pollutant parameter biochemical oxygen demand.
- 6. <u>Bypass</u> means the intentional diversion of waste streams from any portion of a treatment facility.
- 7. <u>CBOD</u> means the five-day measure of the pollutant parameter carbonaceous biochemical oxygen demand.
- 8. <u>Daily discharge</u> means the discharge of a pollutant measured during any consecutive 24-hour period in accordance with the sample type and analytical methodology specified by the discharge permit.
- 9. <u>Daily maximum</u> means the highest value of any individual sample result obtained during a day.
- 10. Daily minimum means the lowest value of any individual sample result obtained during a day.
- 11. Day means any consecutive 24-hour period.
- 12. Department means the Alabama Department of Environmental Management.
- 13. Director means the Director of the Department.
- <u>Discharge</u> means "[t]he addition, introduction, leaking, spilling or emitting of any sewage, industrial waste, pollutant or other wastes into waters of the state". Code of Alabama 1975, Section 22-22-1(b)(8).
- 15. <u>Discharge Monitoring Report (DMR)</u> means the form approved by the Director to accomplish reporting requirements of an NPDES permit.
- 16. \underline{DO} means dissolved oxygen.
- 17. <u>8HC</u> means 8-hour composite sample, including any of the following:
 - a. The mixing of at least 5 equal volume samples collected at constant time intervals of not more than 2 hours over a period of not less than 8 hours between the hours of 6:00 a.m. and 6:00 p.m. If the sampling period exceeds 8 hours, sampling may be conducted beyond the 6:00 a.m. to 6:00 p.m. period.
 - b. A sample continuously collected at a constant rate over period of not less than 8 hours between the hours of 6:00 a.m. and 6:00 p.m. If the sampling period exceeds 8 hours, sampling may be conducted beyond the 6:00 a.m. to 6:00 p.m. period.
- 18. EPA means the United States Environmental Protection Agency.
- 19. FC means the pollutant parameter fecal coliform.
- 20. Flow means the total volume of discharge in a 24-hour period.
- 21. FWPCA means the Federal Water Pollution Control Act.
- 22. <u>Geometric Mean</u> means the Nth root of the product of the individual values of any set of values where N is equal to the number of individual values. The geometric mean is equivalent to the antilog of the arithmetic mean of the logarithms of the individual values. For purposes of calculating the geometric mean, values of zero (0) shall be considered one (1).
- 23. <u>Grab Sample means a single influent or effluent portion which is not a composite sample.</u> The sample(s) shall be collected at the period(s) most representative of the discharge.
- 24. <u>Indirect Discharger</u> means a nondomestic discharger who discharges pollutants to a publicly owned treatment works or a privately owned treatment facility operated by another person.
- 25. <u>Industrial User</u> means those industries identified in the Standard Industrial Classification manual, Bureau of the Budget 1967, as amended and supplemented, under the category "Division D Manufacturing" and such other classes of significant waste producers as, by regulation, the Director deems appropriate.
- 26. MGD means million gallons per day.

- 27. <u>Monthly Average</u> means, other than for fecal coliform bacteria, the arithmetic mean of the entire composite or grab samples taken for the daily discharges collected in one month period. The monthly average for fecal coliform bacteria is the geometric mean of daily discharge samples collected in a one month period. The monthly average for flow is the arithmetic mean of all flow measurements taken in a one month period.
- 28. <u>New Discharger</u> means a person, owning or operating any building, structure, facility or installation:
 - a. from which there is or may be a discharge of pollutants;
 - b. that did not commence the discharge of pollutants prior to August 13, 1979, and which is not a new source; and
 - c. which has never received a final effective NPDES permit for dischargers at that site.
- 29. <u>NH3-N</u> means the pollutant parameter ammonia, measured as nitrogen.
- 30. <u>Permit application</u> means forms and additional information that is required by ADEM Administrative Code Rule 335-6-6-.08 and applicable permit fees.
- 31. <u>Point source</u> means "any discernible, confined and discrete conveyance, including but not limited to any pipe, channel, ditch, tunnel, conduit, well, discrete fissure, container, rolling stock, concentrated animal feeding operation, or vessel or other floating craft, . . . from which pollutants are or may be discharged." Section 502(14) of the FWPCA, 33 U.S.C. Section 1362(14).
- 32. <u>Pollutant</u> includes for purposes of this permit, but is not limited to, those pollutants specified in Code of Alabama 1975, Section 22-22-1(b)(3) and those effluent characteristics specified in Provision I. A. of this permit.
- 33. <u>Privately Owned Treatment Works</u> means any devices or system which is used to treat wastes from any facility whose operator is not the operator of the treatment works, and which is not a "POTW".
- 34. <u>Publicly Owned Treatment Works</u> means a wastewater collection and treatment facility owned by the State, municipality, regional entity composed of two or more municipalities, or another entity created by the State or local authority for the purpose of collecting and treating municipal wastewater.
- 35. <u>Receiving Stream</u> means the "waters" receiving a "discharge" from a "point source".
- 36. <u>Severe property damage</u> means substantial physical damage to property, damage to the treatment facilities which causes them to become inoperable, or substantial and permanent loss of natural resources which can reasonably be expected to occur in the absence of a bypass. Severe property damage does not mean economic loss caused by delays in production.
- Significant Source means a source which discharges 0.025 MGD or more to a POTW or greater than five percent of the treatment work's capacity, or a source which is a primary industry as defined by the U.S. EPA or which discharges a priority or toxic pollutant.
- Solvent means any virgin, used or spent organic solvent(s) identified in the F-Listed wastes (F001 through F005) specified in 40 CFR 261.31 that is used for the purpose of solubilizing other materials.
- 39. TKN means the pollutant parameter Total Kjeldahl Nitrogen.
- 40. <u>TON</u> means the pollutant parameter Total Organic Nitrogen.
- 41. TRC means Total Residual Chlorine.
- 42. TSS means the pollutant parameter Total Suspended Solids.
- 43. 24HC means 24-hour composite sample, including any of the following:
 - a. the mixing of at least 12 equal volume samples collected at constant time intervals of not more than 2 hours over a period of 24 hours;
 - b. a sample collected over a consecutive 24-hour period using an automatic sampler composite to one sample. As a minimum, samples shall be collected hourly and each shall be no more than one twenty-fourth (1/24) of the total sample volume collected; or
 - c. a sample collected over a consecutive 24-hour period using an automatic composite sampler composited proportional to flow.

- 44. <u>Upset</u> means an exceptional incident in which there is an unintentional and temporary noncompliance with technology-based permit discharge limitations because of factors beyond the reasonable control of the permittee. An upset does not include noncompliance to the extent caused by operational error, improperly designed treatment facilities, inadequate treatment facilities, lack of preventive maintenance, or careless or improper operation.
- 45. <u>Waters</u> means "[a]ll waters of any river, stream, watercourse, pond, lake, coastal, ground or surface water, wholly or partially within the state, natural or artificial. This does not include waters which are entirely confined and retained completely upon the property of a single individual, partnership or corporation unless such waters are used in interstate commerce." Code of Alabama 1975, Section 22-22-1(b)(2). Waters "include all navigable waters" as defined in Section 502(7) of the FWPCA, 22 U.S.C. Section 1362(7), which are within the State of Alabama.
- 46. Week means the period beginning at twelve midnight Saturday and ending at twelve midnight the following Saturday.
- 47. Weekly (7-day and calendar week) Average is the arithmetic mean of all samples collected during a consecutive 7-day period or calendar week, whichever is applicable. The calendar week is defined as beginning on Sunday and ending on Saturday. Weekly averages shall be calculated for all calendar weeks with Saturdays in the month. If a calendar week overlaps two months (i.e., the Sunday is in one month and the Saturday in the following month), the weekly average calculated for the calendar week shall be included in the data for the month that contains the Saturday.

I. SEVERABILITY

The provisions of this permit are severable, and if any provision of this permit or the application of any provision of this permit to any circumstance is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.

PART IV: ADDITIONAL REQUIREMENTS, CONDITIONS, AND LIMITATIONS

A. BEST MANAGEMENT PRACTICES (BMP) PLAN REQUIREMENTS

1. BMP Plan

The permittee shall develop and implement a Best Management Practices (BMP) Plan which prevents, or minimizes the potential for, the release of pollutants from ancillary activities, including material storage areas; plant site runoff; in-plant transfer, process and material handling areas; loading and unloading operations, and sludge and waste disposal areas, to the waters of the State through plant site runoff; spillage or leaks; sludge or waste disposal; or drainage from raw material storage.

2. Plan Content

The permittee shall prepare and implement a best management practices (BMP) plan, which shall:

- a. Establish specific objectives for the control of pollutants:
 - (1) Each facility component or system shall be examined for its potential for causing a release of significant amounts of pollutants to waters of the State due to equipment failure, improper operation, natural phenomena such as rain or snowfall, etc.
 - (2) Where experience indicates a reasonable potential for equipment failure (e.g., a tank overflow or leakage), natural condition (e.g. precipitation), or circumstances to result in significant amounts of pollutants reaching surface waters, the plan should include a prediction of the direction, rate of flow, and total quantity of pollutants which could be discharged from the facility as a result of each condition or circumstance.
- b. Establish specific best management practices to meet the objectives identified under paragraph a. of this section, addressing each component or system capable of causing a release of significant amounts of pollutants to the waters of the State, and identifying specific preventative or remedial measures to be implemented;
- c. Establish a program to identify and repair leaking equipment items and damaged containment structures, which may contribute to contaminated stormwater runoff. This program must include regular visual inspections of equipment, containment structures and of the facility in general to ensure that the BMP is continually implemented and effective;
- d. Prevent the spillage or loss of fluids, oil, grease, gasoline, etc. from vehicle and equipment maintenance activities and thereby prevent the contamination of stormwater from these substances;
- e. Prevent or minimize stormwater contact with material stored on site;
- f. Designate by position or name the person or persons responsible for the day to day implementation of the BMP;
- g. Provide for routine inspections, on days during which the facility is manned, of any structures that function to prevent stormwater pollution or to remove pollutants from stormwater and of the facility in general to ensure that the BMP is continually implemented and effective;
- h. Provide for the use and disposal of any material used to absorb spilled fluids that could contaminate stormwater;
- i. Develop a solvent management plan, if solvents are used on site. The solvent management plan shall include as a minimum lists of the solvents on site; the disposal method of solvents used instead of dumping, such as reclamation, contract hauling; and the procedures for assuring that solvents do not routinely spill or leak into the stormwater;
- j. Provide for the disposal of all used oils, hydraulic fluids, firefighting foams, solvent degreasing material, etc. in accordance with good management practices and any applicable state or federal regulations;
- Include a diagram of the facility showing the locations where stormwater exits the facility, the locations of any structure or other mechanisms intended to prevent pollution of stormwater or to remove pollutants from stormwater, the locations of any collection and handling systems;
- Provide control sufficient to prevent or control pollution of stormwater by soil particles to the degree required to maintain compliance with the water quality standard for turbidity applicable to the waterbody(s) receiving discharge(s) under this permit;
- m. Provide spill prevention, control, and/or management sufficient to prevent or minimize contaminated stormwater runoff. Any containment system used to implement this requirement shall be constructed of materials compatible with the

substance(s) contained and shall prevent the contamination of groundwater. The containment system shall also be capable of retaining a volume equal to 110 percent of the capacity of the largest tank for which containment is provided;

- n. Provide and maintain curbing, diking or other means of isolating process areas to the extent necessary to allow segregation and collection for treatment of contaminated stormwater from process areas;
- o. Be reviewed by plant engineering staff and the plant manager; and
- p. Bear the signature of the plant manager.

3. Compliance Schedule

The permittee shall have reviewed (and revised if necessary) and fully implemented the BMP plan as soon as practicable but no later than six months after the effective date of this permit.

4. Department Review

- a. When requested by the Director or his designee, the permittee shall make the BMP available for Department review.
- b. The Director or his designee may notify the permittee at any time that the BMP is deficient and require correction of the deficiency.
- c. The permittee shall correct any BMP deficiency identified by the Director or his designee within 30 days of receipt of notification and shall certify to the Department that the correction has been made and implemented.

5. Administrative Procedures

- a. A copy of the BMP shall be maintained at the facility and shall be available for inspection by representatives of the Department.
- b. A log of the routine inspection required above shall be maintained at the facility and shall be available for inspection by representatives of the Department. The log shall contain records of all inspections performed for the last three years and each entry shall be signed by the person performing the inspection.
- c. The permittee shall provide training for any personnel required to implement the BMP and shall retain documentation of such training at the facility. This documentation shall be available for inspection by representatives of the Department. Training shall be performed prior to the date that implementation of the BMP is required.
- d. BMP Plan Modification. The permittee shall amend the BMP plan whenever there is a change in the facility or change in operation of the facility which materially increases the potential for the ancillary activities to result in a discharge of significant amounts of pollutants.
- e. BMP Plan Review. The permittee shall complete a review and evaluation of the BMP plan at least once every three years from the date of preparation of the BMP plan. Documentation of the BMP Plan review and evaluation shall be signed and dated by the Plant Manager.

B. STORMWATER FLOW MEASUREMENT AND SAMPLING REQUIREMENTS

1. Stormwater Flow Measurement

- a. All stormwater samples shall be collected from the discharge resulting from a storm event that is greater than 0.1 inches.
- b. The total volume of stormwater discharged for the event must be monitored, including the date and duration (in hours) and rainfall (in inches) for storm event(s) sampled. The duration between the storm event sampled and the end of the previous measurable (greater than 0.1 inch rainfall) storm event must be a minimum of 72 hours. This information must be recorded as part of the sampling procedure and records retained according to Part 1.B. of this permit.
- c. The volume may be measured using flow measuring devices, or estimated based on a modification of the Rational Method using total depth of rainfall, the size of the drainage area serving a stormwater outfall, and an estimate of the runoff coefficient of the drainage area. This information must be recorded as part of the sampling procedure and records retained according to Part I.B. of this permit.

2. Stormwater Sampling

- a. A grab sample, if required by this permit, shall be taken during the first thirty minutes of the discharge (or as soon thereafter as practicable); and a flow-weighted composite sample, if required by this permit, shall be taken for the entire event or for the first three hours of the event.
- b. All test procedures will be in accordance with part I.B. of this permit.

ADEM PERMIT RATIONALE

PREPARED DATE: February 14, 2025 **PREPARED BY:** Muhammad Mehmood

Permittee Name: Hyco Alabama, LLC

Facility Name: Hyco Alabama LLC

Permit Number: AL0065111

PERMIT IS REISSUANCE DUE TO EXPIRATION

DISCHARGE SERIAL NUMBERS (DSN) & DESCRIPTIONS:

DSN	Description
002	Storm water runoff associated with electroplating and metal finishing operations
003	Storm water runoff associated with electroplating and metal finishing operations

INDUSTRIAL CATEGORY: NON-CATEGORICAL

MAJOR: No

STREAM INFORMATION:

Receiving Stream:	Shoal Creek
Classification:	Fish & Wildlife
River Basin:	Tennessee River Basin
7Q10:	0 cfs
303(d) List:	NO
Impairment:	None
TMDL:	NO

DISCUSSION:

Hyco Alabarna, LLC designs and manufactures custom rods and telescoping hydraulic cylinders for vehicles and equipment. Maintenance activities and material storage activities occur onsite. Process water does not discharge into a water of the state or a POTW. The process wastewater from the facility is collected in two above ground storage tanks. The process wastewater is either evaporated in the facility's permitted evaporator or stored in totes to be hauled away and disposed.

ADEM Administrative Rule 335-6-10-.12 requires applicants to new or expanded discharges to Tier II waters demonstrate that the proposed discharge is necessary for important economic or social development in the area in which the waters are located. The application submitted by the facility is not for a new or expanded discharge. Therefore, the applicant is not required to demonstrate that the discharge is necessary for economic and social development.

EPA has not promulgated specific guidelines for the discharges covered under the proposed permit. Proposed permit limits are based on Best Professional Judgment. The proposed frequencies are based on a review of site specific conditions and an evaluation of similar facilities. This permit only authorizes the discharge of stormwater to a water of the state.

649°

DSN002Q: Storm water runoff associated with electroplating and metal finishing operations

Parameter	Quantity of	or Loading	Units	Quality or Concentration			Units	Sample Freq	Sample Type	Seasonal	Basis
Solids, Total Suspended (00530) Effluent Gross Value	*****	*****	*****	****	****	(Report) Maximum Daily	mg/l	Quarterly	Grab	All Months	BPJ
Zinc Total Recoverable (01094) Effluent Gross Value	****	*****	****	*****	****	(Report) Maximum Daily	mg/l	Quarterly	Grab	All Months	BPJ
Lead, Total Recoverable (01114) Effluent Gross Value	****	*****	*****	*****	****	(Report) Maximum Daily	mg/l	Quarterly	Grab	All Months	BPJ
Copper Total Recoverable (01119) Effluent Gross Value	*****	*****	*****	*****	*****	(Report) Maximum Daily	mg/l	Quarterly	Grab	All Months	BPJ
Chromium, Trivalent Total Recoverable (04262) Effluent Gross Value	****	****	****	****	****	(Report) Maximum Daily	mg/l	Quarterly	Grab	All Months	BPJ
Chromium, Hexavalent Tot Recoverable (78247) Effluent Gross Value	****	****	*****	****	****	(Report) Maximum Daily	mg/l	Quarterly	Grab	All Months	BPJ
Chemical Oxygen Demand (COD) (81017) Effluent Gross Value	****	*****	****	*****	****	(Report) Maximum Daily	mg/l	Quarterly	Grab	All Months	ВРЈ

DSN002S: Storm water runoff associated with electroplating and metal finishing operations

Parameter	Quantity	or Loading	Units	Quality or Concentration				Sample Freq	Sample Type	Seasonal	Basis
pH (00400) Effluent Gross Value	****	****	*****	6.0 Minimum Daily	*****	8.5 Maximum Daily	S.U.	Semi- Annually	Grab	All Months	WQBEL
Oil & Grease (00556) Effluent Gross Value	****	****	*****	****	****	15 Maximum Daily	mg/l	Semi- Annually	Grab	All Months	BPJ
Flow, In Conduit or Thru Treatment Plant (50050) Effluent Gross Value	****	(Report) Maximum Daily	MGD	****	****	****	*****	Semi- Annually	Estimate	All Months	BPJ

DSN003Q: Storm water runoff associated with electroplating and metal finishing operations

Parameter	Quantity of	or Loading	Units	Quality or Concentration			Units	Sample Freq	Sample Type	Seasonal	Basis
Solids, Total Suspended (00530) Effluent Gross Value	*****	*****	*****	****	****	(Report) Maximum Daily	mg/l	Quarterly	Grab	All Months	BPJ
Zinc Total Recoverable (01094) Effluent Gross Value	****	*****	*****	****	****	(Report) Maximum Daily	mg/l	Quarterly	Grab	All Months	BPJ
Lead, Total Recoverable (01114) Effluent Gross Value	*****	*****	*****	*****	*****	(Report) Maximum Daily	mg/l	Quarterly	Grab	All Months	BPJ
Copper Total Recoverable (01119) Effluent Gross Value	*****	*****	*****	****	****	(Report) Maximum Daily	mg/l	Quarterly	Grab	All Months	BPJ
Chromium, Trivalent Total Recoverable (04262) Effluent Gross Value	****	****	*****	****	****	(Report) Maximum Daily	mg/i	Quarterly	Grab	All Months	BPJ
Chromium, Hexavalent Tot Recoverable (78247) Effluent Gross Value	****	****	*****	****	****	(Report) Maximum Daily	mg/l	Quarterly	Grab	All Months	BPJ
Chemical Oxygen Demand (COD) (81017) Effluent Gross Value	****	****	*****	****	****	(Report) Maximum Daily	mg/l	Quarterly	Grab	All Months	BPJ

DSN003S: Storm water runoff associated with electroplating and metal finishing operations

Parameter	Quantity	or Loading	Units	Qu	ality or Concentration	o n	Units	Sample Freq	Sample Type	Seasonal	Basis
pH (00400) Effluent Gross Value	****	****	****	6.0 Minimum Daily	****	8.5 Maximum Daily	S.U.	Semi- Annually	Grab	All Months	WQBEL
Oil & Grease (00556) Effluent Gross Value	*****	****	*****	****	****	15 Maximum Daily	mg/l	Semi- Annually	Grab	All Months	BPJ
Flow, In Conduit or Thru Treatment Plant (50050) Effluent Gross Value	****	(Report) Maximum Daily	MGD	****	****	*****	*****	Semi- Annually	Estimate	All Months	BPJ

*Basis for Permit Limitation

- BPJ Best Professional Judgment
- WQBEL Water Quality Based Effluent Limits
- EGL Federal Effluent Guideline Limitations
- 303(d) 303(d) List of Impaired Waters
- TMDL Total Maximum Daily Load Requirements

Discussion

Best Professional Judgment (BPJ)

The parameters of concern for this facility are based on the parameters of concern listed in EPA form 2F and from the current permit. These parameters are consistent with similar facilities in the state and have been proven to be reflective of the operations at this facility. The parameters with specific limits are discussed below:

Oil & Grease

The daily maximum limit for Oil and Grease should prevent the occurrence of a visible sheen in the stream and has been shown to be achievable through the use of proper BMPs.

Metal Monitoring

This facility's process water is regulated under 40 CFR 413 (Electroplating Point Source Category) and 40 CFR Part 433 (Metal Finishing Point Source Category); however, the facility does not discharge any process water. Based on BPJ, Zinc, Lead, Copper, Trivalent Chromium, and Hexavalent Chromium will continue to be monitored.

COD (Chemical Oxygen Demand)

Information collected from the Permittee's monitoring of COD helps measure the effectiveness of the BMP plan which is an effective way to control contamination of stormwater from industrial activities.

Water Quality Based Effluent Limits (WQBEL)

<u>рН</u>

ADEM Administrative Code, Division 6 Regulations, specifically 335-6-10-.09(5)(2) – Specific Water Quality for Fish & Wildlife classified streams states: "Sewage, industrial waste or other wastes shall not cause the pH to deviate more than one unit from then normal or natural pH, nor be less than 6.0, nor greater than 8.5 standard units."

Best Management Practices (BMP) Plan

BMPs are believed to be the most effective way to control the contamination of stormwater from areas of industrial activities. This facility is required to maintain a BMP plan. The requirements of the BMP plan call for minimization of stormwater contact with waste materials, products and by-products, and for prevention of spills or loss of fluids from equipment maintenance activities. The effectiveness of the BMPs will be measured through the monitoring of the pollutants of concern.

NPDES Individual Permit Mod/Reissue (Form 187) - Supplementary Information for Industrial Facilities

Digitally signed by: AEPACS Date: 2024.12.27 13:52:55 -06:00 Reason: Submission Data Location: State of Alabama

version 2.10

(Submission #: HQ5-5RM4-3GG8X, version 1)

Details

Submission ID HQ5-5RM4-3GG8X

Form Input

General Instructions

This form should be used to submit the following permit requests for permitted Industrial Individual NPDES facilities

•Permit Transfers

- •Permittee/Facility Name Changes
- •Minor Modifications, for example:

> Frequency of monitoring or reporting modifications

> Changes to interim compliance dates in a schedule of compliance, not including the final compliance date.

> Removal of a point source outfall, provided the discharge is terminated and does not result in discharge of pollutants from other outfalls, except in accordance with permit limits.

•Major Modifications, (Any modifications not covered by minor mod's, whether Effluent Limit changes occur or not)

Reissuances

- •Reissuance of a permit due to approaching expiration
- •Revocation and Reissuance of permit prior to its scheduled expiration

Applicable Base Fees:

- •Permit Transfers and/or Permittee/Facility Name Changes
- > \$800
- ·Minor Modifications (see examples above)
- > \$3,940 (Major Sources)
- > \$3,120 (Minor Sources)
- Major Modifications
- > \$17,990 (Major Sources)
- > \$5,615 (Minor Sources)
- Reissuances
- > \$17,990 (Major Sources)
- > \$5,615 (Minor Sources)

For assistance, please click here to determine the permit staff responsible for the site or call (334) 271-7799

Processing Information

Purpose of Application

Reissuance of Permit Due to Approaching Expiration

Please indicate if the Permittee is applying for a permit transfer and/or name change in addition to permit modification or reissuance:

Permittee or Facility Name Change

Action Type Reissuance with NOC

If applicable, briefly describe any planned changes at the facility that are included in this reissuance application:

General Information

SID Permit Number (if your facility currently holds an SID permit, please provide that number below): NONE PROVIDED

NPDES or General Permit Numbers (if applicable, please list all permit numbers): AL0065111

Is this facility/site only applying for permit coverage for discharges from stormwater? Yes

Is a new stormwater outfall being added? No

Permit Information

Permit Number AL0065111

Current Permittee Name MONTANHYDRAULIK GROUP

Permittee

Permittee Name Hyco Alabama, LLC

Mailing Address

218 ARAD THOMPSON RD NE

ARAB, AL 35016

Per ADEM Admin. Code r. 335-6-6-.09 (1), a Responsible Official is defined as CEO, President, any position at a level of Vice President or higher, Owner, Partner, Managing Member (LLC), or ranking elected official. Please provide the contact information for the person meeting this definition.

Do NOT enter information for a person that is/will be a Duly Authorized Representative (DAR) (i.e. a person that has been delegated signatory permissions by a Responsible Official). A person that is a Duly Authorized Representative is NOT considered a RESPONSIBLE OFFICIAL.

Responsible Official

Prefix Mr. First Name Last Name Michael Barnes Title General Manager **Organization Name** Hyco Alabama, LLC Phone Type Number Extension **Business** 2565868152 Email michael.barnes@hyco-hydraulic.com Mailing Address PO Box 70 Arab, AL 35016

Does the Responsible Official intend to delegate signatory authority for DMRs or other compliance reports to an individual as a duly authorized representative (DAR) for this site? Yes

Pursuant to ADEM Admin. Code r. 335-6-6-.09(2), a person may ONLY be delegated signatory authority for reports if that person has responsibility for the overall operation of the regulated facility or regulated activity. Once such delegation is made, that person is considered a duly authorized representative (DAR).

Existing Permit Contacts

Affiliation Type	Contact Information	Remove?
Notification Recipient, Responsible Official	Michael Barnes, MONTANHYDRAULIK GROUP	Кеер
Permittee	MONTANHYDRAULIK GROUP	Remove
DMR Contact, Environmental Contact	Nickie White	Remove

Duly Authorized Representative (DAR)

Duly Authorized Representative - Delegation of Signatory Authority by Responsible Official

If the permittee has not already prepared a signed and dated delegation form/letter, an optional form can be downloaded from the link below. All information should be completed along with the responsible official's signature and date signed. That signed form can be uploaded in the attachment section below titled "DAR Documentation". <u>Optional Delegation of Signatory Authority Form</u>

Delegation Document for Duly Authorized Representation (DAR)

6215 AL0065111 095 07-24-2023 CORR KTR DESIGNATED AUTHORITY LETTER.pdf - 12/27/2024 01:17 PM Comment NONE PROVIDED

Pursuant to ADEM Admin. Code r. 335-6-6-.09(2), a person may ONLY be delegated signatory authority for reports if that person has responsibility for the overall operation of the regulated facility or activity. Once such delegation is made, that person is considered a duly authorized representative (DAR).

Authorized Rep

Prefix Mr. First Name Last Name Cheshire, Jr. Joe Title ESH Specialist **Organization Name** Hyco Alabama, LLC Phone Type Number Extension 2566777048 Mobile Email joe.cheshirejr@hyco-hydraulic.com Mailing Address 218 ARAD THOMPSON RD NE ARAB, AL 35016 United States

Facility/Site Information

Facility/Site Name

Hyco Alabama LLC -MONTANHYDRAULIK GROUP

Does the Facility/Site Name need to be updated? Yes

Updated Facility/Site Name Hyco Alabama, LLC

Organization/Ownership Type

Facility/Site Address or Location Description

218 ARAD THOMPSON RD NE ARAB, AL 35016

Facility/Site County

Marshall

Detailed Directions to the Facility/Site

From AL Hwy 67 S, turn left onto Hulaco Road. Turn left onto AL Hwy 69 N. Turn right onto S Main Street. Turn left onto Fry Gap Road. Take slight left onto Brashiers Chapel Road and then immediate left onto Arad Thompson Road. Facility is 0.4 miles on right.

Facility Map

Hyco Location Map.pdf - 12/03/2024 02:31 PM Comment NONE PROVIDED

Please refer to the link below for Lat/Long map instruction help:

Map Instruction Help

Facility/Site Front Gate Latitude and Longitude

34.319303268047676,-86.47716306476886

218 ARAD THOMPSON RD, Arab, AL

SIC Code(s) [Please enter Primary SIC Code first followed by any additional applicable SIC Codes] 3593-Fluid Power Cylinders and Actuators

NAICS Code(s) [Please enter Primary NAICS Code first followed by any additional applicable NAICS Codes] 333995-Fluid Power Cylinder and Actuator Manufacturing

Facility/Site Contact

Prefix Mr. First Name Last Name Joe Cheshire, Jr. Title ESH Specialist **Organization Name** Hyco Alabama, LLC Phone Type Number Extension 2566777048 Mobile Email joe.cheshirejr@hyco-hydraulic.com Address 218 ARAD THOMPSON RD NE ARAB, AL 35016

DMR Contact(s) (1 of 2)

DMR Contact

Prefix Mr. First Name Last Name Joe Cheshire, Jr. Title ESH Specialist Phone Type Number Extension Mobile 2566777048 Email joe.cheshirejr@hyco-hydraulic.com Address 218 ARAD THOMPSON RD NE ARAB, AL 35016

DMR Contact(s) (2 of 2)

DMR Contact

Prefix Ms. First Name Last Name Michele Lusk Title HR & ESH Manager Phone Type Number Extension Business 2565869259 Email michele.lusk@hyco-hydraulic.com Address 218 ARAD THOMPSON RD NE

ARAB, AL 35016

Applicant Business Entity Information

Address of Incorporation

218 Arad Thompson Road, Arab, AL 35016

Agent Designated by the Corporation for Purposes of Service

Name	Address				
Michael Barnes	218 Arad Thompson Road, Arab, AL 35016				

Please provide all corporate officers

Name	Title	Address
Michael Barnes	General Manager	218 Arad Thompson Road, Arab, AL 35016

Does the applicant applying for coverage have a Parent Corporation?

Yes

Parent Corporation of Applicant

Name	Address
Montanhydraulik GmbH	Bahnhofstrasse 39 589439 Holzwickede, Germany

Does the applicant applying for coverage have Subsidiary Corporations?

No

Enforcement History

Has the applicant been issued any Notices of Violation, Orders (Consent or Administrative/Unilateral), or Judicial Actions (Complaint, Settlement Agreement, Consent Decree, or Court Order) concerning water pollution or other permit violations within the State of Alabama in the past five years?

Business Activity

A facility with processes inclusive in the business areas shown below may be covered by Environmental Protection Agency (EPA) categorical effluent guideline standards. These facilities are termed categorical users . If unsure, please call the Industrial Section at (334) 271-7943 to discuss or use the link below to contact the Permit Engineer for the county the facility is/will be located in.

Industrial Section Assignment Map

If your facility conducts or will be conducting any of the processes listed below (regardless of whether they generate wastewater, waste sludge, or hazardous wastes), please check the category of business activity: Electroplating Metal Finishing

Give a brief description of all operations at this facility including primary products or services:

Hyco Alabama, LLC designs and manufactures custom rods and telescoping hydraulic cylinders for vehicles and equipment. Plant operation includes manufacture, electroplating, painting, and/or sandblasting of rods and cylinders. Maintenance and materials storage activities also occur onsite. Hazardous waste, metal chips, and oil are stored in covered containment areas. Wastewater from the facility is collected in two ASTs. The wastewater is either evaporated in the facility's permitted evaporator or stored in totes for disposal.

Outfalls (1 of 2)

002

Please click below if this discharge no longer exists or is no longer required: NONE PROVIDED

Outfall Identifier 002

Receiving Water Shoal Creek

Does the discharge enter the named receiving water via an unnamed tributary? NONE PROVIDED

Indicate if either of the following characteristics apply to this discharge: Intermittent Discharge

Estimated Average Daily Flow (MGD) 0

Monitoring/Sampling Point Location 34.32096769605661,-86.47374232084083

Outfalls (2 of 2)

003

Please click below if this discharge no longer exists or is no longer required:

NONE PROVIDED

Outfall Identifier 003

Receiving Water Shoal Creek

Does the discharge enter the named receiving water via an unnamed tributary? NONE PROVIDED

Indicate if either of the following characteristics apply to this discharge: Intermittent Discharge

Estimated Average Daily Flow (MGD) 0

Monitoring/Sampling Point Location 34.31886943608958,-86.47337838899861

Anti-Degradation Evaluation

Is this a new or increased discharge that began after April 3, 1991? No

Additional Information

Categorical Users subject to Total Toxic Organic (TTO) Requirements, please provide the following TTO information:

Does (or will) this facility use any of the toxic organics that are listed under the TTO standard of the applicable categorical effluent guideline standards published by EPA? No

Has a Toxic Organics Management Plan (TOMP) been developed? No

Do you share an outfall with another facility? No

Indicate if automatic sampling equipment or continuous wastewater flow metering equipment is being operated at this facility:

Current	Yes/No
Continuous Wastewater Flow Metering Equipment	No
Automatic Sampling Equipment	No

Indicate if installation automatic sampling equipment or continuous wastewater flow metering equipment planned at this facility:

Planned	Yes/No
Continuous Wastewater Flow Metering Equipment	No
Automatic Sampling Equipment	No

Please attach the process schematic with sampling equipment locations.

Hyco Drainage Map.pdf - 12/27/2024 09:14 AM

Comment

There is no sampling equipment used.

Are any process changes or expansions planned during the next three years that could alter wastewater volumes or characteristics (Consider production processes as well as air or water pollution treatment processes that may affect the discharge.)?

No

Do you use biocides, corrosion inhibitors, or chemical additives in your cooling or blowdown water? No Biocide/Corrosion Inhibitor Summary Sheet NONE PROVIDED Comment NONE PROVIDED

Treatment

Is any form of wastewater treatment (see list below) practiced at this facility? Yes

Treatment devices or processes used or proposed for treating wastewater or sludge (check as many as appropriate). Other: Evaporation with permitted evaporator

Is any form of wastewater treatment (or changes to an existing wastewater treatment) planned for this facility within the next three years?

No

Facility Operational Characteristics

Indicate whether the facility discharge is:

Continuous through the year

Comments:

All wastewater is collected and either evaporated or shipped off for disposal.

Non-Discharged Wastes

Are any waste liquids or sludges generated and not disposed of in the sanitary sewer system? Yes

Waste Generated	Quantity (lbs/day)	Disposal Method	On-Site or Off-Site?	If Off-Site, Identify the Facility:
Chromium Sludge	25	Metals Recovery	Off-Site	Clean Earth of Alabama, Inc.
Corrosive Liquids	0.25	Incineration	Off-Site	Clean Earth of Alabama, Inc.
Oily Wastewater	4500	Evaporation	On-Site	Charles .

Does any outside firm remove any of the above checked wastes? Yes

Hauler Information

Name	Address	City	State	Zip
Clean Earth of Alabama, Inc.	402 Webster Chapel Road	Glencoe	AL	35905

EPA Application Forms

All Applicants must submit certain EPA permit application forms. More than one application form may be required.

Form 1 - General Information Form required for all applications

Form 2C - Should be submitted for facilities with existing discharge(s) of process wastewater.

Form 2D - Should be submitted for facilities that have not yet commenced discharge(s) of process wastewater.

Form 2E - Should be submitted for facilities who discharge non-process wastewater, such as non-contact cooling water or boiler blowdown.

Form 2F - Should be submitted for all discharges of storm water associated with an industrial activity. The EPA application forms are found on the Department s website here.

EPA Form 1

Form 1.pdf - 12/27/2024 08:08 AM Comment NONE PROVIDED

Additional EPA Forms (EPA Form 2C, 2D, 2E and/or 2F)

Form 2F.pdf - 12/27/2024 08:12 AM Comment NONE PROVIDED

Other attachments (as needed)

NONE PROVIDED Comment NONE PROVIDED

Additional Attachments

Please attach any additional information as needed.
NONE PROVIDED
Comment
None

Application Preparer

Application Preparer

Prefix

NONE PROVIDED

First NameLast NameShelleyHemming

Title

Environmental Engineer

Organization Name GSE, Inc.

Phone Type Number Extension

Business 2563509754

Email shemming@gseinc.com

Address

3795 Gordon Terry Pkwy Trinity, AL 35673



SUBMISSION AGREEMENTS

- ☑ I am the owner of the account used to perform the electronic submission and signature.
- ☑ I have the authority to submit the data on behalf of the facility I am representing.
- I agree that providing the account credentials to sign the submission document constitutes an electronic signature equivalent to my written signature.
- I have reviewed the electronic form being submitted in its entirety, and agree to the validity and accuracy of the information contained within it to the best of my knowledge.

I certify under penalty of law that this the unent and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel property gather and evaluate the information submitted; based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant conalities for submitting false information including the possibility of fine and imprisonment for knowing violations."

I further certify under penalty of law that all analyses reported as less than detectable in this application or attachments thereto were performed using the EPA approved test method having the lowest detection limit for the substance tested.

NOTE: 335-6-5-.14 SIGNATORIES TO PERMIT APPLICATIONS AND REPORTS.

The application shall be signed by a responsible official, a request for variance from categorical pretreatment standards, and a category determination request shall be signed by a responsible official, as indicated below:

- In the case of a corporation, by a principal executive officer of at least the level of vice president:
- In the case of a partnership, by a general partner;
- In the case of a sole proprietorship, by the proprietor, or
- In the case of a municipal, state federal, or other public entity, by either a principal executive officer, or ranking elected official


Signed Joe Cheshire on 12/27/2024 at 1:47 PM

	EPA Identification Number ALD072099690		NPDES Permit Num AL0065111	nber		ity Name abama, LLC	OMB No. 2040-000 Expires 07/31/202					
Form 1 IPDES	€FPA			pplication for N	PDES Pe	al Protection Agency mit to Discharge Was	stewater					
ECTIO	N.1. AC	TIVITIES REQU	RING AN NPDES PER	MIT (40 CFR 12	2.21(F) AN	ND (F)(1))						
	<u>1.1</u>	1.1 Applicants Not Required to Submit Form 1										
	1.1.1	treatment wor	new or existing <u>publicly</u> <u>ks</u> or has your permittin submit Form 2A?		1.1.2		<u>e-only facility</u> (i.e., a facility ge wastewater to surface					
		Form 1. Compl facility is also a	Do NOT complete ete Form 2A. If the <u>treatment works</u> <u>stic sewage</u> , you plete Form 2S.	No No		If yes, STOP. Do NO Form 1. Complete Fo						
it	1.2	and the second s	quired to Submit Form	11	1							
Activities Requiring an NPDES Permit	1.2.1	operation or a production fac	concentrated animal for concentrated aquatic cility? Complete Form 1 and Form 2B.		1.2.2	currently dischargin ☐ Yes → Com	r silvicultural facility that is g process wastewater ? plete Form 7 No					
ng al	1.2.3		-orm 28. new manufacturing, cor	nmercial	1.2.4		Form 2C. r existing manufacturing,					
s Requirir	1.2.0	mining, or silvic commenced to	cultural facility that has		1.2.7	commercial, mining, c	or silvicultural facility that process wastewater?					
vitie		F	Form 2D.			and Fo						
Acti	1.2.5	discharge is co associated wit	new or existing facility mposed entirely of stor th industrial activity or mposed of both storm	whose	1.2.6	Is the facility a new or treating domestic se wastewater to surface	-					
		F e 1	Complete Form 1 and Form 2F unless exempted by 40 CFR (22.26(b)(14)(x) or b)(15).	No.		any oth applica as dire	2S, and her ible forms, cted by ermitting					
ECTIO	N 2. NA	ME, MAILING A	DDRESS, AND LOCAT	ION (40 CFR 12	2.21(F)(2)		the Make					
L	<u>2.1</u>	Facility Name				an description of						
catio		Hyco Alabama,	ис									
dLo	2.2	EPA Identifica	tion Number									
s, an		ALD072099690	1									
Ires	2.3	Facility Conta	ct									
Add		Name (first and	l last)	Title			Phone number					
lling		Joe Cheshire, Jr		ESH Specialist			(256) 677-7048					
, Mai		Email address					l constant					
Name, Mailing Address, and Location		joe.cheshirejr@	Phyco-hydraulic.com									

EPA Identification Number ALD072099690			DES Permit Number AL0065111	Facility Name Hyco Alabama, LLC	OMB No. 2040-0004 Expires 07/31/2020
	2.4	Facility Mailing Address	5		
		Street or P.O. box			
		PO Box 70			1
		City or town	State		ZIP code
-		Arab	AL		35016
ed, ss,	2.5	Facility Location			
Name, Mailing Address, and Location Continued		Street, route number, or o 218 Arad Thompson Road			
iling		County name	County code (if kno	wn)	
Ma		Marshall			
d Lo		City or town	State		ZIP code
Nal		Arab	AL		35016
SECTIO	N 3. SIC	AND NAICS CODES (40			
	3.1	SIC Code(s)	Description (option	al)	
	-	3593	Fluid Power Cylind		
			Thata Tower cylina		
8					
po					
s					
SIC and NAICS Codes	3.2	NAICS Code(s)	Description (option	al)	Service and the service
pue	-	333995		er and Actuator Manufacturing	
SIC		33373	Fluid Fower Cyand		······································
05					
SECTIO	NA OF	ERATOR INFORMATION	40 CER 122 21/E1/41)	Street and the state of the state of the	
SECHO	<u>4.1</u>	Name of Operator	40 GFR 122.21(1)(4))		
	7.1	Hame of Operator			
		Hyco Alabama, LLC			
ion	4.2	Is the name you listed in I	tem 4.1 also the owner?		
mat					
nfor		Yes INO	and an		
-	4.3	Operator Status			
JO.			Public—state	Other n	oublic (specify)
erator		Public—federal	Public-state		
Operator Information		Private	Other (specify)		
Operator	4.4		Other (specify)		

EPA Identification Nu ALD07209969			NPDES Permit Number Facility Name AL0065111 Hyco Alabarna, LLC		:	OMB No. 2040-000 Expires 07/31/202			
formation	<u>4.5</u>	Operator Address Street or P.O. Box PO Box 70							
Operator Information Continued		City or town Arab Email address of op joe.cheshirejr@hyco	AL			ZIP code 35016			
CIIDE Land	N 5. IND <u>5.1</u>	IAN LAND (40 CFR Is the facility locate Yes INO		?	9-14 Balanti				
ECTIO	N 6. EX	ISTING ENVIRONME					May Line 1		
Existing Environmental Permits		Existing Environm NPDES (discha surface water) <u>AL0065111</u> PSD (air emiss	irges to	RCRA (ha	ply and print or type the izardous wastes) 99690 nent program (CAA)		derground injection of Ps (CAA)		
EXISU		Ocean dumping	(MPRSA)	Dredge of	fill (CWA Section 404)	Other (s			
Map	N 7. MA <u>7.1</u>	Have you attached a topographic map containing all required information to this application? (See instructions for specific requirements.) ✓ Yes CAFO—Not Applicable (See requirements in Form 2B.)							
ECTIO	N 8. NA	TURE OF BUSINES	(40 CFR 122.2	1(F)(8))					
Nature of Business	<u>8.1</u>	equipment. Plant or and cylinders. Main are stored in covere	lesigns and man eration activites enance and mat d containment a	ufactures custor i include manufa erial storage ac ireas. Wastewat	n rods and telescoping h acturing, electroplating, ivities also occur onsite. er from the facility is col tor or stored in totes for	painting, and/or s Hazardous waste lected in two AST	andblasting the rods e, metal chips, and oil		
ECTIO	N 9. CC <u>9.1</u>	OLING WATER INT Does your facility u			2.21(F)(9))				
water	<u>9.2</u>	Identify the source	→ SKIP to Item of cooling water.	(Note that facilit	ies that use a cooling wa	ater intake structu at 40 CFR 122.2	re as described at 1(r). Consult with your		
Cooling Water Intake Structures		NPDES permitting	authority to deter	mine what spec	fic information needs to	be submitted and	I when.)		

	EPA Identification Number		NPDES Permit Number			Name	OMB No. 2040-0004 Expires 07/31/2026
	ALD0720		AL0065111	Hyd		ama, LLC	Expires 07/3 (72020
SECTIO	DN 10. V		QUESTS (40 CFR 122.21(F)(10))				
2	10.1	apply. Cons	nd to request or renew one or more of sult with your NPDES permitting author	the variance ity to determine	xes autr mine wi	hat information needs to	21(m)? (Check all that o be submitted and when.)
Reques		D F	undamentally different factors (CWA ection 301(n))			quality related effluent li	mitations (CWA Section
Variance Requests			on-conventional pollutants (CWA ection 301(c) and (g))		Therma	al discharges (CWA Sec	ction 316(a))
Š		N N	ot applicable				
SECTIO	ON 11. C	HECKLIST A	ND CERTIFICATION STATEMENT (4	0 CFR 122	.22(A)	AND (D))	
	11.1	For each se	I below, mark the sections of Form 1 the ection, specify in Column 2 any attachm applicants are required to provide attac	nents that y			
			Column 1		-	Colum	nn 2
			Section 1: Activities Requiring an NF Permit			w/ attachments	
			Section 2: Name, Mailing Address, a Location	nd		w/ attachments	
			Section 3: SIC Codes			w/ attachments	
			Section 4: Operator Information			w/ attachments	
			Section 5: Indian Land			w/ attachments	
+			Section 6: Existing Environmental Pe	mits		w/ attachments	
cklist and Certification Statement			Section 7: Map			w/ topographic map	w/ additional attachments
tion S		Ø	Section 8: Nature of Business			w/ attachments	
rtifical			Section 9: Cooling Water Intake Stru	ctures		w/ attachments	
Id Ce			Section 10.: Variance Requests			w/ attachments	
dist ar			Section 11: Checklist and Certification Statement	n		w/ attachments	
Chec	<u>11.2</u>		following certification. (See instruction:	s to determi	ine the	appropriate person to s	ign the application.)
		Certificatio	n Statement				
		in accordan submitted. I responsible accurate, a	er penalty of law that this document an ce with a system designed to assure the Based on my inquiry of the person or p for gathering the information, the inform nd complete. I am aware that there are f fine and imprisonment for knowing vio	at qualified ersons who mation subi significant	l persor manag mitted is	nnel properly gather and the system, or those s, to the best of my know	t evaluate the information persons directly wledge and belief, true,
			or type first and last name)			al title	
		Michael Bar	nes		Gene	eral Manager	
		Signature	TB			signed 2 - 1 9 - 24	



	lentification		NPDES Permit Number Facility Name AL0065111 Hyco Alabama, LLC			No. 2040-000 res 07/31/202				
Form 2F NPDES	Ş I	EPA	STORMM	Application for NP	onmental Protection Agency DES Permit to Discharge Was S ASSOCIATED WITH IND					
	N 1. OUT	FALL LOCA	TION (40 CFR 122.2		S ASSOCIATED WITH IND	JSTRIAL ACTIV				
	<u>1.1</u>	Provide inf		he facility's outfalls in the	ne table below					
		Outfall Number	Receiving Water I	Name	Latitude	Longitude	Longitude			
5		DSN002	Shoal Creek		34.32096769605661	-86.47374	423208408			
Outfall Location		DSN003	Shoal Creek		34.31886943608958	-86.4733	783889986			
ECTIO	N 2. IMP 2.1	Are you pro constructin programs t	g, upgrading, or operating	y federal, state, or loca		any other environm	r nental			
		Yes								
	<u>2.2</u>			ify each applicable project in the table below.			Final Compliance Dates			
		Desc	ription of Project	(list outfall numbers)	Source(s) of Discharge	Required	Projecte			
Improvements										
	2.3	Have you projects th	at may affect your dis	ibing any additional wa charges) that you now	ter pollution control programs (have underway or planned? (o	or other environme otional item)	ental			

	lentificatio	on Number 19690	NPDES Permit Number AL0065111		Facility Name Hyco Alabama, LLC	
SECTION	N 3. SIT	EDRAINAGE	MAP (40 CFR 122.26(C)(1)(I)	(A))		
Drainage Map	<u>3.1</u>	1	tached a site drainage map co		information to this application? (See instru	uctions for
Drai		☑ Yes				
-	A PO		JRCES (40 CFR 122.26(C)(1)((IV(B))		
	<u>4.1</u>		rmation on the facility's polluta		e below	
		Outfall	Impervious Surfac		Total Surface Area Drained	
		Number	(within a mile radius of i	the facility)	(within a mile radius of the facility)	1
		DSN002	3.18	specify units	4.03	specify units
				acres		acres
- 3		DSN003	0.51	specify units	2.04	specify units
		0511005	0.51	acres	2.04	acres
				specify units		specify units
				specify units		specify units
				specify units		specify units
				specify units		specify units
Pollutant Sources	4.3	northeast sid the manufact areas, and ca building is loo containment from the roll	e of Plant 2 and the east side of turing facility. Spill equipment ution is used when material tra- cated to the northeast of Plant floor. The chip hopper shed is offs that may occur. No pesticio	of Plant 1. Material lo is readily available to ansfers and handling 1 and consists of a c a covered, curbed co des, herbicides, soil o	located in the covered containment area bading access areas are located along the o clean up any spills or leaks that may occ activities are in progress. The hazardous covered, enclosed building that has a curb containment area that has sumps to collec conditioners, or fertilizers are used onsite non-structural control measures to reduce	east side o ur in these waste ed t any runof
		in stormwate	er runoff. (See instructions for s			
		11		Stormwater Trea	itment	1
		Outfall Number		Control Measures ar	nd Treatment	Codes from Exhibit 2F-1 (list)
		DSN002	Materials are stored in cove	red containment are	eas and spill equipment is readily available	
		DSN003	Materials are stored in cover	red containment are	as and spill equipment is readily available	

		ification Number NPDES Permit Number Facility Name 72099690 AL0065111 Hyco Alabama, LLC			OMB No. 2040-00 Expires 07/31/20	
CTIC	ON 5. NO	N STORMWATER	DISCHARGES (40 CFR 122.26(C)(1)(I)(C))	JOHNNY CONTRACTOR	
	<u>5.1</u>		wing certification. (See instruction		he appropriate person to	sign the application)
		I certify under p presence of no	penalty of law that the outfall(s) on n-stormwater discharges. Moreov described in either an accompany	covered by this ver, I certify tha	application have been te t the outfalls identified a	sted or evaluated for s having non-stormwa
			pe first and last name)		Official title	
		Michael Barnes			General Manager	
		Signature			Date signed	
inarges	5.2	Provide the testi	ng information requested in the ta	ble below.		
Non-Stormwater Discharges		Outfall Number	Description of Testing Met	hod Used	Date(s) of Testing	Onsite Drainage Poir Directly Observed During Test
otormw		DSN002	Visual Observatio	n		
-UON		DSN003	Visual Observatio	n		
						<u></u>
			OR SPILLS (40 CFR 122.26(C))			
shills	<u>6.1</u>	Describe any sig	nificant leaks or spills of toxic or h	nazardous pollut	ants in the last three year	S.
aks or						
nt Lei						
Significant Leaks						
the second s	DN 7 DIS		ATION (40 CFR 122.26(C)(1)(I)(E))		
	See the	e instructions to de	termine the pollutants and parame		quired to monitor and, in the	um, the tables you mus
tion	<u>comple</u> <u>7.1</u>		ts need to complete each table. urce or new discharge?			
atior			ee instructions regarding submiss	sion of	No → See instructions r	egarding submission of
Irormation			0 0	¥.	actual data	
rge Information		Yes → S estimated A, B, C, and D	0 0		actual data.	
Discharge Information		A, B, C, and D	0 0		actual data.	

	EPA Identification Number ALD072099690		NPDES Permit Number AL0065111		ility Name labama, LLC	OMB No. 2040-0004 Expires 07/31/2026
	7.3	Is the facility process was	v subject to an effluent limitation gratewater?	uideline (ELG) or e	effluent limitations in	an NPDES permit for its
		✓ Yes			No 🗲 SKIP to Ite	em 7.5.
	<u>7.4</u>		ompleted Table B by providing qua an ELG and/or (2) subject to efflue ?			
		✓ Yes				
	7.5	Do you know	w or have reason to believe any po	llutants in Exhibit	2F-2 are present in	the discharge?
		Yes			No → SKIP to Ite	em 7.7.
	7.6	and provide	ted all pollutants in Exhibit 2F–2 th d quantitative data or an explanation			e are present in the discharge
		Yes				
	<u>7.7</u>	_	ify for a small business exemption	_		uctions?
			SKIP to Item 7.18.	\checkmark	No	
ned	<u>7.8</u>	Do you know	v or have reason to believe any po	Ilutants in Exhibit	2F-3 are present in	the discharge?
ontin		✓ Yes			No → SKIP to Ite	m 7.10.
Discharge Information Continued	<u>7.9</u>	Table C?	ted all pollutants in Exhibit 2F–3 tl	nat you know or ha	ave reason to believ	e are present in the discharge in
e Info		☑ Yes				
charg	7.10	Do you expe	ect any of the pollutants in Exhibit 2	2F–3 to be dischar	rged in concentration	ns of 10 ppb or greater?
Disc		✓ Yes			No → SKIP to Ite	m 7.12.
	<u>7.11</u>		ovided quantitative data in Table (tions of 10 ppb or greater?	C for those pollutar	nts in Exhibit 2F–3 t	hat you expect to be discharged
		✓ Yes				
	7.12		ect acrolein, acrylonitrile, 2,4-dinitro ns of 100 ppb or greater?	ophenol, or 2-meth	nyl-4,6-dinitrophenol	to be discharged in
		Yes		\checkmark	No → SKIP to Ite	m 7.14.
	7.13		ovided quantitative data in Table (n concentrations of 100 ppb or gre		identified in Item 7.	12 that you expect to be
		Yes				
	7.14		ovided quantitative data or an exp concentrations less than 10 ppb (
		✓ Yes				
	7.15	Do you know	v or have reason to believe any po	llutants in Exhibit	2F-4 are present in	the discharge?
		□ Yes			No ➔ SKIP to Ite	em 7.17.

	ALD0720		NPDES Permit Number AL0065111	Facility Na Hyco Alabar		OMB No. 2040-000 Expires 07/31/202						
	7.16	Have you listed pollue explanation in Table	utants in Exhibit 2F–4 that y C?	ou know or believe to	be present in the disc	charge and provided an						
Discharge Information Continued	7.17	Have you provided information for the storm event(s) sampled in Table D?										
		Yes										
u	Used	or Manufactured Toxic	`S									
Informat	7.18	manufactured as an intermediate or final product or byproduct?										
arge	7 10				No → SKIP to Sect							
Disch	7.19		ow, including TCDD if applie	cadie. Attach addition		у.						
		1. Chromium, Total	4.		7.							
		2.	5.		8.							
		3.	6.		9.							
CTIC	ON 8. BIC	DLOGICAL TOXICITY T	ESTING DATA (40 CFR 1	22.21(G)(11))								
Data	<u>8.1</u>											
ting l		Yes		\checkmark	No → SKIP to Sec	tion 9.						
es	8.2	Identify the tests and	their purposes below.									
DXICITY		Test(s)	Purpose o		Ibmitted to NPDES rmitting Authority?	Date Submitted						
allo					Yes 🛛 No							
Biological Toxicity Testing Data					Yes 🛛 No							
ñ					Yes 🖸 No							
CTIC	ON 9. CO	NTRACT ANALYSIS IN	NFORMATION (40 CFR 12	2.21(G)(12))								
	<u>9.1</u>	Were any of the analy consulting firm?	vses reported in Section 7 (i	in Tables A through C) performed by a cont	ract laboratory or						
		Ves Yes			No → SKIP to Sec	tion 10.						
5	<u>9.2</u>	Provide information for	r each contract laboratory of	or consulting firm belo	W.							
natio			Laboratory I	Number 1 L	aboratory Number 2	Laboratory Number 3						
is Inforn		Name of laboratory/fir	M Pace Analytical	Sout Testir	hern Environmental ng							
Contract Analysis Information		Laboratory address	12065 Lebanon F Juliet, TN 37122		Fairgrounds Road Decatur, AL 35603							
Contra		Phone number	(615) 758-5858	(256)	280-2567							
		Pollutant(s) analyzed	O&G Lead Zinc Chromium COD		valent Chromium							

EPA Identification Number NPDES Per ALD072099690 AL006				nber Facility Name Hyco Alabama, LLC			OMB No. 2040-0004 Expires 07/31/2026		
SECTIO	<u>10 1</u>	In Column 1 For each se that not all a		ections olumn 2	s of Form 2F 2 any attachn	that you ha rents that y	ve co ou ar	empleted and are s e enclosing to ale	submitting with your application. t the permitting authority. Note
		Section			w/ attachme	ents (e.a. r		nses for additional	outfalls)
		Section		п	w/ attachme		-spoi		
		Section	teristeterista and a second		w/ site drair			<u></u>	
		Section			w/ attachme				
		Section	15		w/ attachme	ents			
		Section	16		w/ attachme	ents			
ement		Section	۱7	\square	Table A			w/ small busines	s exemption request
State				\square	Table B		√	w/ analytical resi	ults as an attachment
catior				\square	Table C		7	Table D	
Certifi		Section	18		w/ attachme	ents			
Checklist and Certification Statement		Section	19		w/ attachme	ents (e.g., r	espol	nses for additional	contact laboratories or firms)
ocklis		Section	10						
Che	10.2	Provide the	following certificati	on. (Se	ee instruction	s to determ	ine th	e appropriate pers	son to sign the application.)
		Certificatio	n Statement						
		in accordan submitted. E for gathering	esigne / of the he info e are s	d to assure the person or per rmation subn ignificant pen	hat qualified rsons who nitted is, to	l pers mana the b	onnel properly ga ge the system or t est of my knowled	under my direction or supervision ther and evaluate the information hose persons directly responsible ge and belief, true, accurate, and on, including the possibility of fine	
		Name (print	or type first and la	st nam	ie)		0	fficial title	
		Michael Bar	nes				Ge	eneral Manager	
		Signature	4	-			D	ate signed 17-19-	24

	ALD072099690	DES Permit Number AL0065111	Facility Name Hyco Alabama, LLC		Dutfall Number DSN002]	OMB No. 2040-0004 Expires 07/31/2020
	BLE A. CONVENTIONAL AND NON CON must provide the results of at least one ar	alysis for every pollutant in Maximum Dail	this table. Complete	one table for each outfall. Average Dail	y Discharge	dditional details and requ	irements. Source of
	Pollutant or Parameter	(specify Grab Sample Taken During First 30 Minutes	units) Flow-Weighted Composite	(specify Grab Sample Taken During First 30 Minutes	units) Flow-Weighted Composite	- Number of Storm Events Sampled	Information (new source/new dischargers only; use codes in instructions)
1.	Oil and grease	<5.56 mg/L	1410 1.13	<5.56 mg/L		1	
2.	Biochemical oxygen demand (BOD ₅)	8.71 mg/L	<3.33 mg/L	8.71 mg/L	<3.33 mg/L	1	
3.	Chemical oxygen demand (COD)	56.0 mg/L	<20.0 mg/L	56.0 mg/L	<20.0 mg/L	1	
4.	Total suspended solids (TSS)	19.8 mg/L	196 mg/L	19.8 mg/L	196 mg/L	1	
5.	Total phosphorus	<0.100 mg/L	0.142 mg/L	<0.100 mg/L	0.142 mg/L	1	
6.	Total Kjeldahl nitrogen (TKN)	1.22 mg/L	0.341 mg/L	1.22 mg/L	0.341 mg/L	1	
7.	Total nitrogen (as N)	2.20 mg/L	0.558 mg/L	2.20 mg/L	0.558 mg/L	1	
	pH (minimum)	7.3 su		7.3 su		1	
8.	pH (maximum)	7.3 su		7.3 su		1	

EPA Identification Number ALD072099690	NPDES Permit Number AL0065111	Facility Name Hyco Alabama,	LLC	Dutfall Number DSN002]	OMB No. 2040-0004 Expires 07/31/2026
TABLE B. CERTAIN CONVENTIONAL List each pollutant that is limited in an effacility is operating under an existing NF	fluent limitation guideline (ELG) t	hat the facility is subje	ect to or any pollutant liste	d in the facility's NPDE	S permit for its process	wastewater (if the
	Maximum Dai (specify		Average Daily (specify		Number of Sterm	Source of Information
Pollutant and CAS Number (if available)	Grab Sample Taken During First 30 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 30 Minutes	Flow-Weighted Composite	 Number of Storm Events Sampled 	(new source/new dischargers only; use codes in instructions
Copper, Total	<0.0100 mg/L	<0.0100 mg/L	<0.0100 mg/L	<0.0100 mg/L	1	
Lead, Total	<0.00500 mg/L	0.00590 mg/L	<0.00500 mg/L	0.00590 mg/L	1	
Zinc, Total	<0.0500 mg/L	0.0515 mg/L	<0.0500 mg/L	0.0515 mg/L	1	
Chromium, Trivalent	<0.0100 mg/L	<0.0100 mg/L	<0.0100 mg/L	<0.0100 mg/L	1	
Chromium, Hexavalent	<0.0100 mg/L	<0.0100 mg/L	<0.0100 mg/L	<0.0100 mg/L	1	

angadaan ah dara ah						

EPA Identification Number ALD072099690	NPDES Permit Number AL0065111	Facility Name Hyco Alabama		Dutfall Number DSN002		OMB No. 2040-0004 Expires 07/31/2026
TABLE C. TOXIC POLLUTANTS, CER List each pollutant shown in Exhibits 2F details and requirements.						
	Maximum Dai (specify		Average Daily (specify			Source of Information
Pollutant and CAS Number (if available)	Grab Sample Taken During First 30 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 30 Minutes	Flow-Weighted Composite	 Number of Storm Events Sampled 	(new source/new dischargers only; use codes in instructions)
Copper, Total	<0.0100 mg/L	<0.0100 mg/L	<0.0100 mg/L	<0.0100 mg/L	1	
Lead, Total	<0.00500 mg/L	0.00590 mg/L	<0.00500 mg/L	0.00590 mg/L	1	
Zinc, Total	<0.0500 mg/L	0.0515 mg/L	<0.0500 mg/L	0.0515 mg/L	1	
Chromium, Total	<0.0100 mg/L	<0.0100 mg/L	<0.0100 mg/L	<0.0100 mg/L	1	
Nitrate-Nitrite	0.982 mg/L	0.217 mg/L	0.982 mg/L	0.217 mg/L	1	
Oil & Grease	<5.56 mg/L		<5.56 mg/L		1	
Phosphorus, Total	<0.100 mg/L	0.142 mg/L	<0.100 mg/L	0.142 mg/L	1	

	NT INFORMATION (40 CFR 122 n event(s) that resulted in the ma		he flow-weighted composite sample.		
ate of Storm Event	Duration of Storm Event (In hours)	Total Rainfall During Storm Event (in inches)	Number of Hours Between Beginning of Storm Measured and End of Previous Measurable Rain Event	Maximum Flow Rate During Rain Event (In gpm or specify units)	Total Flow from Rain Ever (in gallons or specify units)
11/13/2024	3.3	1.27	155	982	113,347
ovide a description of t	he method of flow measurement	or estimate.		·	

		DES Permit Number AL0065111	Facility Name Hyco Alabama,		Dutfall Number DSN003		OMB No. 2040-0004 Expires 07/31/2026
	BLE A. CONVENTIONAL AND NON CON must provide the results of at least one an		n this table. Complete		and the second sec	dditional details and requ	irements.
		(specify		(specify		Number of Storm	Information
	Pollutant or Parameter	Grab Sample Taken During First 30 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 30 Minutes	Flow-Weighted Composite	Events Sampled	(new source/new dischargers only; u codes in instruction
1.	Oil and grease	<5.44 mg/L	不可不能 要	<5.44 mg/L		1	
2.	Biochemical oxygen demand (BOD5)	12.1 mg/L	4.08 mg/L	12.1 mg/L	4.08 mg/L	1	
3.	Chemical oxygen demand (COD)	59.7 mg/L	28.3 mg/L	59.7 mg/L	28.3 mg/L	1	
4.	Total suspended solids (TSS)	476 mg/L	115 mg/L	476 mg/L	115 mg/L	1	
5.	Total phosphorus	0.273 mg/L	<0.100 mg/L	0.273 mg/L	<0.100 mg/L	1	
6.	Total Kjeldahl nitrogen (TKN)	1.65 mg/L	0.748 mg/L	1.65 mg/L	0.748 mg/L	1	
7.	Total nitrogen (as N)	1.88 mg/L	0.849 mg/L	1.88 mg/L	0.849 mg/L	1	
	pH (minimum)	7.9 su		7.9 su		1	
8.	pH (maximum)	7.9 su		7.9 su		1	

TABLE B. CERTAIN CONVENTIONAL AND List each pollutant that is limited in an effluer facility is operating under an existing NPDES	nt limitation guideline (ELG) t	hat the facility is subje	ect to or any pollutant liste	d in the facility's NPDE	S permit for its process	wastewater (if the
	Maximum Dai (specify		Average Daily (specify		Number of Storm	Source of Information
Pollutant and CAS Number (if available)	Grab Sample Taken During First 30 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 30 Minutes	Flow-Weighted Composite	Events Sampled	(new source/new dischargers only; us codes in instructions
Copper, Total	<0.0100 mg/L	<0.0100 mg/L	<0.0100 mg/L	<0.0100 mg/L	1	
.ead, Total	0.00705 mg/L	<0.00500 mg/L	0.00705 mg/L	<0.00500 mg/L	1	
Zinc, Total	0.0521 mg/L	<0.0500 mg/L	0.0521 mg/L	<0.0500 mg/L	1	
Chromium, Trivalent	<0.0100 mg/L	<0.0100 mg/L	<0.0100 mg/L	<0.0100 mg/L	1	
Chromium, Hexavalent	<0.0100 mg/L	<0.0100 mg/L	<0.0100 mg/L	<0.0100 mg/L	1	
			-			
				_		

NPDES Permit Number AL0065111			Dutfall Number DSN003		OMB No. 2040-0004 Expires 07/31/2020
(cnocifi		Average Daily (specify	/ Discharge		Source of Information
er Grab Sample Taken During First 30 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 30 Minutes	Flow-Weighted Composite	Events Sampled	(new source/new dischargers only; use codes in instructions
<0.0100 mg/L	<0.0100 mg/L	<0.0100 mg/L	<0.0100 mg/L	1	
0.00705 mg/L	<0.00500 mg/L	0.00705 mg/L	<0.00500 mg/L	1	
0.0521 mg/L	<0.0500 mg/L	0.0521 mg/L	<0.0500 mg/L	1	
<0.0100 mg/L	<0.0100 mg/L	<0.0100 mg/L	<0.0100 mg/L	1	
0.229 mg/L	<0.200 mg/L	0.229 mg/L	<0.200 mg/L	1	
<5.44 mg/L		<5.44		1	
0.273 mg/L	<0.100 mg/L	0.273 mg/L	<0.100 mg/L	1	
	AL0065111 ERTAIN HAZARDOUS SUBSTANC 2F–2, 2F–3, and 2F–4 that you kno er Grab Sample Taken During First 30 Minutes <0.0100 mg/L 0.0521 mg/L 0.0521 mg/L <0.0100 mg/L <0.0100 mg/L <0.229 mg/L <5.44 mg/L	AL0065111 Hyco Alabama, ERTAIN HAZARDOUS SUBSTANCES, AND ASBESTOM 2F–2, 2F–3, and 2F–4 that you know or have reason to be Per Maximum Daily Discharge (specify units) Grab Sample Taken During First 30 Minutes <0.0100 mg/L	AL0065111 Hyco Alabama, LLC ERTAIN HAZARDOUS SUBSTANCES, AND ASBESTOS (40 CFR 122.26(C)(1)(I) 2F-2, 2F-3, and 2F-4 that you know or have reason to believe is present. Complet er Maximum Daily Discharge (specify units) Average Daily (specify (specify units) er Maximum Daily Discharge (specify units) Average Daily (specify (specify units) er Grab Sample Taken During First 30 Minutes Flow-Weighted Composite Grab Sample Taken During First 30 Minutes <0.0100 mg/L	AL0065111 Hyco Alabama, LLC DSN003 SERTAIN HAZARDOUS SUBSTANCES, AND ASBESTOS (40 CFR 122.26(C)(1)(U)(E)(4) AND 40 CFR 12 2F-2, 2F-3, and 2F-4 that you know or have reason to believe is present. Complete one table for each or 2F-2, 2F-3, and 2F-4 that you know or have reason to believe is present. Complete one table for each or 2F-2, 2F-3, and 2F-4 that you know or have reason to believe is present. Complete one table for each or 2F-2, 2F-3, and 2F-4 that you know or have reason to believe is present. Complete one table for each or 2F-2, 2F-3, and 2F-4 that you know or have reason to believe is present. Complete one table for each or 2F-2, 2F-3, and 2F-4 that you know or have reason to believe is present. Complete one table for each or 2F-2, 2F-3, and 2F-4 that you know or have reason to believe is present. Complete one table for each or 2F-2, 2F-3, and 2F-4 that you know or have reason to believe is present. Complete one table for each or 2F-2, 2F-3, and 2F-4 that you know or have reason to believe is present. Complete one table for each or 2F-2, 2F-3, and 2F-4 that you know or have reason to believe is present. Complete one table for each or 2F-2, 2F-3, and 2F-4 that you know or have reason to believe is present. Complete one table for each or 2F-2, 2F-3, and 2F-4 that you know or have reason to believe is present. Complete one table for each or 2F-2, 2F-3, and 2F-4 that you know or have reason to believe is present. Complete one table for each or 2F-2, 2F-3, and 2F-4 that you know or have reason to believe is present. Complete one table for each or 2F-2, 2F-3, and 2F-4 that you know or have reason to believe is present. Complete one table for each or 2F-4, 2F-4, and 2F-4,	AL0065111 Hyco Alabama, LLC DSN003 SERTAIN HAZARDOUS SUBSTANCES, AND ASBESTOS (40 CFR 122.26(C)(1)(1)(E)(4) AND 40 CFR 122.21(G)(7)(VI)(B) AND 2) 2F-2, 2F-3, and 2F-4 that you know or have reason to believe is present. Complete one table for each outfall. See the instruction 2F-2, 2F-3, and 2F-4 that you know or have reason to believe is present. Complete one table for each outfall. See the instruction Number of Storm er Maximum Daily Discharge (specify units) Average Daily Discharge (specify units) Number of Storm Grab Sample Taken During First Flow-Weighted Composite Grab Sample Taken Ouring First Flow-Weighted Composite Number of Storm 0.0100 mg/L <0.0100 mg/L

.

EPA Identification Num ALD072099690	ber NPDES Permi			Outfall Number DSN003	
	NT INFORMATION (40 CFR 12 n event(s) that resulted in the n		the flow-weighted composite sample.		和新聞書意思
Date of Storm Event	Duration of Storm Event (in hours)	Total Rainfall During Storm Event (in inches)	Number of Hours Between Beginning of Storm Measured and End of Previous Measurable Rain Event	Maximum Flow Rate During Rain Event (in gpm or specify units)	Total Flow from Rain Even (in gallons or specify units)
11/13/2024	3.3	1.27	155	432	42,208
rovide a description of odified rational metho	he method of flow measureme	nt or estimate.			







July 24, 2023

Rachel Lounsberry Industrial Section Industrial/Municipal Branch Water Division Alabama Department of Environmental Management Post Office Box 301463 Montgomery, Alabama 36130-1463

I authorize Joe Cheshire to sign environmental documents including applications, reports, waste manifests, and other information on my behalf for HYCO Alabama, LLC as an Authorized Representative and certify that he meets the criteria for an Authorized Representative as defined in ADEM Admin. Code r. 335-6-5-.14(2)(b) or 335-6-6-.09(2)(b), as applicable.

Sincerely,

Michael D. Barnes General Manager HYCO Alabama, LLC

HYCO Contact List:

General Manager: Michael Barnes 256-586-9211. Email: michael.barnes@hyco-hydraulic.com

Controller: Lee Pack 256-586-9223. Email: lee.pack@hyco-hydraulic.com

ESH Manger: Michele Lusk 256-586-9259. Email: michele.lusk@hyco-h; draulic.com

ESH Specialist: Joe J Cheshire 256-586-9244. Email: joe.cheshire@hyco-hydraulic.com

Hyco Alabama LLC • 218 Arad Thompson RD NE • PO Box 70 • Arab, AL 35016, USA Tel +1 256 586 8152 • Fax +1 256 586 2484 • <u>www.hyco-hydraulic.com</u>







To: Subject: Lounsberry, Rachel E RE: Authorization Letter from HYCO for Joe Cheshire and updated contact list.

From: Cheshire Jr. Joe <Joe.CheshireIr@hyco-hydraulic.com>
Sent: Monday, July 24, 2023 9:34 AM
To: Lounsberry, Rachel E <<u>restanaland@adem.alabama.gov</u>>
Subject: Authorization Letter from HYCO for Joe Cheshire and updated contact list.

Good morning, I do hope all is well. I have attached the Authorization Letter and an updated contact list. If you have any further question for me please contact me. I will be on standby for when I can submit my 2nd QTR DMR's. If you need to speak with me directly please contact me at 256 677 7048. Thank you for your time and guidance on this issue. Joe C.

1