



MAJOR SOURCE OPERATING PERMIT

PERMITTEE: AMERICAN FIBERGLASS PRODUCTS, INC.

FACILITY NAME: AMERICAN FIBERGLASS PRODUCTS, INC.

FACILITY/PERMIT NO.: 713-0016

LOCATION: DOUBLE SPRINGS, ALABAMA

In accordance with and subject to the provisions of the Alabama Air Pollution Control Act of 1971, as amended, <u>Ala. Code</u> §§ 22-28-1 to 22-28-23, as amended, the Alabama Environmental Management Act, <u>Ala. Code</u> §§ 22-22A-1 to 22-22A-17, as amended, and rules and regulations adopted there under, and subject further to the conditions set forth in this permit, the Permittee is hereby authorized to construct, install and use the equipment, device or other article described above.

Pursuant to the **Clean Air Act of 1990**, all conditions of this permit are federally enforceable by EPA, the Alabama Department of Environmental Management, and citizens in general. Those provisions which are not required under the **Clean Air Act of 1990** are considered to be state permit provisions and are not federally enforceable by EPA and citizens in general. Those provisions are contained in separate sections of this permit.

Issuance Date: Draft

Effective Date: Draft

Expiration Date: Draft

Alabama Department of Environmental Management

TABLE OF CONTENTS

GENERAL PERMIT PROVISOS	3
OPERATING PERMIT SUMMARY NO. 1	11
UNIT SPECIFIC PROVISOS	12
Section 1Applicability	
Section 2Emission Standards	
Section 3Compliance and Performance Test Methods and Procedures	
Section 4Emission Monitoring	
Section 5Record-keeping and Reporting Requirements	
OPERATING PERMIT SUMMARY NO. 2.	15
Unit Specific Provisos	
Section 1Applicability	
Section 2Emission Standards	
Section 3Compliance and Performance Test Methods and Procedures	
Section 4Emission Monitoring	16
Section 5Record-keeping and Reporting Requirements	17

1	rally Enforceable Provisos	Regulations
1.	Transfer	
	This permit is not transferable, whether by operation of law or	Rule 335-3-1602(6)
	otherwise, either from one location to another, from one piece of	
	equipment to another, or from one person to another, except as	
	provided in Rule 335-3-1613(1)(a)5.	
2.	Renewals	
	An application for permit renewal shall be submitted at least six (6)	Rule 335-3-1612(2)
	months, but not more than eighteen (18) months, before the date of	16416 222 2 10 112(2)
	expiration of this permit.	
	The source for which this permit is issued shall lose its right to	
	operate upon the expiration of this permit unless a timely and	
	complete renewal application has been submitted within the time	
,	constraints listed in the previous paragraph.	
3.	Severability Clause The apprintions of this promit are declared to be accomplished if any	Darle 225 2 16 05(a)
	The provisions of this permit are declared to be severable and if any	Rule 335-3-1605(e)
	section, paragraph, subparagraph, subdivision, clause, or phrase of	
	this permit shall be adjudged to be invalid or unconstitutional by any	
	court of competent jurisdiction, the judgment shall not affect, impair,	
	or invalidate the remainder of this permit, but shall be confined in its	
	operation to the section, paragraph, subparagraph, subdivision,	
	clause, or phrase of this permit that shall be directly involved in the	
	controversy in which such judgment shall have been rendered.	
4.	Compliance	
	(a) The permittee shall comply with all conditions of ADEM	Rule 335-3-1605(f)
	Admin. Code 335-3. Noncompliance with this permit will	
	constitute a violation of the Clean Air Act of 1990 and ADEM	
	Admin. Code 335-3 and may result in an enforcement action;	
	including but not limited to, permit termination, revocation	
	and reissuance, or modification; or denial of a permit renewal	
	application by the permittee.	
	(b) The permittee shall not use as a defense in an enforcement	Rule 335-3-1605(g)
	action that maintaining compliance with conditions of this	
	permit would have required halting or reducing the permitted	
	activity.	
5.	Termination for Cause	
	This permit may be modified, revoked, reopened, and reissued, or	Rule 335-3-1605(h)
	terminated for cause. The filing of a request by the permittee for a	, ,
	permit modification, revocation and reissuance, or termination, or of	
	a notification of planned changes or anticipated noncompliance will	
	not stay any permit condition.	
_	Property Rights	
5.	The issuance of this permit does not convey any property rights of	Rule 335-3-1605(i)
6.		11010 000 0 10 .00(1)
6.		
	any sort, or any exclusive privilege.	
6. 7.		,

	ally Enforceable Provisos	Regulations
O	information that the Department may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit or to determine compliance with this permit. Upon receiving a specific request, the permittee shall also furnish to the Department copies of records required to be kept by this permit.	
8.	Economic Incentives, Marketable Permits, and Emissions Trading	
	No permit revision shall be required, under any approved economic incentives, marketable permits, emissions trading and other similar programs or processes for changes that are provided for in this permit.	Rule 335-3-1605(k)
9.	Certification of Truth, Accuracy, and Completeness:	
	Any application form, report, test data, monitoring data, or compliance certification submitted pursuant to this permit shall contain certification by a responsible official of truth, accuracy, and completeness. This certification shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate and complete.	Rule 335-3-1607(a)
10.	Inspection and Entry	
11.	 Upon presentation of credentials and other documents as may be required by law, the permittee shall allow authorized representatives of the Alabama Department of Environmental Management and EPA to conduct the following: (a) Enter upon the permittee's premises where a source is located or emissions-related activity is conducted, or where records must be kept pursuant to the conditions of this permit; (b) Review and/or copy, at reasonable times, any records that must be kept pursuant to the conditions of this permit; (c) Inspect, at reasonable times, this facility's equipment (including monitoring equipment and air pollution control equipment), practices, or operations regulated or required pursuant to this permit; (d) Sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with this permit or other applicable requirements. Compliance Provisions 	Rule 335-3-1607(b)
11.	 (a) The permittee shall continue to comply with the applicable requirements with which the company has certified that it is already in compliance. (b) The permittee shall comply in a timely manner with applicable requirements that become effective during the 	Rule 335-3-1607(c)
12.	term of this permit. Compliance Certification	\

		forceable Provisos	Regulations
	A con	ppliance certification shall be submitted annually within 60	Rule 335-3-1607(e)
	•	f the anniversary date of issuance of this permit, or within an	
;	alterna	tive timeline approved by the Director.	
	(a)	The compliance certification shall include the following:	
		(1) The identification of each term or condition of this	
		permit that is the basis of the certification;	
		(2) The compliance status;	
		(3) The method(s) used for determining the compliance	
		status of the source, currently and over the reporting	
		period consistent with Rule 335-3-1605(c)	
		(Monitoring and Recordkeeping Requirements);	
		(4) Whether compliance has been continuous or	
		intermittent;	
		(5) Such other facts as the Department may require to	
		determine the compliance status of the source;	
	(b)	The compliance certification shall be submitted to the Air and	
		EPCRA Enforcement Branch at EPA, Region IV through the	
		Compliance and Emissions Data Reporting Interface	
		(CEDRI) located on EPA's Central Data Exchange (CDX),	
		and should also be mailed to the Alabama Department of	
		Environmental Management's Air Division at P.O. Box	
	D	301463, Montgomery, AL 36130-1463.	
		ning for Cause	Dula 225 2 16 12(5)
		any of the following circumstances, this permit will be led prior to the expiration of the permit:	Rule 335-3-1613(5)
	(a)	Additional applicable requirements under the Clean Air Act	
'	(a)	of 1990 become applicable to the permittee with a remaining	
		permit term of three (3) or more years. Such a reopening shall	
		be completed not later than eighteen (18) months after	
		promulgation of the applicable requirement. No such	
		reopening is required if the effective date of the requirement	
		is later than the date on which this permit is due to expire.	
	(b)	Additional requirements (including excess emissions	
	(0)	requirements) become applicable to an affected source under	
		the acid rain program. Upon approval by the Administrator,	
		1 2 1 1	
		excess emissions offset plans shall be deemed to be	
		excess emissions offset plans shall be deemed to be incorporated into this permit.	
	(c)	incorporated into this permit.	
	(c)	incorporated into this permit. The Department or EPA determines that this permit contains	
1	(c)	incorporated into this permit. The Department or EPA determines that this permit contains a material mistake or that inaccurate statements were made in	
1	(c)	incorporated into this permit. The Department or EPA determines that this permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or	
		incorporated into this permit. The Department or EPA determines that this permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of this permit.	
	(c) (d)	incorporated into this permit. The Department or EPA determines that this permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or	

Federally Enforceable Provisos Regulations **Additional Rules and Regulations** 14. This permit is issued on the basis of Rules and Regulations existing §22-28-16(d), Code of on the date of issuance. In the event additional Rules and Alabama 1975, as Regulations are adopted, it shall be the permit holder's responsibility amended to comply with such rules. 15. **Equipment Maintenance or Breakdown** In the case of shutdown of air pollution control equipment Rule 335-3-1-.07(1), (2) (which operates pursuant to any permit issued by the Director) for necessary scheduled maintenance, the intent to shut down such equipment shall be reported to the Director at least twenty-four (24) hours prior to the planned shutdown, unless such shutdown is accompanied by the shutdown of the source which such equipment is intended to control. Such prior notice shall include, but is not limited to the following: Identification of the specific facility to be taken out of (1) service as well as its location and permit number; The expected length of time that the air pollution (2) control equipment will be out of service; The nature and quantity of emissions of air (3) contaminants likely to occur during the shutdown period; Measures such as the use of off-shift labor and (4) equipment that will be taken to minimize the length of the shutdown period; The reasons that it would be impossible or impractical (5) to shut down the source operation during the maintenance period. In the event that there is a breakdown of equipment or upset (b) of process in such a manner as to cause, or is expected to cause, increased emissions of air contaminants which are above an applicable standard, the person responsible for such equipment shall notify the Director within 24 hours or the next working day and provide a statement giving all pertinent facts, including the estimated duration of the breakdown. The Director shall be notified when the breakdown has been corrected. 16. **Operation of Capture and Control Devices** All air pollution control devices and capture systems for which this §22-28-16(d), Code of Alabama 1975, as permit is issued shall be maintained and operated at all times in a manner so as to minimize the emissions of air contaminants. amended Procedures for ensuring that the above equipment is properly operated and maintained so as to minimize the emission of air contaminants shall be established. 17. **Obnoxious Odors**

Rule 335-3-1-.08

This permit is issued with the condition that, should obnoxious odors

arising from the plant operations be verified by Air Division

Fede	rally E	nforceable Provisos	Regulations
	inspe	ectors, measures to abate the odorous emissions shall be taken	
	upon	a determination by the Alabama Department of Environmental	
	Mana	agement that these measures are technically and economically	
	feasil	ble.	
18.	Fugi	tive Dust	
	(a)	Precautions shall be taken to prevent fugitive dust emanating	Rule 335-3-402
		from plant roads, grounds, stockpiles, screens, dryers,	
		hoppers, ductwork, etc.	
	(b)	Plant or haul roads and grounds will be maintained in the	
	, ,	following manner so that dust will not become airborne. A	
		minimum of one, or a combination, of the following methods	
		shall be utilized to minimize airborne dust from plant or haul	
		roads and grounds:	
		(1) By the application of water any time the surface of the	
		road is sufficiently dry to allow the creation of dust	
		emissions by the act of wind or vehicular traffic;	
		(2) By reducing the speed of vehicular traffic to a point	
		below that at which dust emissions are created;	
		(3) By paving;	
		(4) By the application of binders to the road surface at any	
		time the road surface is found to allow the creation of	
		dust emissions;	
	Shou	ld one, or a combination, of the above methods fail to	
		uately reduce airborne dust from plant or haul roads and	
	-	nds, alternative methods shall be employed, either exclusively	
	_	combination with one or all of the above control techniques, so	
		dust will not become airborne. Alternative methods shall be	
		oved by the Department prior to utilization.	
19.		tions and Revisions	
		modifications to this source shall comply with the modification	Rule 335-3-1613 and .14
	-	edures in Rules 335-3-1613 or 335-3-1614.	
20.	-	ordkeeping Requirements	
	(a)	Records of required monitoring information of the source	Rule 335-3-1605(c)2.
	()	shall include the following:	,
		(1) The date, place, and time of all sampling or	
		measurements;	
		(2) The date analyses were performed;	
		(3) The company or entity that performed the analyses;	
		(4) The analytical techniques or methods used;	
		(5) The results of all analyses; and	
		(6) The operating conditions that existed at the time of	
		sampling or measurement.	
	(b)	Retention of records of all required monitoring data and	
	(0)	support information of the source for a period of at least 5	
		years from the date of the monitoring sample, measurement,	
		report, or application. Support information includes all	
		report, or approximation. Support information includes all	I

Fede	ally Enforceable Provisos	Regulations
	calibration and maintenance records and all original strip- chart recordings for continuous monitoring instrumentation and copies of all reports required by the permit	
21.	 Reporting Requirements (a) Reports to the Department of any required monitoring shall be submitted at least every 6 months. All instances of deviations from permit requirements must be clearly identified in said reports. All required reports must be certified by a responsible official consistent with Rule 335-3-1604(9). (b) Deviations from permit requirements shall be reported within 48 hours or 2 working day of such deviations, including those attributable to upset conditions as defined in the permit. The report will include the probable cause of said deviations, and any corrective actions or preventive measures that were taken. 	Rule 335-3-1605(c)3.
22.	Emission Testing Requirements Each point of emission which requires testing will be provided with sampling ports, ladders, platforms, and other safety equipment to facilitate testing performed in accordance with procedures established by Part 60 of Title 40 of the Code of Federal Regulations, as the same may be amended or revised. The Air Division must be notified in writing at least 10 days in advance of all emission tests to be conducted and submitted as proof of compliance with the Department's air pollution control rules and regulations.	Rule 335-3-105(3) and Rule 335-3-104(1)
	To avoid problems concerning testing methods and procedures, the following shall be included with the notification letter: (1) The date the test crew is expected to arrive, the date and time anticipated of the start of the first run, how many and which sources are to be tested, and the names of the persons and/or testing company that will conduct the tests.	Rule 335-3-104
	(2) A complete description of each sampling train to be used, including type of media used in determining gas stream components, type of probe lining, type of filter media, and probe cleaning method and solvent to be used (if test procedures require probe cleaning).	
	 (3) A description of the process(es) to be tested including the feed rate, any operating parameters used to control or influence the operations, and the rated capacity. (4) A sketch or sketches showing sampling point locations and their relative positions to the nearest upstream and 	
	downstream gas flow disturbances. A pretest meeting may be held at the request of the source owner or the Air Division. The necessity for such a meeting and the required attendees will be determined on a case-by-case basis.	Rule 335-3-104

ede	rally Enforceable Provisos	Regulations
	All test reports must be submitted to the Air Division within 30 days	
	of the actual completion of the test unless an extension of time is	
	specifically approved by the Air Division.	
3.	Payment of Emission Fees	
	Annual emission fees shall be remitted each year according to the fee	Rule 335-1-704
	schedule in ADEM Admin. Code R. 335-1-704.	
4.	Other Reporting and Testing Requirements	
	Submission of other reports regarding monitoring records, fuel	Rule 335-3-104(1)
	analyses, operating rates, and equipment malfunctions may be	
	required as authorized in the Department's air pollution control rules	
	and regulations. The Department may require emission testing at any	
	time.	
5.	Title VI Requirements (Refrigerants)	
	Any facility having appliances or refrigeration equipment, including	335-3-1605(a)
	air conditioning equipment, which use Class I or Class II ozone-	
	depleting substances as listed in 40 CFR Part 82, Subpart A,	
	Appendices A and B, shall service, repair, and maintain such	
	equipment according to the work practices, personnel certification	
	requirements, and certified recycling and recovery equipment	
	specified in 40 CFR Part 82, Subpart F.	
	No manage shall be assisted as a thomsis a salar and Class I as	
	No person shall knowingly vent or otherwise release any Class I or Class II substance into the environment during the repair, servicing,	
	maintenance, or disposal of any device except as provided in 40 CFR	
	Part 82, Subpart F.	
	1 art 62, Suopart I.	
	The responsible official shall comply with all reporting and	
	recordkeeping requirements of 40 CFR 82.166. Reports shall be	
	submitted to the US EPA and the Department as required.	
6.	Chemical Accidental Prevention Provisions	
	If a chemical listed in Table 1 of 40 CFR Part 68.130 is present in a	40 CFR Part 68
	process in quantities greater than the threshold quantity listed in	
	Table 1, then:	
	(a) The owner or operator shall comply with the provisions in 40	
	CFR Part 68.	
	(b) The owner or operator shall submit one of the following:	
	(1) A compliance schedule for meeting the requirements	
	of 40 CFR Part 68 by the date provided in 40 CFR	
	Part 68 § 68.10(a) or,	
	(2) A certification statement that the source is in	
	compliance with all requirements of 40 CFR Part 68,	
	including the registration and submission of the Risk	
	Management Plan.	
7.	Display of Permit	
<i>'</i> •		1
, .	This permit shall be kept under file or on display at all times at the	Rule 335-3-1401(1)(d)

Feder	ally Enforceable Provisos	Regulations
	will be made readily available for inspection by any or all persons	
	who may request to see it.	
28.	Circumvention	
	No person shall cause or permit the installation or use of any device	Rule 335-3-110
	or any means which, without resulting in reduction in the total	
	amount of air contaminant emitted, conceals or dilutes any emission	
	of air contaminant which would otherwise violate the Division 3	
20	rules and regulations.	
29.	Visible Emissions	D 1 225 2 4 01(1)
	Unless otherwise specified in the Unit Specific provisos of this	Rule 335-3-401(1)
	permit, any source of particulate emissions shall not discharge more than one 6-minute average opacity greater than 20% in any 60-	
	minute period. At no time shall any source discharge a 6-minute	
	average opacity of particulate emissions greater than 40%. Opacity	
	will be determined by 40 CFR Part 60, Appendix A, Method 9,	
	unless otherwise specified in the Unit Specific provisos of this	
	permit.	
30.	Fuel-Burning Equipment	
	(a) Unless otherwise specified in the Unit Specific provisos of	Rule 335-3-403
	this permit, no fuel-burning equipment may discharge	
	particulate emissions in excess of the emissions specified in	
	Part 335-3-403.	
	(b) Unless otherwise specified in the Unit Specific provisos of	Rule 335-3-501
	this permit, no fuel-burning equipment may discharge sulfur	
	dioxide emissions in excess of the emissions specified in Part	
	335-3-501.	
31.	Process Industries – General	
	Unless otherwise specified in the Unit Specific provisos of this	Rule 335-3-404
	permit, no process may discharge particulate emissions in excess of	
22	the emissions specified in Part 335-3-404.	
32.	Averaging Time for Emission Limits	D-1- 225 2 1 05
	Unless otherwise specified in the permit, the averaging time for the	Rule 335-3-105
	emission limits listed in this permit shall be the nominal time	
	required by the specific test method.	I

Operating Permit Summary No. 1

Emission Unit(s): Fiberglass Coating Line

Designation No(s). in Application: 001

Company: American Fiberglass Products, Inc.

Description: One (1) Shower / Bathtub Fiberglass Coating Line

Permitted Operating Schedule: 8 hr/day x 260 days/yr. = 2,080 hr/yr.

Type and quantity of fuel used:

Primary: None Secondary: None

Pollutants Emitted:

Pollutant	Regulatory Emission Limit	Applicable Standard
VOCs	Facility wide 245 tons in any rolling	SYNTHETIC MINOR PSD
	12 month period	
HAP(s)	354 pounds per ton of resin	NESHAP SUBPART WWWW
	267 pounds per ton of gelcoat	

Unit Specific Provisos

Feder	ally Enforceable Provisos	Regulations
Sectio	on 1Applicability	
1.	This source is subject to a Prevention of Significant Deterioration (PSD) synthetic minor emission limitation.	ADEM Admin. Code R. 335-3-1404
2.	This source is subject to the applicable requirements of 40 CFR Part 63, Subpart WWWW, "National Emission Standards for Hazardous Air Pollutants for Reinforced Plastic Composites Production."	ADEM Admin. Code R. 335-3-1106(101)
Sectio	on 2Emission Standards	
1.	Emission of volatile organic compounds (VOCs) from the plant wide operations shall not exceed 245 tons in any consecutive rolling 12-month period.	ADEM Admin. Code R. 335-3-1404(8)
2.	This source is subject to the applicable hazardous air pollutant (HAP) emission limits in 40 CFR Part 63, Subpart WWWW, "National Emission Standards for Hazardous Air Pollutants for Reinforced Plastic Composites Production" as listed in Table 3 to Subpart WWWW and the work practice standards in Table 4.	ADEM Admin. Code R. 335-3-1106(101)
3.	Emissions of HAPs from this source shall not exceed 354 lb/ton for resin or 267 lb/ton for gelcoat as specified in 40 CFR Part 63.5805, Subpart WWWW Reinforced Plastics Composites Production. Organic HAP emission factors shall be determined using the appropriate formula 1.c.i from Table 1 of 40 CFR Part 63, Subpart WWWW.	ADEM Admin. Code R. 335-3-1106(101)
4.	The owner or operator shall demonstrate compliance with the organic HAP emission limits in Table 3 using one of the methods in 40 CFR Part 63.5810, (a) through (d).	ADEM Admin. Code R. 335-3-1106(101)
Sectio	on 3Compliance and Performance Test Methods and Procedures	
1.	This source is subject to the applicable compliance requirements of 40 CFR Part 63, Subpart WWWW "National Emissions Standards for Hazardous Air Pollutants for Reinforced Plastic Composites Production", per 63.5835, and Table 4 Work Practice Standards.	ADEM Admin. Code R. 335-3-1106(101)
2.	The organic HAP content of resins and gelcoats shall be determined in accordance with 40 CFR Part 63.5797. Organic HAP emissions shall be determined using emission factors derived from Table 1 of Subpart WWWW. Applicable Subpart WWWW compliance requirements shall be determined in accordance with 63.5805.	ADEM Admin. Code R. 335-3-1106(101)

	cally Enforceable Provisos	Regulations
3.	The owner of operator shall keep a certified statement of compliance with the work practice requirements in Table 4 of Subpart WWWW.	ADEM Admin. Code R. 335-3-1106(101)
Secti	on 4Emission Monitoring	
1.	The owner or operator shall maintain the records of total mass of each VOC and organic HAP containing material used in the plant manufacturing operations for five years and submit them to the Administrator upon request.	ADEM Admin. Code R. 335-3-1106(100)
2.	The owner or operator shall maintain records of the total weight and organic HAP content of each resin and gelcoat material applied during the plant manufacturing operations for each month.	ADEM Admin. Code R. 335-3-1106(101)
3.	Organic HAP emissions shall be calculated by applying emission factors calculated from Table 1 from 40 CFR Part 63, Subpart WWWW (Reinforced Plastics Composites Production) to the quantity of resin or gelcoat material used. The use of any other models must be approved by the Administrator as stated in 40 CFR Part 63.5930.	ADEM Admin. Code R. 335-3-1106(101)
Secti	on 5Recordkeeping and Reporting Requirements	
1.	Accurate and understandable records of consumption, which record at least the last five years of data, will be maintained in a permanent form suitable for inspection and be available immediately upon request. This facility shall provide a copy of records and supporting background documents upon request that pertain to this air permit. These records shall contain the following information:	ADEM Admin. Code R. 335-3-104
	(a) The type and quantity in pounds of each VOC and HAP containing material used during each calendar month.	
	(b) The percent by weight of VOCs and organic HAPs content of each VOC and HAP containing material used each calendar month.	
	(c) Compliance with VOC and organic HAP limits shall be based upon monthly material use inventories. Emissions may be adjusted for VOC and HAP content of material removed from the plant as waste or returns if the record keeping and details surrounding the materials are approved in advance.	
	(d) Complete inventories of the VOC and organic HAP containing materials (their usage, VOC content and organic HAP content) shall be made at the end of each calendar month. Records shall	

Federa	ally Enforceable Provisos	Regulations
	be retained for 5 years and made available upon request by a representative of this Department.	
	(e) The amount of VOCs and organic HAPs emitted per calendar month expressed in units of pounds and tons.	
	(f) The rolling 12-month total of VOCs and HAPs emitted in units of pounds and tons of all reinforced plastics composites production operations at the facility summed across all operations to demonstrate compliance with the PSD synthetic minor limitation.	
	(g) Within the first 30 days of each month, compliance with all provisos in this permit will be determined. These records will be maintained for 5 years. Should this facility, at any time, exceed the limits in this permit, the Air Division must be notified in writing within ten (10) days of the identification of the exceedance.	
2.	A report summarizing the information in Proviso 5.1 above shall be submitted each calendar quarter by the last day of the month following the end of the quarter, in a format approved by the Department in advance.	ADEM Admin. Code R. 335-3-104
3.	This source is subject to the applicable reporting listed in 40 CFR Part 63, Subpart WWWW (Reinforced Plastics Composites Production) as listed in 63.5910. As allowed in 63.5910(b)(5), the semi-annual report may be submitted in conjunction with the Title V semi-annual deviation report required by General Proviso 21(a) of this permit. The reports will contain the information required by Table 14 to Subpart WWWW.	ADEM Admin. CODE R. 335-3-1106(101)

Operating Permit Summary No. 2

Emission Unit(s): Fiberglass Coating Line

Designation No(s). in Application: 002

Company: American Fiberglass Products, Inc.

Description: One (1) Shower / Bathtub Fiberglass Coating Line

Permitted Operating Schedule: 8 hr/day x 260 days/yr. = 2,080 hr/yr.

Type and quantity of fuel used:

Primary: None Secondary: None

Pollutants Emitted:

Pollutant	Regulatory Emission Limit	Applicable Standard
VOCs	Facility wide 245 tons in any rolling	SYNTHETIC MINOR PSD
	12 month period	
HAP(s)	354 pounds per ton of resin	NESHAP SUBPART WWWW
	267 pounds per ton of gelcoat	

Unit Specific Provisos

Federa	ally Enforceable Provisos	Regulations				
Sectio	Section 1Applicability					
1.	This source is subject to a Prevention of Significant Deterioration (PSD) synthetic minor emission limitation.	ADEM Admin. Code R. 335-3-1404				
2.	This source is subject to the applicable requirements of 40CFR Part 63, Subpart WWWW, "National Emission Standards for Hazardous Air Pollutants for Reinforced Plastic Composites Production."	ADEM Admin. Code R. 335-3-1106(101)				
Sectio	on 2Emission Standards					
1.	Emission of volatile organic compounds (VOCs) from the plant-wide operations shall not exceed 245 tons in any consecutive rolling 12-month period.	ADEM Admin. Code R. 335-3-1404(8)				
2.	This source is subject to the applicable HAP emission limits in 40CFR Part 63 Subpart WWWW, "National Emission Standards for Hazardous Air Pollutants for Reinforced Plastic Composites Production" as listed in Table 3 to Subpart WWWW and the work practice standards in Table 4.	ADEM Admin. Code R. 335-3-1106(101)				
3.	Emissions of hazardous air pollutants (HAPs) from this source shall not exceed 354 lb/ton for resin or 267 lb/ton for gelcoat as specified in 40 CFR Part 63.5805, Subpart WWWW Reinforced Plastics Composites Production. Organic HAP emission factors shall be determined using the appropriate formula 1.c.i from Table 1 of 40 CFR Part 63, Subpart WWWW.	ADEM Admin. Code R. 335-3-1106(101)				
4.	The owner or operator shall demonstrate compliance with the organic HAP emission limits in Table 3 using one of the methods in 40 CFR Part 63.5810, (a) through (d).	ADEM Admin. Code R. 335-3-1106(101)				
Section 3Compliance and Performance Test Methods and Procedures						
1.	This source is subject to the applicable compliance requirements of 40 CFR Part 63, Subpart WWWW, "National Emissions Standards for Hazardous Air Pollutants for Reinforced Plastic Composites Production", per 63.5835, and Table 4 Work Practice Standards.	ADEM Admin. Code R. 335-3-1106(101)				
2.	The organic HAP content of resins and gelcoats shall be determined in accordance with 40 CFR Part 63.5797. Organic HAP emissions shall be determined using emission factors derived from Table 1 of Subpart WWWW. Applicable Subpart WWWW compliance requirements shall be determined in accordance with 63.5805.	ADEM Admin. Code R. 335-3-1106(101)				

Federally Enforceable Provisos			Regulations
3.		owner or operator shall keep a certified statement of compliance the work practice requirements in Table 4 of Subpart WWWW.	ADEM Admin. Code R. 335-3-1106(101)
Secti	Section 4Emission Monitoring		
1.	each manu	owner or operator shall maintain the records of total mass of VOC and organic HAP containing material used in the plant afacturing operations for five years and submit them to the inistrator upon request.	ADEM Admin. Code R. 335-3-1601
2.	orgar	owner or operator shall maintain records of the total weight and nic HAP content of each material applied during the plant afacturing operations for each month.	ADEM Admin. Code R. 335-3-1106(36)
3.	factor WWV quant mode	nic HAP emissions shall be calculated by applying emission rs calculated from Table 1 from 40 CFR Part 63, Subpart WW (Reinforced Plastics Composites Production) to the city of resin or gelcoat material used. The use of any other els must be approved by the Administrator as stated in 40 CFR 63.5930.	ADEM Admin. Code R. 335-3-1106(101)
Secti	Section 5Recordkeeping and Reporting Requirements		
1.	Accurate and understandable records of consumption, which record at least the last five years of data, will be maintained in a permanen form suitable for inspection and be available immediately upon request. This facility shall provide a copy of records and supporting background documents upon request that pertain to this air permit These records shall contain the following information:		ADEM Admin. Code R. 335-3-104
	(a)	The type and quantity of each VOC and HAP containing material used during each calendar month.	
	(b)	The percent by weight of VOCs and organic HAPs content of each VOC and HAP containing material used each calendar month.	
	(c)	Compliance with VOC and organic HAP limits shall be based upon monthly material use inventories. Emissions may be adjusted for VOC and HAP content of material removed from the plant as waste or returns if the record keeping and details surrounding the materials are approved in advance.	
	(d)	Complete inventories of the VOC and organic HAP containing materials (their usage, VOC content and organic	

Federally Enforceable Provisos Regulations					
	<u>, , , , , , , , , , , , , , , , , , , </u>	HAP content) shall be made at the end of each calendar month.	8		
	(e)	The amount of VOCs and organic HAPs emitted per calendar month from fiberglass operations expressed in units of pounds and tons.			
	(f)	The rolling 12-month total of VOCs and organic HAPs emitted from fiberglass operations expressed in units of pounds and tons, of all reinforced plastics composites production operations at the facility summed across all operations to demonstrate compliance with the PSD synthetic minor limitation.			
	(g)	Within the first 30 days of each month, compliance with all provisos in this permit will be determined. These records will be maintained for 5 years. Should this facility, at any time, exceed the limits in this permit, the Air Division must be notified in writing within ten (10) days of the identification of the exceedance.			
2.	submi follow	ort summarizing the information in Proviso 5.1 above shall be atted each calendar quarter by the last day of the month ring the end of the quarter, in a format approved by the attment in advance.	ADEM Admin. Code R. 335-3-104		
3.	This source is subject to the applicable reporting listed in 40 CFR Part 63, Subpart WWWW (Reinforced Plastics Composites Production) as listed in 63.5910. As allowed in 63.5910(b)(5), the semi-annual report may be submitted in conjunction with the Title V semi-annual deviation report required by General Proviso 21(a) of this permit. The reports will contain the information required by Table 14 to Subpart WWWW.		ADEM Admin. CODE R. 335-3-1106(101)		