

JUL 1 0 2025

1400 Coliseum Blvd. 36110-2400 Post Office Box 301463 Montgomery, Alabama 36130-1463 (334) 271-7700 FAX (334) 271-7950

BILLY PARKS OWNER BILLY'S SEAFOOD 16780 RIVER ROAD BON SECOUR, AL 36511

DRAFT PERMIT RE:

NPDES PERMIT NUMBER AL0068497

Dear Mr. Parks:

Transmitted herein is a draft of the referenced permit.

We would appreciate your comments on the permit within 30 days of the date of this letter. Please direct any comments of a technical or administrative nature to the undersigned.

By copy of this letter and the draft permit, we are also requesting comments within the same time frame from EPA.

Our records indicate that you have utilized the Department's web-based electronic environmental (E2) reporting system for submittal of discharge monitoring reports (DMRs). The Department transitioned from the E2 Reporting System to the Alabama Environmental Permitting and Compliance System (AEPACS) for the submittal of DMRs on November 15, 2021. AEPACS is an electronic system that allows facilities to apply for and maintain permits as well as submit other required applications, registrations, and certifications. In addition, the system allows facilities to submit required compliance reports or other information to the Department. The Department has used the E2 User account information to set up a similar User Profile in AEPACS based on the following criteria:

- The user has logged in to E2 since October 1, 2019; and
- The E2 user account is set up using a unique email address.

E2 users that met the above criteria will only need to establish an ADEM Web Portal account (https://prd.adem.alabama.gov/avvp) under the same email address as their E2 account to have the same permissions in AEPACS as they did in E2. They will also automatically be linked to the same facilities they were in E2.

The Alabama Department of Environmental Management encourages you to voluntarily consider pollution prevention practices and alternatives at your facility. Pollution Prevention may assist you in complying with effluent limitations, and possibly reduce or eliminate monitoring requirements.

If you have questions regarding this permit or monitoring requirements, please contact Clint Dear by e-mail at clint.dear@adem.alabama.gov or by phone at (334) 271-7851.

Sincerely

cott Jackson, Chief Industrial Section

Industrial/Municipal Branch

Water Division

Enclosure:

Draft Permit

pc via website:

Montgomery Field Office

EPA Region IV

U.S. Fish & Wildlife Service AL Historical Commission

Advisory Council on Historic Preservation

Department of Conservation and Natural Resources







NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

PERMITTEE:	BILLY'S SEAFOOD INC.

FACILITY LOCATION: BILLY'S SEAFOOD INC.

16780 RIVER RD

BON SECOUR, ALABAMA 36511

BALDWIN COUNTY

PERMIT NUMBER: AL0068497

ISSUANCE DATE:

RECEIVING WATERS: 001 - BON SECOUR RIVER 002 - BON SECOUR RIVER

In accordance with and subject to the provisions of the Federal Water Pollution Control Act, as amended, 33 U.S.C. §§1251-1388 (the "FWPCA"), the Alabama Water Pollution Control Act, as amended, Code of Alabama 1975, §§ 22-22-1 to 22-22-14 (the "AWPCA"), the Alabama Environmental Management Act, as amended, Code of Alabama 1975, §§22-22A-1 to 22-22A-17, and rules and regulations adopted thereunder, and subject further to the terms and conditions set forth in this permit, the Permittee is hereby authorized to discharge into the above-named receiving waters.

	Alabama Department of Environmental Management
	DRAFT
EXPIRATION DATE:	
EFFECTIVE DATE:	

Table of Contents

	I: DISCHARGE LIMITATIONS, CONDITIONS, AND REQUIREMENTS	
A.	Discharge Limitations and Monitoring Requirements	1
B.	Discharge Monitoring and Record Keeping Requirements	3
	1. Representative Sampling	3
	2. Test Procedures	3
	3. Recording of Results	3
	4. Records Retention and Production	3
	5. Monitoring Equipment and Instrumentation	4
C.	Discharge Reporting Requirements	4
	1. Reporting of Monitoring Requirements	4
	2. Noncompliance Notification	
D.	Other Reporting and Notification Requirements	7
	1. Anticipated Noncompliance	7
	2. Termination of Discharge	7
	3. Updating Information	7
	4. Duty to Provide Information	7
	5. Cooling Water and Boiler Water Additives	7
	6. Permit Issued Based on Estimated Characteristics	8
E.	Schedule of Compliance	8
PART	II: OTHER REQUIREMENTS, RESPONSIBILITIES, AND DUTIES	9
Α.	Operational and Management Requirements	9
	1. Facilities Operation and Maintenance	
	2. Best Management Practices	
	3. Spill Prevention, Control, and Management	
B.	- · · · - · · · · · · · · · · · · · · ·	
	Duty to Mitigate Adverse Impacts	
	2. Right of Entry and Inspection	
C.		
0.	1. Bypass	
	2. Upset	
D	Duty to Comply with Permit, Rules, and Statutes	
2.	1. Duty to Comply	
	2. Removed Substances	
	3. Loss or Failure of Treatment Facilities	
	4. Compliance with Statutes and Rules	
E.	Permit Transfer, Modification, Suspension, Revocation, and Reissuance	. 11
	Duty to Reapply or Notify of Intent to Cease Discharge	
	Change in Discharge	. 11
	3. Transfer of Permit	
	4. Permit Modification and Revocation	. 12
	5. Permit Termination	
	6. Permit Suspension	. 13
	7. Request for Permit Action Does Not Stay Any Permit Requirement	
F.	Compliance with Toxic Pollutant Standard or Prohibition	. 13
G.	Discharge of Wastewater Generated by Others	. 13
PART	III: OTHER PERMIT CONDITIONS	
	Civil and Criminal Liability	
A.		. 14
	1. Tampering	. 14
	3. Permit Enforcement	. 14
	4. Relief from Liability	. 14
В.		. 14
C.	Property and Other Rights	. 14
€.	riobard and data refine	

Table of Contents (continued)

D.	Availability of Reports	15
E.	Expiration of Permits for New or Increased Discharges	15
	Compliance with Water Quality Standards	
	Groundwater	
H.	Definitions	15
I.	Severability	18
	IV: ADDITIONAL REQUIREMENTS, CONDITIONS, AND LIMITATIONS	
A.	Best Management Practices (BMP) Plan Requirements	19

NPDES PERMIT NUMBER AL0068497

PART I: DISCHARGE LIMITATIONS, CONDITIONS, AND REQUIREMENTS

A. DISCHARGE LIMITATIONS AND MONITORING REQUIREMENTS

DSN0011: Screened washdown water from seafood packing and freezing operations. 3/

During the period beginning on the effective date of this permit and lasting through the expiration date of this permit, the Permittee is authorized to discharge from the outfall(s) listed above and described more fully in the Permittee's application. Such discharges shall be limited and monitored by the Permittee as specified below:

Parameter	Quantity	or Loading	Units	Qua	lity or Concentra	ation	Units	Sample Frequency ²	Sample Type ¹	Seasonal
pH (00400) Effluent Gross Value	****	****	****	6.0 Minimum Daily	****	9.0 Maximum Daily	S.U.	Monthly	Grab	All Months
Solids, Settleable (00545) Effluent Gross Value	****	****	****	****	****	25 Maximum Daily	mL/L	Monthly	Grab	All Months
Flow, In Conduit or Thru Treatment Plant (50050) Effluent Gross Value	****	(Report) Maximum Daily	MGD	****	****	****	****	Monthly	Instantaneous	All Months

THE DISCHARGE SHALL HAVE NO SHEEN, AND THERE SHALL BE NO DISCHARGE OF VISIBLE OIL, FLOATING SOLIDS OR VISIBLE FOAM IN OTHER THAN TRACE AMOUNTS.

^{1/} Samples collected to comply with the monitoring requirements specified above shall be collected at the following location: At the nearest accessible location just prior to discharge and after final treatment. Unless otherwise specified, composite samples shall be time composite samples collected using automatic sampling equipment or a minimum of eight (8) equal volume grab samples collected over equal time intervals. All composite samples shall be collected for the total period of discharge not to exceed 24 hours.

^{2/} If only one sampling event occurs during a month, the sample result shall be reported on the discharge monitoring report as both the monthly average and daily maximum value for all parameters with a monthly average limitation.

^{3/} See Part IV.A for Best Management Practices (BMP) Plan Requirements.

^{4/} All wastewaters shall be screened with a maximum one quarter inch size mesh screen. No gross solids shall be washed down floor drains or otherwise conveyed to the receiving stream.

During the period beginning on the effective date of this permit and lasting through the expiration date of this permit, the permittee is authorized to discharge from the following point source(s) outfall(s), described more fully in the permittee's application:

DSN0021: Discharge of water from loading and unloading of seafood. 3/4/

Such discharge shall be limited and monitored by the permittee as specified below:

	DISCHARGE	LIMITATIONS				MONITORING R	REQUIREMENTS 1/	
	Monthly	Daily	Daily	Monthly	Daily	Measurement	Sample Type	Seasonal
EFFLUENT CHARACTERISTIC	Average	Maximum	Minimum	Average	Maximum	Frequency 2/		

NO MONITORING REQUIREMENTS FOR THIS OUTFALL

THE DISCHARGE SHALL HAVE NO SHEEN, AND THERE SHALL BE NO DISCHARGE OF VISIBLE OIL, FLOATING SOLIDS OR VISIBLE FOAM IN OTHER THAN TRACE AMOUNTS.

- 1/ Samples collected to comply with the monitoring requirements specified above shall be collected at the following location: At the nearest accessible location just prior to discharge and after final treatment. Unless otherwise specified, composite samples shall be time composite samples collected using automatic sampling equipment or a minimum of eight (8) equal volume grab samples collected over equal time intervals. All composite samples shall be collected for the total period of discharge not to exceed 24 hours.
- 2/ If only one sampling event occurs during a month, the sample result shall be reported on the discharge monitoring report as both the monthly average and daily maximum value for all parameters with a monthly average limitation.
- 3/ See Part IV.A for Best Management Practices (BMP) Plan Requirements.
- 4/ All wastewaters shall be screened with a maximum one quarter inch size mesh screen. No gross solids shall be washed down floor drains or otherwise conveyed to the receiving stream.

B. DISCHARGE MONITORING AND RECORD KEEPING REQUIREMENTS

1. Representative Sampling

Samples and measurements taken as required herein shall be representative of the volume and nature of the monitored discharge and shall be in accordance with the provisions of this permit.

2. Test Procedures

For the purpose of reporting and compliance, permittees shall use one of the following procedures:

- a. For parameters with an EPA established Minimum Level (ML), report the measured value if the analytical result is at or above the ML and report "0" for values below the ML. Test procedures for the analysis of pollutants shall conform to 40 CFR Part 136 and guidelines published pursuant to Section 304(h) of the FWPCA, 33 U.S.C. Section 1314(h). If more than one method for analysis of a substance is approved for use, a method having a minimum level lower than the permit limit shall be used. If the minimum level of all methods is higher than the permit limit, the method having the lowest minimum level shall be used and a report of less than the minimum level shall be reported as zero and will constitute compliance; however, should EPA approve a method with a lower minimum level during the term of this permit the permittee shall use the newly approved method.
- b. For pollutants parameters without an established ML, an interim ML may be utilized. The interim ML shall be calculated as 3.18 times the Method Detection Level (MDL) calculated pursuant to 40 CFR Part 136, Appendix B.

Permittees may develop an effluent matrix-specific ML, where an effluent matrix prevents attainment of the established ML. However, a matrix specific ML shall be based upon proper laboratory method and technique. Matrix-specific MLs must be approved by the Department, and may be developed by the permittee during permit issuance, reissuance, modification, or during compliance schedule.

In either case the measured value should be reported if the analytical result is at or above the ML and "0" reported for values below the ML.

c. For parameters without an EPA established ML, interim ML, or matrix-specific ML, a report of less than the detection limit shall constitute compliance if the detection limit of all analytical methods is higher than the permit limit using the most sensitive EPA approved method. For the purpose of calculating a monthly average, "0" shall be used for values reported less than the detection limit.

The Minimum Level utilized for procedures A and B above shall be reported on the permittee's DMR. When an EPA approved test procedure for analysis of a pollutant does not exist, the Director shall approve the procedure to be used.

3. Recording of Results

For each measurement or sample taken pursuant to the requirements of this permit, the permittee shall record the following information:

- a. The facility name and location, point source number, date, time and exact place of sampling;
- b. The name(s) of person(s) who obtained the samples or measurements;
- c. The dates and times the analyses were performed;
- d. The name(s) of the person(s) who performed the analyses;
- e. The analytical techniques or methods used, including source of method and method number; and
- f. The results of all required analyses.

4. Records Retention and Production

The permittee shall retain records of all monitoring information, including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation, copies of all reports required by the permit, and records of all data used to complete the above reports or the application for this permit, for a period of at least three years from the date of the sample measurement, report or application. This period may be extended by request of the Director at any time. If litigation or other enforcement action, under the AWPCA and/or the FWPCA, is ongoing which involves any of the above records, the records shall be kept until the litigation is resolved. Upon the written request of the Director or his designee, the

permittee shall provide the Director with a copy of any record required to be retained by this paragraph. Copies of these records shall not be submitted unless requested.

All records required to be kept for a period of three years shall be kept at the permitted facility or an alternate location approved by the Department in writing and shall be available for inspection.

5. Monitoring Equipment and Instrumentation

All equipment and instrumentation used to determine compliance with the requirements of this permit shall be installed, maintained, and calibrated in accordance with the manufacturer's instructions or, in the absence of manufacturer's instructions, in accordance with accepted practices. The permittee shall develop and maintain quality assurance procedures to ensure proper operation and maintenance of all equipment and instrumentation. The quality assurance procedures shall include the proper use, maintenance, and installation, when appropriate, of monitoring equipment at the plant site.

C. DISCHARGE REPORTING REQUIREMENTS

1. Reporting of Monitoring Requirements

a. The permittee shall conduct the required monitoring in accordance with the following schedule:

MONITORING REQUIRED MORE FREQUENTLY THAN MONTHLY AND MONTHLY shall be conducted during the first full month following the effective date of coverage under this permit and every month thereafter.

QUARTERLY MONITORING shall be conducted at least once during each calendar quarter. Calendar quarters are the periods of January through March, April through June, July through September, and October through December. The permittee shall conduct the quarterly monitoring during the first complete calendar quarter following the effective date of this permit and is then required to monitor once during each quarter thereafter. Quarterly monitoring may be done anytime during the quarter, unless restricted elsewhere in this permit, but it should be submitted with the last DMR due for the quarter, i.e., (March, June, September and December DMR's).

SEMIANNUAL MONITORING shall be conducted at least once during the period of January through June and at least once during the period of July through December. The permittee shall conduct the semiannual monitoring during the first complete calendar semiannual period following the effective date of this permit and is then required to monitor once during each semiannual period thereafter. Semiannual monitoring may be done anytime during the semiannual period, unless restricted elsewhere in this permit, but it should be submitted with the last DMR for the month of the semiannual period, i.e. (June and December DMR's).

ANNUAL MONITORING shall be conducted at least once during the period of January through December. The permittee shall conduct the annual monitoring during the first complete calendar annual period following the effective date of this permit and is then required to monitor once during each annual period thereafter. Annual monitoring may be done anytime during the year, unless restricted elsewhere in this permit, but it should be submitted with the December DMR.

b. The permittee shall submit discharge monitoring reports (DMRs) on the forms provided by the Department and in accordance with the following schedule:

REPORTS OF MORE FREQUENTLY THAN MONTHLY AND MONTHLY TESTING shall be submitted on a **monthly** basis. The first report is due on the **28th day of (MONTH, YEAR).** The reports shall be submitted so that they are received by the Department no later than the 28th day of the month following the reporting period.

REPORTS OF QUARTERLY TESTING shall be submitted on a quarterly basis. The first report is due on the 28th day of [Month, Year]. The reports shall be submitted so that they are received by the Department no later than the 28th day of the month following the reporting period.

REPORTS OF SEMIANNUAL TESTING shall be submitted on a semiannual basis. The reports are due on the 28th day of JANUARY and the 28th day of JULY. The reports shall be submitted so that they are received by the Department no later than the 28th day of the month following the reporting period.

REPORTS OF ANNUAL TESTING shall be submitted on an annual basis. The first report is due on the 28th day of JANUARY. The reports shall be submitted so that they are received by the Department no later than the 28th day of the month following the reporting period.

c. Except as allowed by Provision I.C.1.c.(1) or (2), the permittee shall submit all Discharge Monitoring Reports (DMRs) required by Provision I.C.1.b electronically.

- (1) If the permittee is unable to complete the electronic submittal of DMR data due to technical problems originating with the Department's electronic system (this could include entry/submittal issues with an entire set of DMRs or individual parameters), the permittee is not relieved of their obligation to submit DMR data to the Department by the date specified in Provision I.C.1.b, unless otherwise directed by the Department.
 - If the Department's electronic system is down on the 28th day of the month in which the DMR is due or is down for an extended period of time, as determined by the Department, when a DMR is required to be submitted, the permittee may submit the data in an alternate manner and format acceptable to the Department. Preapproved alternate acceptable methods include faxing, e-mailing, mailing, or hand-delivery of data such that they are received by the required reporting date. Within 5 calendar days of the Department's electronic system resuming operation, the permittee shall enter the data into the Department's electronic system, unless an alternate timeframe is approved by the Department. A comment should be included on the electronic DMR submittal verifying the original submittal date (date of the fax, copy of the dated e-mail, or hand-delivery stamped date), if applicable.
- (2) The permittee may submit a request to the Department for a temporary electronic reporting waiver for DMR submittals. The waiver request should include the permit number; permittee name; facility/site name; facility address; name, address, and contact information for the responsible official or duly authorized representative; a detailed statement regarding the basis for requesting such a waiver; and the duration for which the waiver is requested. Approved electronic reporting waivers are not transferrable.
 - Permittees with an approved electronic reporting waiver for DMRs may submit hard copy DMRs for the period that the approved electronic reporting waiver request is effective. The permittee shall submit the Department-approved DMR forms to the address listed in Provision I.C.1.e.
- (3) If a permittee is allowed to submit a hard copy DMR, the DMR must be legible and bear an original signature. Photo and electronic copies of the signature are not acceptable and shall not satisfy the reporting requirements of this permit.
- (4) If the permittee, using approved analytical methods as specified in Provision I.B.2, monitors any discharge from a point source for a limited substance identified in Provision I.A. of this permit more frequently than required by this permit, the results of such monitoring shall be included in the calculation and reporting of values on the DMR and the increased frequency shall be indicated on the DMR.
- (5) In the event no discharge from a point source identified in Provision I.A. of this permit and described more fully in the permittee's application occurs during a monitoring period, the permittee shall report "No Discharge" for such period on the appropriate DMR.
- d. All reports and forms required to be submitted by this permit, the AWPCA and the Department's Rules, shall be electronically signed (or, if allowed by the Department, traditionally signed) by a "responsible official" of the permittee as defined in ADEM Administrative Code Rule 335-6-6-.09 or a "duly authorized representative" of such official as defined in ADEM Administrative Code Rule 335-6-6-.09 and shall bear the following certification:
 - "I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."
- e. Discharge Monitoring Reports required by this permit, the AWPCA, and the Department's Rules that are being submitted in hard copy shall be addressed to:

Alabama Department of Environmental Management
Water Division
Office of Water Services
Post Office Box 301463
Montgomery, Alabama 36130-1463

Certified and Registered Mail containing Discharge Monitoring Reports shall be addressed to:

Alabama Department of Environmental Management Water Division Office of Water Services 1400 Coliseum Boulevard Montgomery, Alabama 36110-2400

f. All other correspondence and reports required to be submitted by this permit, the AWPCA, and the Department's Rules shall be addressed to:

Alabama Department of Environmental Management`
Water Division
Post Office Box 301463
Montgomery, Alabama 36130-1463

Certified and Registered Mail shall be addressed to:

Alabama Department of Environmental Management
Water Division
1400 Coliseum Boulevard
Montgomery, Alabama 36110-2400

g. If this permit is a re-issuance, then the permittee shall continue to submit DMRs in accordance with the requirements of their previous permit until such time as DMRs are due as discussed in Part I.C.1.b above.

2. Noncompliance Notification

a. 24-Hour Noncompliance Reporting

The permittee shall report to the Director, within 24-hours of becoming aware of the noncompliance, any noncompliance which may endanger health or the environment. This shall include but is not limited to the following circumstances:

- (1) does not comply with any daily minimum or maximum discharge limitation for an effluent characteristic specified in Provision I. A. of this permit which is denoted by an "(X)";
- (2) threatens human health or welfare, fish or aquatic life, or water quality standards;
- (3) does not comply with an applicable toxic pollutant effluent standard or prohibition established under Section 307(a) of the FWPCA, 33 U.S.C. Section 1317(a);
- (4) contains a quantity of a hazardous substance which has been determined may be harmful to public health or welfare under Section 311(b)(4) of the FWPCA, 33 U.S.C. Section 1321(b)(4);
- (5) exceeds any discharge limitation for an effluent characteristic as a result of an unanticipated bypass or upset; and
- (6) is an unpermitted direct or indirect discharge of a pollutant to a water of the state (unpermitted discharges properly reported to the Department under any other requirement are not required to be reported under this provision).

The permittee shall orally report the occurrence and circumstances of such discharge to the Director within 24-hours after the permittee becomes aware of the occurrence of such discharge. In addition to the oral report, the permittee shall submit to the Director or Designee a written report as provided in Part I.C.2.c no later than five (5) days after becoming aware of the occurrence of such discharge.

- b. If for any reason, the permittee's discharge does not comply with any limitation of this permit, the permittee shall submit to the Director or Designee a written report as provided in Part I.C.2.c below, such report shall be submitted with the next Discharge Monitoring Report required to be submitted by Part I.C.1 of this permit after becoming aware of the occurrence of such noncompliance.
- c. Any written report required to be submitted to the Director or Designee by Part I.C.2 a. or b. shall be submitted using a Noncompliance Notification Form (ADEM Form 421) available on the Department's website (http://adem.alabama.gov/DeptForms/Form421.pdf) and include the following information:
 - (1) A description of the discharge and cause of noncompliance;

- (2) The period of noncompliance, including exact dates and times or, if not corrected, the anticipated time the noncompliance is expected to continue; and
- (3) A description of the steps taken and/or being taken to reduce or eliminate the noncomplying discharge and to prevent its recurrence.

D. OTHER REPORTING AND NOTIFICATION REQUIREMENTS

1. Anticipated Noncompliance

The permittee shall give the Director written advance notice of any planned changes or other circumstances regarding a facility which may result in noncompliance with permit requirements.

2. Termination of Discharge

The permittee shall notify the Director, in writing, when all discharges from any point source(s) identified in Provision I. A. of this permit have permanently ceased. This notification shall serve as sufficient cause for instituting procedures for modification or termination of the permit.

3. Updating Information

- a. The permittee shall inform the Director of any change in the permittee's mailing address, telephone number or in the permittee's designation of a facility contact or office having the authority and responsibility to prevent and abate violations of the AWPCA, the Department's Rules, and the terms and conditions of this permit, in writing, no later than ten (10) days after such change. Upon request of the Director or his designee, the permittee shall furnish the Director with an update of any information provided in the permit application.
- b. If the permittee becomes aware that it failed to submit any relevant facts in a permit application, or submitted incorrect information in a permit application or in any report to the Director, it shall promptly submit such facts or information with a written explanation for the mistake and/or omission.

4. Duty to Provide Information

The permittee shall furnish to the Director, within a reasonable time, any information which the Director or his designee may request to determine whether cause exists for modifying, revoking and re-issuing, suspending, or terminating this permit, in whole or in part, or to determine compliance with this permit.

5. Cooling Water and Boiler Water Additives

- a. The permittee shall notify the Director in writing not later than thirty (30) days prior to instituting the use of any biocide corrosion inhibitor or chemical additive in a cooling or boiler system, not identified in the application for this permit, from which discharge is allowed by this permit. Notification is not required for additives that do not contain a heavy metal(s) as an active ingredient and that pass through a wastewater treatment system prior to discharge nor is notification required for additives that should not reasonably be expected to cause the cooling water or boiler water to exhibit toxicity as determined by analysis of manufacturer's data or testing by the permittee. Such notification shall include:
 - (1) name and general composition of biocide or chemical;
 - (2) 96-hour median tolerance limit data for organisms representative of the biota of the waterway into which the discharge will ultimately reach;
 - (3) quantities to be used;
 - (4) frequencies of use;
 - (5) proposed discharge concentrations; and
 - (6) EPA registration number, if applicable.
- b. The use of a biocide or additive containing tributyl tin, tributyl tin oxide, zinc, chromium or related compounds in cooling or boiler system(s), from which a discharge regulated by this permit occurs, is prohibited except as exempted below. The use of a biocide or additive containing zinc, chromium or related compounds may be used in special circumstances if (1) the permit contains limits for these substances, or (2) the applicant demonstrates during the application process that the use of zinc, chromium or related compounds as a biocide or additive will not pose a reasonable potential to violate the applicable State water quality standards for these substances. The use of any additive, not identified in this permit or in the

application for this permit or not exempted from notification under this permit is prohibited, prior to a determination by the Department that permit modification to control discharge of the additive is not required or prior to issuance of a permit modification controlling discharge of the additive.

6. Permit Issued Based on Estimated Characteristics

- a. If this permit was issued based on estimates of the characteristics of a process discharge reported on an EPA NPDES Application Form 2D (EPA Form 3510-2D), the permittee shall complete and submit an EPA NPDES Application Form 2C (EPA Form 3510-2C) no later than two years after the date that discharge begins. Sampling required for completion of the Form 2C shall occur when a discharge(s) from the process(s) causing the new or increased discharge is occurring. If this permit was issued based on estimates concerning the composition of a stormwater discharge(s), the permittee shall perform the sampling required by EPA NPDES Application Form 2F (EPA Form 3510-2F) no later than one year after the industrial activity generating the stormwater discharge has been fully initiated.
- b. This permit shall be reopened if required to address any new information resulting from the completion and submittal of the Form 2C and or 2F.

E. SCHEDULE OF COMPLIANCE

1. The permittee shall achieve compliance with the discharge limitations specified in Provision I. A. in accordance with the following schedule:

COMPLIANCE SHALL BE ATTAINED ON THE EFFECTIVE DATE OF THIS PERMIT

2. No later than 14 calendar days following a date identified in the above schedule of compliance, the permittee shall submit either a report of progress or, in the case of specific actions being required by identified dates, a written notice of compliance or noncompliance. In the latter case, the notice shall include the cause of noncompliance, any remedial actions taken, and the probability of meeting the next scheduled requirement.

PART II: OTHER REQUIREMENTS, RESPONSIBILITIES, AND DUTIES

A. OPERATIONAL AND MANAGEMENT REQUIREMENTS

1. Facilities Operation and Maintenance

The permittee shall at all times properly operate and maintain all facilities and systems of treatment and control (and related appurtenances) which are installed or used by the permittee to achieve compliance with the conditions of the permit. Proper operation and maintenance includes effective performance, adequate funding, adequate operator staffing and training, and adequate laboratory and process controls, including appropriate quality assurance procedures. This provision requires the operation of backup or auxiliary facilities only when necessary to achieve compliance with the conditions of the permit.

2. Best Management Practices

- a. Dilution water shall not be added to achieve compliance with discharge limitations except when the Director or his designee has granted prior written authorization for dilution to meet water quality requirements.
- b. The permittee shall prepare, implement, and maintain a Spill Prevention, Control and Countermeasures (SPCC) Plan in accordance with 40 C.F.R. Section 112 if required thereby.
- c. The permittee shall prepare, submit for approval and implement a Best Management Practices (BMP) Plan for containment of any or all process liquids or solids, in a manner such that these materials do not present a significant potential for discharge, if so required by the Director or his designee. When submitted and approved, the BMP Plan shall become a part of this permit and all requirements of the BMP Plan shall become requirements of this permit.

3. Spill Prevention, Control, and Management

The permittee shall provide spill prevention, control, and/or management sufficient to prevent any spills of pollutants from entering a water of the state or a publicly or privately owned treatment works. Any containment system used to implement this requirement shall be constructed of materials compatible with the substance(s) contained and which shall prevent the contamination of groundwater and such containment system shall be capable of retaining a volume equal to 110 percent of the capacity of the largest tank for which containment is provided.

B. OTHER RESPONSIBILITIES

1. Duty to Mitigate Adverse Impacts

The permittee shall promptly take all reasonable steps to mitigate and minimize or prevent any adverse impact on human health or the environment resulting from noncompliance with any discharge limitation specified in Provision I. A. of this permit, including such accelerated or additional monitoring of the discharge and/or the receiving waterbody as necessary to determine the nature and impact of the noncomplying discharge.

2. Right of Entry and Inspection

The permittee shall allow the Director, or an authorized representative, upon the presentation of proper credentials and other documents as may be required by law to:

- a. enter upon the permittee's premises where a regulated facility or activity or point source is located or conducted, or where records must be kept under the conditions of the permit;
- b. have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit;
- c. inspect any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under the permit; and
- d. sample or monitor, for the purposes of assuring permit compliance or as otherwise authorized by the AWPCA, any substances or parameters at any location.

C. BYPASS AND UPSET

1. Bypass

- a. Any bypass is prohibited except as provided in b. and c. below:
- b. A bypass is not prohibited if:

- (1) It does not cause any discharge limitation specified in Provision I. A. of this permit to be exceeded;
- (2) It enters the same receiving stream as the permitted outfall; and
- (3) It is necessary for essential maintenance of a treatment or control facility or system to assure efficient operation of such facility or system.
- c. A bypass is not prohibited and need not meet the discharge limitations specified in Provision I. A. of this permit if:
 - (1) It is unavoidable to prevent loss of life, personal injury, or severe property damage;
 - (2) There are no feasible alternatives to the bypass, such as the use of auxiliary treatment facilities, retention of untreated wastes, or maintenance during normal periods of equipment downtime (this condition is not satisfied if adequate back-up equipment should have been installed in the exercise of reasonable engineering judgment to prevent a bypass which occurred during normal periods of equipment downtime or preventive maintenance); and
 - (3) The permittee submits a written request for authorization to bypass to the Director at least ten (10) days prior to the anticipated bypass (if possible), the permittee is granted such authorization, and the permittee complies with any conditions imposed by the Director to minimize any adverse impact on human health or the environment resulting from the bypass.
- d. The permittee has the burden of establishing that each of the conditions of Provision II.C.1.b. or c. have been met to qualify for an exception to the general prohibition against bypassing contained in a. and an exemption, where applicable, from the discharge limitations specified in Provision I. A. of this permit.

2. Upset

- a. A discharge which results from an upset need not meet the discharge limitations specified in Provision I. A. of this permit if:
 - (1) No later than 24-hours after becoming aware of the occurrence of the upset, the permittee orally reports the occurrence and circumstances of the upset to the Director or his designee; and
 - (2) No later than five (5) days after becoming aware of the occurrence of the upset, the permittee furnishes the Director with evidence, including properly signed, contemporaneous operating logs, or other relevant evidence, demonstrating that (i) an upset occurred; (ii) the permittee can identify the specific cause(s) of the upset; (iii) the permittee's facility was being properly operated at the time of the upset; and (iv) the permittee promptly took all reasonable steps to minimize any adverse impact on human health or the environment resulting from the upset.
- b. The permittee has the burden of establishing that each of the conditions of Provision II. C.2.a. of this permit have been met to qualify for an exemption from the discharge limitations specified in Provision I.A. of this permit.

D. DUTY TO COMPLY WITH PERMIT, RULES, AND STATUTES

1. Duty to Comply

- a. The permittee must comply with all conditions of this permit. Any permit noncompliance constitutes a violation of the AWPCA and the FWPCA and is grounds for enforcement action, for permit termination, revocation and reissuance, suspension, modification; or denial of a permit renewal application.
- b. The necessity to halt or reduce production or other activities in order to maintain compliance with the conditions of the permit shall not be a defense for a permittee in an enforcement action.
- c. The discharge of a pollutant from a source not specifically identified in the permit application for this permit and not specifically included in the description of an outfall in this permit is not authorized and shall constitute noncompliance with this permit.
- d. The permittee shall take all reasonable steps, including cessation of production or other activities, to minimize or prevent any violation of this permit or to minimize or prevent any adverse impact of any permit violation.
- e. Nothing in this permit shall be construed to preclude and negate the permittee's responsibility or liability to apply for, obtain, or comply with other ADEM, Federal, State, or Local Government permits, certifications, licenses, or other approvals.

2. Removed Substances

Solids, sludges, filter backwash, or any other pollutant or other waste removed in the course of treatment or control of wastewaters shall be disposed of in a manner that complies with all applicable Department Rules.

3. Loss or Failure of Treatment Facilities

Upon the loss or failure of any treatment facilities, including but not limited to the loss or failure of the primary source of power of the treatment facility, the permittee shall, where necessary to maintain compliance with the discharge limitations specified in Provision I. A. of this permit, or any other terms or conditions of this permit, cease, reduce, or otherwise control production and/or all discharges until treatment is restored. If control of discharge during loss or failure of the primary source of power is to be accomplished by means of alternate power sources, standby generators, or retention of inadequately treated effluent, the permittee must furnish to the Director within six months a certification that such control mechanisms have been installed.

4. Compliance with Statutes and Rules

- a. This permit has been issued under ADEM Administrative Code, Chapter 335-6-6. All provisions of this chapter, that are applicable to this permit, are hereby made a part of this permit. A copy of this chapter may be obtained for a small charge from the Office of General Counsel, Alabama Department of Environmental Management, 1400 Coliseum Blvd., Montgomery, AL 36130.
- b. This permit does not authorize the noncompliance with or violation of any Laws of the State of Alabama or the United States of America or any regulations or rules implementing such laws. FWPCA, 33 U.S.C. Section 1319, and Code of Alabama 1975, Section 22-22-14.

E. PERMIT TRANSFER, MODIFICATION, SUSPENSION, REVOCATION, AND REISSUANCE

1. Duty to Reapply or Notify of Intent to Cease Discharge

- a. If the permittee intends to continue to discharge beyond the expiration date of this permit, the permittee shall file a complete permit application for reissuance of this permit at least 180 days prior to its expiration. If the permittee does not intend to continue discharge beyond the expiration of this permit, the permittee shall submit written notification of this intent which shall be signed by an individual meeting the signatory requirements for a permit application as set forth in ADEM Administrative Code Rule 335-6-6-.09.
- b. Failure of the permittee to apply for reissuance at least 180 days prior to permit expiration will void the automatic continuation of the expiring permit provided by ADEM Administrative Code Rule 335-6-6-.06 and should the permit not be reissued for any reason any discharge after expiration of this permit will be an unpermitted discharge.

2. Change in Discharge

- a. The permittee shall apply for a permit modification at least 180 days in advance of any facility expansion, production increase, process change, or other action that could result in the discharge of additional pollutants or increase the quantity of a discharged pollutant such that existing permit limitations would be exceeded or that could result in an additional discharge point. This requirement applies to pollutants that are or that are not subject to discharge limitations in this permit. No new or increased discharge may begin until the Director has authorized it by issuance of a permit modification or a reissued permit.
- b. The permittee shall notify the Director as soon as it is known or there is reason to believe:
 - (1) That any activity has occurred or will occur which would result in the discharge on a routine or frequent basis, of any toxic pollutant which is not limited in this permit, if that discharge will exceed the highest of the following notification levels:
 - (i) one hundred micrograms per liter;
 - (ii) two hundred micrograms per liter for acrolein and acrylonitrile; five hundred micrograms per liter for 2,4-dinitrophenol and for 2-methyl-4,6-dini-trophenol; and one milligram per liter for antimony;
 - (iii) five times the maximum concentration value reported for that pollutant in the permit application; or
 - (2) That any activity has occurred or will occur which would result in any discharge, on a non-routine or infrequent basis, of a toxic pollutant which is not limited in the permit, if that discharge will exceed the highest of the following notification levels:

- (i) five hundred micrograms per liter;
- (ii) one milligram per liter for antimony;
- (iii) ten times the maximum concentration value reported for that pollutant in the permit application.

3. Transfer of Permit

This permit may not be transferred or the name of the permittee changed without notice to the Director and subsequent modification or revocation and reissuance of the permit to identify the new permittee and to incorporate any other changes as may be required under the FWPCA or AWPCA. In the case of a change in name, ownership or control of the permittee's premises only, a request for permit modification in a format acceptable to the Director is required at least 30 days prior to the change. In the case of a change in name, ownership or control of the permittee's premises accompanied by a change or proposed change in effluent characteristics, a complete permit application is required to be submitted to the Director at least 180 days prior to the change. Whenever the Director is notified of a change in name, ownership or control, he may decide not to modify the existing permit and require the submission of a new permit application.

4. Permit Modification and Revocation

- a. This permit may be modified or revoked and reissued, in whole or in part, during its term for cause, including but not limited to, the following:
 - (1) If cause for termination under Provision II. E. 5. of this permit exists, the Director may choose to revoke and reissue this permit instead of terminating the permit;
 - (2) If a request to transfer this permit has been received, the Director may decide to revoke and reissue or to modify the permit; or
 - (3) If modification or revocation and reissuance is requested by the permittee and cause exists, the Director may grant the request.
- b. This permit may be modified during its term for cause, including but not limited to, the following:
 - (1) If cause for termination under Provision II. E. 5. of this permit exists, the Director may choose to modify this permit instead of terminating this permit;
 - (2) There are material and substantial alterations or additions to the facility or activity generating wastewater which occurred after permit issuance which justify the application of permit conditions that are different or absent in the existing permit;
 - (3) The Director has received new information that was not available at the time of permit issuance and that would have justified the application of different permit conditions at the time of issuance;
 - (4) A new or revised requirement(s) of any applicable standard or limitation is promulgated under Sections 301(b)(2)(C),
 (D), (E), and (F), and 307(a)(2) of the FWPCA;
 - (5) Errors in calculation of discharge limitations or typographical or clerical errors were made;
 - (6) To the extent allowed by ADEM Administrative Code, Rule 335-6-6-.17, when the standards or regulations on which the permit was based have been changed by promulgation of amended standards or regulations or by judicial decision after the permit was issued;
 - (7) To the extent allowed by ADEM Administrative Code, Rule 335-6-6-.17, permits may be modified to change compliance schedules;
 - (8) To agree with a granted variance under 30l(c), 30l(g), 30l(h), 30l(k), or 3l6(a) of the FWPCA or for fundamentally different factors;
 - (9) To incorporate an applicable 307(a) FWPCA toxic effluent standard or prohibition;
 - (10) When required by the reopener conditions in this permit;
 - (11) When required under 40 CFR 403.8(e) (compliance schedule for development of pretreatment program);

- (12) Upon failure of the state to notify, as required by Section 402(b)(3) of the FWPCA, another state whose waters may be affected by a discharge permitted by this permit;
- (13) When required to correct technical mistakes, such as errors in calculation, or mistaken interpretations of law made in determining permit conditions; or
- (14) When requested by the permittee and the Director determines that the modification has cause and will not result in a violation of federal or state law, regulations or rules.

5. Permit Termination

This permit may be terminated during its term for cause, including but not limited to, the following:

- a. Violation of any term or condition of this permit;
- The permittee's misrepresentation or failure to disclose fully all relevant facts in the permit application or during the permit issuance process or the permittee's misrepresentation of any relevant facts at any time;
- Materially false or inaccurate statements or information in the permit application or the permit;
- A change in any condition that requires either a temporary or permanent reduction or elimination of the permitted discharge;
- e. The permittee's discharge threatens human life or welfare or the maintenance of water quality standards;
- Permanent closure of the facility generating the wastewater permitted to be discharged by this permit or permanent cessation of wastewater discharge;
- g. New or revised requirements of any applicable standard or limitation that is promulgated under Sections 301(b)(2)(C), (D), (E), and (F), and 307(a)(2) of the FWPCA that the Director determines cannot be complied with by the permittee; or
- h. Any other cause allowed by the ADEM Administrative Code, Chapter 335-6-6.

6. Permit Suspension

This permit may be suspended during its term for noncompliance until the permittee has taken action(s) necessary to achieve compliance.

7. Request for Permit Action Does Not Stay Any Permit Requirement

The filing of a request by the permittee for modification, suspension or revocation of this permit, in whole or in part, does not stay any permit term or condition.

F. COMPLIANCE WITH TOXIC POLLUTANT STANDARD OR PROHIBITION

If any applicable effluent standard or prohibition (including any schedule of compliance specified in such effluent standard or prohibition) is established under Section 307(a) of the FWPCA, 33 U.S.C. Section 1317(a), for a toxic pollutant discharged by the permittee and such standard or prohibition is more stringent than any discharge limitation on the pollutant specified in Provision I. A. of this permit, or controls a pollutant not limited in Provision I. A. of this permit, this permit shall be modified to conform to the toxic pollutant effluent standard or prohibition and the permittee shall be notified of such modification. If this permit has not been modified to conform to the toxic pollutant effluent standard or prohibition before the effective date of such standard or prohibition, the permittee shall attain compliance with the requirements of the standard or prohibition within the time period required by the standard or prohibition and shall continue to comply with the standard or prohibition until this permit is modified or reissued.

G. DISCHARGE OF WASTEWATER GENERATED BY OTHERS

The discharge of wastewater, generated by any process, facility, or by any other means not under the operational control of the permittee or not identified in the application for this permit or not identified specifically in the description of an outfall in this permit is not authorized by this permit.

PART III: OTHER PERMIT CONDITIONS

A. CIVIL AND CRIMINAL LIABILITY

1. Tampering

Any person who falsifies, tampers with, or knowingly renders inaccurate any monitoring device or method required to be maintained or performed under the permit shall, upon conviction, be subject to penalties as provided by the AWPCA.

2. False Statements

Any person who knowingly makes any false statement, representation, or certification in any record or other document submitted or required to be maintained under this permit, including monitoring reports or reports of compliance or noncompliance shall, upon conviction, be subject to penalties as provided by the AWPCA.

3. Permit Enforcement

- a. Any NPDES permit issued or reissued by the Department is a permit for the purpose of the AWPCA and the FWPCA and as such any terms, conditions, or limitations of the permit are enforceable under state and federal law.
- b. Any person required to have a NPDES permit pursuant to ADEM Administrative Code Chapter 335-6-6 and who discharges pollutants without said permit, who violates the conditions of said permit, who discharges pollutants in a manner not authorized by the permit, or who violates applicable orders of the Department or any applicable rule or standard of the Department, is subject to any one or combination of the following enforcement actions under applicable state statutes.
 - (1) An administrative order requiring abatement, compliance, mitigation, cessation, clean-up, and/or penalties;
 - (2) An action for damages;
 - (3) An action for injunctive relief; or
 - (4) An action for penalties.
- c. If the permittee is not in compliance with the conditions of an expiring or expired permit the Director may choose to do any or all of the following provided the permittee has made a timely and complete application for reissuance of the permit:
 - (1) initiate enforcement action based upon the permit which has been continued;
 - (2) issue a notice of intent to deny the permit reissuance. If the permit is denied, the owner or operator would then be required to cease the activities authorized by the continued permit or be subject to enforcement action for operating without a permit;
 - (3) reissue the new permit with appropriate conditions; or
 - (4) take other actions authorized by these rules and AWPCA.

4. Relief from Liability

Except as provided in Provision II.C.1 (Bypass) and Provision II.C.2 (Upset), nothing in this permit shall be construed to relieve the permittee of civil or criminal liability under the AWPCA or FWPCA for noncompliance with any term or condition of this permit.

B. OIL AND HAZARDOUS SUBSTANCE LIABILITY

Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the permittee from any responsibilities, liabilities or penalties to which the permittee is or may be subject under Section 311 of the FWPCA, 33 U.S.C. Section 1321.

C. PROPERTY AND OTHER RIGHTS

This permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize any injury to persons or property or invasion of other private rights, trespass, or any infringement of federal, state, or local laws or regulations, nor does it authorize or approve the construction of any physical structures or facilities or the undertaking of any work in any waters of the state or of the United States.

D. AVAILABILITY OF REPORTS

Except for data determined to be confidential under <u>Code of Alabama</u> 1975, Section 22-22-9(c), all reports prepared in accordance with the terms of this permit shall be available for public inspection at the offices of the Department. Effluent data shall not be considered confidential.

E. EXPIRATION OF PERMITS FOR NEW OR INCREASED DISCHARGES

- 1. If this permit was issued for a new discharger or new source, this permit shall expire eighteen months after the issuance date if construction of the facility has not begun during the eighteen-month period.
- 2. If this permit was issued or modified to allow the discharge of increased quantities of pollutants to accommodate the modification of an existing facility and if construction of this modification has not begun during the eighteen month period after issuance of this permit or permit modification, this permit shall be modified to reduce the quantities of pollutants allowed to be discharged to those levels that would have been allowed if the modification of the facility had not been planned.
- 3. Construction has begun when the owner or operator has:
 - a. begun, or caused to begin as part of a continuous on-site construction program:
 - (1) any placement, assembly, or installation of facilities or equipment; or
 - (2) significant site preparation work including clearing, excavation, or removal of existing buildings, structures, or facilities which is necessary for the placement, assembly, or installation of new source facilities or equipment; or
 - b. entered into a binding contractual obligation for the purpose of placement, assembly, or installation of facilities or equipment which are intended to be used in its operation within a reasonable time. Options to purchase or contracts which can be terminated or modified without substantial loss, and contracts for feasibility, engineering, and design studies do not constitute a contractual obligation under the paragraph. The entering into a lease with the State of Alabama for exploration and production of hydrocarbons shall also be considered beginning construction.

F. COMPLIANCE WITH WATER QUALITY STANDARDS

- 1. On the basis of the permittee's application, plans, or other available information, the Department has determined that compliance with the terms and conditions of this permit should assure compliance with the applicable water quality standards.
- Compliance with permit terms and conditions notwithstanding, if the permittee's discharge(s) from point sources identified in Provision I. A. of this permit cause or contribute to a condition in contravention of state water quality standards, the Department may require abatement action to be taken by the permittee in emergency situations or modify the permit pursuant to the Department's Rules, or both.
- 3. If the Department determines, on the basis of a notice provided pursuant to this permit or any investigation, inspection or sampling, that a modification of this permit is necessary to assure maintenance of water quality standards or compliance with other provisions of the AWPCA or FWPCA, the Department may require such modification and, in cases of emergency, the Director may prohibit the discharge until the permit has been modified.

G. GROUNDWATER

Unless specifically authorized under this permit, this permit does not authorize the discharge of pollutants to groundwater. Should a threat of groundwater contamination occur, the Director may require groundwater monitoring to properly assess the degree of the problem and the Director may require that the Permittee undertake measures to abate any such discharge and/or contamination.

H. DEFINITIONS

- Average monthly discharge limitation means the highest allowable average of "daily discharges" over a calendar month, calculated as the sum of all "daily discharges" measured during a calendar month divided by the number of "daily discharges" measured during that month (zero discharge days shall not be included in the number of "daily discharges" measured and a less than detectable test result shall be treated as a concentration of zero if the most sensitive EPA approved method was used).
- 2. Average weekly discharge limitation means the highest allowable average of "daily discharges" over a calendar week, calculated as the sum of all "daily discharges" measured during a calendar week divided by the number of "daily discharges" measured during that week (zero discharge days shall not be included in the number of "daily discharges" measured and a less than detectable test result shall be treated as a concentration of zero if the most sensitive EPA approved method was used).

- 3. Arithmetic Mean means the summation of the individual values of any set of values divided by the number of individual values.
- AWPCA means the Alabama Water Pollution Control Act.
- BOD means the five-day measure of the pollutant parameter biochemical oxygen demand.
- Bypass means the intentional diversion of waste streams from any portion of a treatment facility.
- 7. CBOD means the five-day measure of the pollutant parameter carbonaceous biochemical oxygen demand.
- 8. <u>Daily discharge</u> means the discharge of a pollutant measured during any consecutive 24-hour period in accordance with the sample type and analytical methodology specified by the discharge permit.
- 9. <u>Daily maximum</u> means the highest value of any individual sample result obtained during a day.
- 10. Daily minimum means the lowest value of any individual sample result obtained during a day.
- 11. Day means any consecutive 24-hour period.
- 12. Department means the Alabama Department of Environmental Management.
- 13. Director means the Director of the Department.
- 14. <u>Discharge</u> means "[t]he addition, introduction, leaking, spilling or emitting of any sewage, industrial waste, pollutant or other wastes into waters of the state". Code of Alabama 1975, Section 22-22-1(b)(8).
- Discharge Monitoring Report (DMR) means the form approved by the Director to accomplish reporting requirements of an NPDES permit.
- 16. DO means dissolved oxygen.
- 17. 8HC means 8-hour composite sample, including any of the following:
 - a. The mixing of at least 5 equal volume samples collected at constant time intervals of not more than 2 hours over a period of not less than 8 hours between the hours of 6:00 a.m. and 6:00 p.m. If the sampling period exceeds 8 hours, sampling may be conducted beyond the 6:00 a.m. to 6:00 p.m. period.
 - b. A sample continuously collected at a constant rate over period of not less than 8 hours between the hours of 6:00 a.m. and 6:00 p.m. If the sampling period exceeds 8 hours, sampling may be conducted beyond the 6:00 a.m. to 6:00 p.m. period.
- 18. EPA means the United States Environmental Protection Agency.
- 19. FC means the pollutant parameter fecal coliform.
- 20. Flow means the total volume of discharge in a 24-hour period.
- 21. FWPCA means the Federal Water Pollution Control Act.
- 22. Geometric Mean means the Nth root of the product of the individual values of any set of values where N is equal to the number of individual values. The geometric mean is equivalent to the antilog of the arithmetic mean of the logarithms of the individual values. For purposes of calculating the geometric mean, values of zero (0) shall be considered one (1).
- 23. <u>Grab Sample</u> means a single influent or effluent portion which is not a composite sample. The sample(s) shall be collected at the period(s) most representative of the discharge.
- 24. <u>Indirect Discharger</u> means a nondomestic discharger who discharges pollutants to a publicly owned treatment works or a privately owned treatment facility operated by another person.
- 25. <u>Industrial User</u> means those industries identified in the Standard Industrial Classification manual, Bureau of the Budget 1967, as amended and supplemented, under the category "Division D Manufacturing" and such other classes of significant waste producers as, by regulation, the Director deems appropriate.
- 26. MGD means million gallons per day.

- 27. Monthly Average means, other than for fecal coliform bacteria, the arithmetic mean of the entire composite or grab samples taken for the daily discharges collected in one month period. The monthly average for fecal coliform bacteria is the geometric mean of daily discharge samples collected in a one month period. The monthly average for flow is the arithmetic mean of all flow measurements taken in a one month period.
- 28. New Discharger means a person, owning or operating any building, structure, facility or installation:
 - a. from which there is or may be a discharge of pollutants;
 - b. that did not commence the discharge of pollutants prior to August 13, 1979, and which is not a new source; and
 - c. which has never received a final effective NPDES permit for dischargers at that site.
- 29. NH3-N means the pollutant parameter ammonia, measured as nitrogen.
- Permit application means forms and additional information that is required by ADEM Administrative Code Rule 335-6-6-.08
 and applicable permit fees.
- 31. <u>Point source</u> means "any discernible, confined and discrete conveyance, including but not limited to any pipe, channel, ditch, tunnel, conduit, well, discrete fissure, container, rolling stock, concentrated animal feeding operation, or vessel or other floating craft, . . . from which pollutants are or may be discharged." Section 502(14) of the FWPCA, 33 U.S.C. Section 1362(14).
- 32. Pollutant includes for purposes of this permit, but is not limited to, those pollutants specified in Code of Alabama 1975, Section 22-22-1(b)(3) and those effluent characteristics specified in Provision I. A. of this permit.
- 33. <u>Privately Owned Treatment Works</u> means any devices or system which is used to treat wastes from any facility whose operator is not the operator of the treatment works, and which is not a "POTW".
- 34. <u>Publicly Owned Treatment Works</u> means a wastewater collection and treatment facility owned by the State, municipality, regional entity composed of two or more municipalities, or another entity created by the State or local authority for the purpose of collecting and treating municipal wastewater.
- 35. Receiving Stream means the "waters" receiving a "discharge" from a "point source".
- 36. Severe property damage means substantial physical damage to property, damage to the treatment facilities which causes them to become inoperable, or substantial and permanent loss of natural resources which can reasonably be expected to occur in the absence of a bypass. Severe property damage does not mean economic loss caused by delays in production.
- 37. <u>Significant Source</u> means a source which discharges 0.025 MGD or more to a POTW or greater than five percent of the treatment work's capacity, or a source which is a primary industry as defined by the U.S. EPA or which discharges a priority or toxic pollutant.
- 38. Solvent means any virgin, used or spent organic solvent(s) identified in the F-Listed wastes (F001 through F005) specified in 40 CFR 261.31 that is used for the purpose of solubilizing other materials.
- 39. TKN means the pollutant parameter Total Kjeldahl Nitrogen.
- 40. TON means the pollutant parameter Total Organic Nitrogen.
- 41. TRC means Total Residual Chlorine.
- 42. TSS means the pollutant parameter Total Suspended Solids.
- 43. 24HC means 24-hour composite sample, including any of the following:
 - a. the mixing of at least 12 equal volume samples collected at constant time intervals of not more than 2 hours over a period of 24 hours;
 - b. a sample collected over a consecutive 24-hour period using an automatic sampler composite to one sample. As a minimum, samples shall be collected hourly and each shall be no more than one twenty-fourth (1/24) of the total sample volume collected; or
 - a sample collected over a consecutive 24-hour period using an automatic composite sampler composited proportional to flow.

- 44. <u>Upset</u> means an exceptional incident in which there is an unintentional and temporary noncompliance with technology-based permit discharge limitations because of factors beyond the reasonable control of the permittee. An upset does not include noncompliance to the extent caused by operational error, improperly designed treatment facilities, inadequate treatment facilities, lack of preventive maintenance, or careless or improper operation.
- 45. Waters means "[a]ll waters of any river, stream, watercourse, pond, lake, coastal, ground or surface water, wholly or partially within the state, natural or artificial. This does not include waters which are entirely confined and retained completely upon the property of a single individual, partnership or corporation unless such waters are used in interstate commerce." Code of Alabama 1975, Section 22-22-1(b)(2). Waters "include all navigable waters" as defined in Section 502(7) of the FWPCA, 22 U.S.C. Section 1362(7), which are within the State of Alabama.
- 46. Week means the period beginning at twelve midnight Saturday and ending at twelve midnight the following Saturday.
- 47. Weekly (7-day and calendar week) Average is the arithmetic mean of all samples collected during a consecutive 7-day period or calendar week, whichever is applicable. The calendar week is defined as beginning on Sunday and ending on Saturday. Weekly averages shall be calculated for all calendar weeks with Saturdays in the month. If a calendar week overlaps two months (i.e., the Sunday is in one month and the Saturday in the following month), the weekly average calculated for the calendar week shall be included in the data for the month that contains the Saturday.

I. SEVERABILITY

The provisions of this permit are severable, and if any provision of this permit or the application of any provision of this permit to any circumstance is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.

PART IV: ADDITIONAL REQUIREMENTS, CONDITIONS, AND LIMITATIONS

A. BEST MANAGEMENT PRACTICES (BMP) PLAN REQUIREMENTS

1. BMP Plan

The permittee shall develop and implement a Best Management Practices (BMP) Plan which prevents, or minimizes the potential for, the release of pollutants from ancillary activities, including material storage areas; plant site runoff; in-plant transfer, process and material handling areas; loading and unloading operations, and sludge and waste disposal areas, to the waters of the State through plant site runoff; spillage or leaks; sludge or waste disposal; or drainage from raw material storage.

2. Plan Content

The permittee shall prepare and implement a best management practices (BMP) plan, which shall:

- a. Establish specific objectives for the control of pollutants:
 - (1) Each facility component or system shall be examined for its potential for causing a release of significant amounts of pollutants to waters of the State due to equipment failure, improper operation, natural phenomena such as rain or snowfall, etc.
 - (2) Where experience indicates a reasonable potential for equipment failure (e.g., a tank overflow or leakage), natural condition (e.g. precipitation), or circumstances to result in significant amounts of pollutants reaching surface waters, the plan should include a prediction of the direction, rate of flow, and total quantity of pollutants which could be discharged from the facility as a result of each condition or circumstance.
- b. Establish specific best management practices to meet the objectives identified under paragraph a. of this section, addressing each component or system capable of causing a release of significant amounts of pollutants to the waters of the State, and identifying specific preventative or remedial measures to be implemented;
- c. Establish a program to identify and repair leaking equipment items and damaged containment structures, which may contribute to contaminated stormwater runoff. This program must include regular visual inspections of equipment, containment structures and of the facility in general to ensure that the BMP is continually implemented and effective;
- d. Prevent the spillage or loss of fluids, oil, grease, gasoline, etc. from vehicle and equipment maintenance activities and thereby prevent the contamination of stormwater from these substances;
- e. Prevent or minimize stormwater contact with material stored on site;
- f. Designate by position or name the person or persons responsible for the day to day implementation of the BMP;
- g. Provide for routine inspections, on days during which the facility is manned, of any structures that function to prevent stormwater pollution or to remove pollutants from stormwater and of the facility in general. Routine inspections should be done at a frequency to ensure that the BMP is continually implemented and effective and in no case less frequent than once per year;
- h. Provide for the use and disposal of any material used to absorb spilled fluids that could contaminate stormwater;
- i. Develop a solvent management plan, if solvents are used on site. The solvent management plan shall include as a minimum lists of the solvents on site; the disposal method of solvents used instead of dumping, such as reclamation, contract hauling; and the procedures for assuring that solvents do not routinely spill or leak into the stormwater;
- j. Provide for the disposal of all used oils, hydraulic fluids, firefighting foams, solvent degreasing material, etc. in accordance with good management practices and any applicable state or federal regulations;
- k. Include a diagram of the facility showing the locations where stormwater exits the facility, the locations of any structure or other mechanisms intended to prevent pollution of stormwater or to remove pollutants from stormwater, the locations of any collection and handling systems;
- 1. Provide control sufficient to prevent or control pollution of stormwater by soil particles to the degree required to maintain compliance with the water quality standard for turbidity applicable to the waterbody(s) receiving discharge(s) under this permit;
- m. Provide spill prevention, control, and/or management sufficient to prevent or minimize contaminated stormwater runoff. Any containment system used to implement this requirement shall be constructed of materials compatible with the

substance(s) contained and shall prevent the contamination of groundwater. The containment system shall also be capable of retaining a volume equal to 110 percent of the capacity of the largest tank for which containment is provided;

- Provide and maintain curbing, diking or other means of isolating process areas to the extent necessary to allow segregation and collection for treatment of contaminated stormwater from process areas;
- o. Be reviewed by plant engineering staff and the plant manager; and
- p. Bear the signature of the plant manager.

3. Compliance Schedule

The permittee shall have reviewed (and revised if necessary) and fully implemented the BMP plan as soon as practicable but no later than six months after the effective date of this permit.

4. Department Review

- a. When requested by the Director or his designee, the permittee shall make the BMP available for Department review.
- b. The Director or his designee may notify the permittee at any time that the BMP is deficient and require correction of the deficiency.
- c. The permittee shall correct any BMP deficiency identified by the Director or his designee within 30 days of receipt of notification and shall certify to the Department that the correction has been made and implemented.

5. Administrative Procedures

- a. A copy of the BMP shall be maintained at the facility and shall be available for inspection by representatives of the Department.
- b. A log of the routine inspection required above shall be maintained at the facility and shall be available for inspection by representatives of the Department. The log shall contain records of all inspections performed for the last three years and each entry shall be signed by the person performing the inspection.
- c. The permittee shall provide training for any personnel required to implement the BMP and shall retain documentation of such training at the facility. This documentation shall be available for inspection by representatives of the Department. Training shall be performed prior to the date that implementation of the BMP is required.
- d. BMP Plan Modification. The permittee shall amend the BMP plan whenever there is a change in the facility or change in operation of the facility which materially increases the potential for the ancillary activities to result in a discharge of significant amounts of pollutants.
- e. BMP Plan Review. The permittee shall complete a review and evaluation of the BMP plan at least once every three years from the date of preparation of the BMP plan. Documentation of the BMP Plan review and evaluation shall be signed and dated by the Plant Manager.

ADEM PERMIT RATIONALE

PREPARED DATE: July 2, 2025 REVISED DATE: September 3, 2025 PREPARED BY: Clint Dear

Permittee Name: Billys Seafood Inc Facility Name: Billys Seafood Inc

Permit Number: AL0068497

PERMIT IS REISSUANCE DUE TO EXPIRATION

DISCHARGE SERIAL NUMBERS & DESCRIPTIONS:

DSN001: Screened washdown water from seafood packing and freezing operations.

DSN002: Discharge of water from loading and unloading of seafood.

INDUSTRIAL CATEGORY: NON-CATEGORICAL

MAJOR: N

STREAM INFORMATION:

Receiving Stream: Bon Secour River

Classification: Swimming/Fish and Wildlife

River Basin: Mobile

7Q10: * 7O2: *

1Q10: *

Annual Average Flow: *

303(d) List: YES

Impairment: Metals (Mercury) / Pathogens (Enterococcus)

TMDL: NO

*Critical flows are indeterminate in coastal locations since it is below the ten foot contour line and due to tidal effects. Based on BPJ, there is some dilution available because of the large volume of water at the point of discharge.

DISCUSSION:

Billy's Seafood, Inc. has applied for re-issuance of their NPDES permit. This facility is a wholesale distributor of seafood. The receiving stream for the discharges is the Bon Secour River which is located in the Mobile River Basin. The Bon Secour River is listed on the Alabama 303(d) list as being impaired for mercury and is considered a Tier I waterbody as defined by ADEM Adm. Rule 335-6-10-.12(4).

ADEM Administrative Rule 335-6-10-.12 requires applicants to new or expanded discharges to Tier II waters demonstrate that the proposed discharge is necessary for important economic or social development in the area in which the waters are located. The application submitted by the facility is not for a new or expanded discharge.

EPA has not promulgated specific guidelines for the discharges covered under the proposed permit. Proposed permit limits are based on Best Professional Judgment. The proposed frequencies are based on a review of site specific conditions and an evaluation of similar facilities.

0011:

Parameter	Monthly Avg Loading	Daily Max Loading	Daily Min Concentration	Monthly Avg Concentration	<u>Daily Max</u> <u>Concentration</u>	Sample Frequency	Sample Type	Basis*
рН			6.0 S.U.		9.0 S.U.	Monthly	Grab	BPJ
Solids, Settleable	-		-		25 mL/L	Monthly	Grab	BPJ
Flow, In Conduit or Thru Treatment Plant		REPORT MGD		200	-	Monthly	Instantaneous	ВРЈ

0021:

Parameter	Monthly Avg Loading	Daily Max Loading	Daily Min Concentration	Monthly Avg Concentration	Daily Max Concentration	Sample Frequency	Sample Type	Basis*
No Monitoring Required								BPJ

*Basis for Permit Limitation

- BPJ Best Professional Judgment
- WQBEL Water Quality Based Effluent Limits
- EGL Federal Effluent Guideline Limitations
- 303(d) 303(d) List of Impaired Waters
- TMDL Total Maximum Daily Load Requirements

Discussion

DSN001: Screened washdown water from seafood packing and freezing operations.

Best Professional Judgment (BPJ)

The parameters of concern for this facility are based on the parameters of concern listed in Form 187 and from the current permit. These parameters are consistent with similar facilities in the state and have been proven to be reflective of the operations at this facility. The parameters with specific limits are discussed below:

DSN001: Screened washdown water from seafood packing and freezing operations; and cooler water

pН

A minimum pH limit of 6.0 and a maximum pH limit of 9.0 standard units is proposed. The water quality standard applicable to the receiving stream is neither less than 6.0 nor greater than 8.5 standard units. The dilution provided by the receiving stream is expected to be sufficient to prevent a violation of the water quality standard and to prevent a change of more than 1.0 standard units in the receiving stream.

Settleable Solids

The permit requires that the discharge is continuously screened with a mesh of one quarter inch or smaller. In addition to this requirement the permit also continues monitoring for settleable solids with limitations of 25 ml/l as a daily max. Monitoring will continue at once per month in the proposed permit.

Total Residual Chlorine

Since the facility use well water for washing, TRC is not a parameter of concern.

Metals (Mercury)

The applicant is proposing discharges into Bon Secour River, a stream segment or other State water that is included on Alabama's current CWA §303(d) list for Metals (Mercury). The source of this impairment is due to atmospheric deposition. The facility's discharge is not expected to contain significant amounts of mercury or contribute to this impairment; therefore, monitoring is not proposed for mercury at this time.

Pathogens (Enterococcus)

The applicant is proposing discharges into Bon Secour River, a stream segment or other State water that is included on Alabama's current CWA §303(d) list for Pathogens (Enterococcus). The sources of this impairment are due to collection system failure and onsite wastewater systems. Though the handling of shrimp and other seafood can increase the potential for pathogens to enter the process, the facility is a retail, packaging, and freezing facility which should not add to the impairment of the receiving stream, and therefore, monitoring for pathogens is not required.

DSN002: Loading and Unloading Seafood

Water from unloading and loading of seafood should not have significant opportunity to pick up contamination. Therefore, no limitations or monitoring requirements are imposed.

Best Management Practices

Best Management Practices (BMPs) are believed to be the most effective way to control the contamination of stormwater from areas of industrial activities. This facility is required to maintain a BMP plan. The requirements of the BMP plan call for minimization of stormwater contact with waste materials, products and by-products, and for prevention of spills or loss of fluids from equipment maintenance activities. The effectiveness of the BMPs will be measured through the monitoring of the pollutants of concern.

Please note: The application and site map labeled DSN002 as the washdown area and DSN001 as the unloading area. The Department will continue the previously established nomenclature listed above for these outfalls to be consistent.

Revision September 3, 2025

The Department has updated the BMP language located in Part IV.A.2.g of the Permit. The Permit Condition now states, "Provide for routine inspections, or days during which the facility is manned, of any structures that function to prevent stormwater pollution or to remove pollutants from stormwater and of the facility in general. Routine inspections should be done at a frequency to ensure that the BMP is continually implemented and effective and in no case less frequent than once per year." This clarification was added to be consistent with 40 CFR Part 122.43(c).

ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT (ADEM) NPDES INDIVIDUAL PERMIT APPLICATION SUPPLEMENTARY INFORMATION FOR INDUSTRIAL FACILITIES

Instructions: This form should be used to submit the required supplementary information for an application for an NPDES individual permit for industrial facilities. The completed application should be submitted to ADEM in duplicate. If insufficient space is available to address any item, please continue on an attached sheet of paper. Please mark "N/A" in the appropriate box when an item is not applicable to the applicant. Please type or print legibly in blue or black ink. Mail the completed

ADEM-Water Division

	P O Box 301463 Montgomery, AL 36130-1463
	PURPOSE OF THIS APPLICATION
	Initial Permit Application for New Facility* Modification of Existing Permit Revocation & Reissuance of Existing Permit * An application for participation in the ADEM's Electronic Environmental (E2) Reporting must be submitted to allow permittee to electronically submit reports as required.
SE	CTION A – GENERAL INFORMATION
1.	Permittee Name: Billy's SEAFOOD INC.
2.	NPDES Permit Number: AL_DOLO8497 (not applicable if initial permit application)
3.	SID Permit Number (if applicable): IU_N/A
4.	NPDES General Permit Number (if applicable): ALG_NA
5.	Facility Location (Front Gate): Latitude: Longitude:
6.	Responsible Official (as described on the last page of this application):
	Name: BILLY PARKS Title: DWNER
	Address: 16780 RIVER Rd
	Address: 16780 RIVER Kd. City: Bon Secour State: AL Zip: 36511
	Phone Number: 251-949-6288 Email Address:
7.	Designated Discharge Monitoring Report (DMR) Contact:
	Name: SAME AS ABOVE Title:
	Phone Number: Email Address:
8.	Type of Business Entity:
	Other (Please Specify)
8.	Complete this section if the Applicant's business entity is a Corporation
	a) Location of Incorporation:
	Address: 16780 TIVER TO
	city: Bon Secour county: Baldwin state: AL zip: 3651]
	b) Parent Corporation of Applicant:
	Name: NA
	Address:
	City:State:Zip:

Address:			
City:	State:		Zip:
d) Corporate Officers			
Name: Billy PARK	5		
Address: 110780	ivea Rd		
city: BON SECOUR	State:	ł L	zip: 36511
Name:			
Address:			
City:	State:		Zip:
e) Agent designated by the corpor	ation for purposes of service:		
Name:		-	,
Address:		į.	
City:	State:		Zip:
City:State:State:State:State:State:State:State:State:State:State:State:State:State:State:State:State:State:State:State:State:State:State:State:_		State oprietor's information.	:ZIP:
Name: NA			
Address:			
Address:	State:		Zip:
City:	s, Notices of Violation, Directives, A	dministrative Orders, or Litia	ation concerning water
City:	s, Notices of Violation, Directives, A	dministrative Orders, or Litia	ation concerning water
City:	s, Notices of Violation, Directives, A ent corporation or subsidiary corpora y):	dministrative Orders, or Litig ations within the State of Ala	ation concerning water bama within the past five
City:	s, Notices of Violation, Directives, A ent corporation or subsidiary corpora y):	dministrative Orders, or Litig ations within the State of Ala	ation concerning water bama within the past five
City:	s, Notices of Violation, Directives, A ent corporation or subsidiary corpora y):	dministrative Orders, or Litig ations within the State of Ala	ation concerning water bama within the past five

SECTION B - BUSINESS ACTIVITY

If your facility conducts or will be conducting any of the processes listed below (regardless of whether they generate wastewater, waste sludge, or hazardous waste), place a check beside the category of business activity (check all that apply):

Indust	trial C	ategories
Forming		Metal Molding and Casting
anufacturing		Metal Products
nufacturing		Nonferrous Metals Forming
		Nonferrous Metals Manufacturing
Preserved Fruit and Vegetables		Oil and Gas Extraction
Preserved Seafood		Organic Chemicals Manufacturing
nufacturing		Paint and Ink Formulating
Waste Treatment		Paving and Roofing Manufacturing
ck		Pesticides Manufacturing
		Petroleum Refining
		Phosphate Manufacturing
ming		Photographic
Electronic Components Manufacturing		Pharmaceutical
ng		Plastic & Synthetic Materials
Manufacturing		Plastics Processing Manufacturing
		Porcelain Enamel
anufacturing		Pulp, Paper, and Fiberboard Manufacturing
nufacturing		Rubber
Metal Molding and Casting)		Soap and Detergent Manufacturing
facturing		Steam and Electric
		Sugar Processing
ood Chemicals Manufacturing		Textile Mills
nemicals		Timber Products
el		Transportation Equipment Cleaning
ning and Finishing		Waste Combustion
ing		Other (specify)
cts		
inclusive in these business areas may bed "categorical users".	oe cov	vered by Environmental Protection (EPA) categorical standar
water discharge information outfall with another facility? Yes butfall, provide the following:	₹No (
Name of Other Permittee/Facility		NPDES Where is sample collected Permit No. by Applicant?
	Name of Other Permittee/Facility	Name of Other Permittee/Facility

	Current:	Flow Metering	Yes	No	□ N/A		
		Sampling Equipment	Yes	No	□ N/A		
	Planned:	Flow Metering	Yes	⋈ No	□ N/A		
		Sampling Equipment	Yes	No	□ N/A		
If so, please attach a schem the equipment below:	natic diagram	of the sewer system in	dicating the	e present o	r future loca	tion of this o	equipment and descri
Are any process changes or	r expansions	planned during the nex	t three yea	rs that coul	d alter wast	ewater volu	mes or characteristic
Yes No (If no, con	tinue to C.4)						
Briefly describe these change	ges and their	anticipated effects on t	he wastew	ater volum	e and chara	cteristics:	
				7			
A SECTION AND ADDRESS OF THE PROPERTY OF THE P							
List the trade name and che	emical compo	sition of all biocides an	d corrosion	ninhibitors	used:		
7	rade Name			CI	nemical Cor	nposition	
NIA							
TV FI					11/4		
or each biocide and/or corrosio	on inhibitor us	ed, please include the	following in	nformation:			
(1) 96-hour median toleran ultimately reach, (2) quantities to be used, (3) frequencies of use, (4) proposed discharge coi (5) EPA registration number	nce limit data	for organisms represer	_		he waterwa	y into which	the discharge will
 (1) 96-hour median toleran ultimately reach, (2) quantities to be used, (3) frequencies of use, (4) proposed discharge con 	nce limit data	for organisms represer	_		he waterwa	y into which	the discharge will
 (1) 96-hour median toleran ultimately reach, (2) quantities to be used, (3) frequencies of use, (4) proposed discharge con 	nce limit data ncentrations, er, if applicab	for organisms represer	_		he waterwa	y into which	the discharge will
 96-hour median toleran ultimately reach, quantities to be used, frequencies of use, proposed discharge coi EPA registration number 	nce limit data ncentrations, er, if applicab	for organisms represer and le	_		he waterwa	y into which	the discharge will
(1) 96-hour median toleran ultimately reach, (2) quantities to be used, (3) frequencies of use, (4) proposed discharge col (5) EPA registration number	nce limit data ncentrations, er, if applicab	for organisms represer and le	atative of th			y into which	the discharge will
(1) 96-hour median toleran ultimately reach, (2) quantitles to be used, (3) frequencies of use, (4) proposed discharge con (5) EPA registration number	nce limit data ncentrations, er, if applicab das are applica	for organisms represent and de able):	atative of th	e biota of t			
(1) 96-hour median toleran ultimately reach, (2) quantities to be used, (3) frequencies of use, (4) proposed discharge coi (5) EPA registration number ECTION D – WATER SUPPLY /ater Sources (check as many	nce limit data ncentrations, er, if applicab as are applicate (Specify City)	for organisms represer and le able):	atative of th	e biota of the bio	Water		
(1) 96-hour median toleran ultimately reach, (2) quantities to be used, (3) frequencies of use, (4) proposed discharge con (5) EPA registration number ECTION D – WATER SUPPLY /ater Sources (check as many) Private Well Municipal Water Utility IF MORE THAN ONE WELL	nce limit data ncentrations, er, if applicab as are applica (Specify City)	for organisms represer and le able):	etative of the	Surface Other (S	Water Specify):	TACHMENT	
(1) 96-hour median toleran ultimately reach, (2) quantities to be used, (3) frequencies of use, (4) proposed discharge con (5) EPA registration number ECTION D – WATER SUPPLY fater Sources (check as many and private Well Municipal Water Utility of the property of the private well IF MORE THAN ONE WELL 10 11 12 12 12 12 12 12 12 12 12 12 12 12	nce limit data ncentrations, er, if applicab as are applica (Specify City) L OR SURFA	for organisms represer and le able): : : : : : : : : : : : : : : : : : :	E DATA F	Surface Other (SOR EACH Ft. L	Water Specify): ON AN ATT	FACHMENT	
(1) 96-hour median toleran ultimately reach, (2) quantities to be used, (3) frequencies of use, (4) proposed discharge con (5) EPA registration number ECTION D – WATER SUPPLY fater Sources (check as many and a private Well Municipal Water Utility IF MORE THAN ONE WELL City: N A MGD* W	nce limit data ncentrations, er, if applicab as are applica (Specify City) L OR SURFA Vell:MGD	for organisms represent and le able): CE INTAKE, PROVID MGD* Well Dep	E DATA F	Surface Other (SOR EACH Ft. L.	Water specify): ON AN ATT attitude:	FACHMENT	
(1) 96-hour median toleran ultimately reach, (2) quantities to be used, (3) frequencies of use, (4) proposed discharge con (5) EPA registration number ECTION D – WATER SUPPLY atter Sources (check as many and private Well Municipal Water Utility IF MORE THAN ONE WELL City: N A MGD° W Surface Intake Volume:	nce limit data ncentrations, er, if applicab as are applica (Specify City) L OR SURFA Vell:MGD	for organisms represent and le able): CE INTAKE, PROVID MGD* Well Dep or Intake Elevations	E DATA F th: on in Relat	Surface Other (S OR EACH Ft. L. ion to Botto	Water Specify): ON AN ATT attitude:	Ft.	
(1) 96-hour median toleran ultimately reach, (2) quantities to be used, (3) frequencies of use, (4) proposed discharge condition number ECTION D – WATER SUPPLY Jater Sources (check as many and Private Well Municipal Water Utility IF MORE THAN ONE WELL City: MA MGD* W Surface Intake Volume: Intake Elevation:	nce limit data ncentrations, er, if applicab as are applica (Specify City) L OR SURFA Vell:MGD	for organisms represent and le able): CE INTAKE, PROVID MGD* Well Dep or Intake Elevations	E DATA F th: on in Relat	Surface Other (S OR EACH Ft. L. ion to Botto	Water Specify): ON AN ATT attitude:	Ft.	

Cooling Water Intake Structure Information Complete D.1 and D.2 if your water supply is provided by an outside source and not by an onsite water intake structure? (e.g., another industry, municipality, etc...) Does the provider of your source water operate a surface water intake? Yes No (If yes, continue, if no, go to Section E.) a) Name of Provider: b) Location of Provider. c) Latitude: Longitude: 2. Is the provider a public water system (defined as a system which provides water to the public for human consumption or which Only to be completed if you have a cooling water intake structure or the provider of your water supply uses an intake structure and does not treat the raw water. 3. Is any water withdrawn from the source water used for cooling? Yes No 4. Using the average monthly measurements over any 12-month period, approximately what percentage of water withdrawn is used exclusively for cooling purposes? 5. Does the cooling water consist of treated effluent that would otherwise be discharged? (If yes, go to Section E, if no, complete D.6 - D.17) 6. a. Is the cooling water used in a once-through cooling system? ☐ Yes □ No b. Is the cooling water used in a closed cycle cooling system? ☐ Yes ☐ No 7. When was the intake installed? (Please provide dates for all major construction/installation of intake components including screens) 8. What is the maximum intake volume? (maximum pumping capacity in gallons per day) 9. What is the average intake volume? (average intake pump rate in gallons per day average in any 30-day period) 10. What is the actual intake flow (AIF) as defined in 40 CFR §125.92(a)? _____MGD 11. How is the intake operated? (e.g., continuously, intermittently, batch) 12. What is the mesh size of the screen on your intake?___ 13. What is the intake screen flow-through area?_ 14. What is the through-screen design intake flow velocity? _____ft/sec 15. What is the through-screen actual velocity (in ft/sec)? 16. What is the mechanism for cleaning the screen? (e.g., does it rotate for cleaning) 17. Do you have any additional fish detraction technology on your intake? Yes No 18. Have there been any studies to determine the impact of the intake on aquatic organisms? Yes No (If yes, please provide.) 19. Attach a site map showing the location of the water intake in relation to the facility, shoreline, water depth, etc.

SECTION E - WASTE STORAGE AND DISPOSAL INFORMATION

Provide a description of the location of all sites involved in the storage of solids or liquids that could be accidentally discharged to a water
of the state, either directly or indirectly via such avenues as storm water drainage, municipal wastewater systems, etc., which are located
at the facility for which the NPDES application is being made. Where possible, the location should be noted on a map and included with
this application:

	Description of Waste Description of Storage Location		iption of Storage Location	
	elanma surjenapitte(hijo-	NA		
	TIO.	N.E. COMOTAL TONE INFORMATION		
SEC		N F - COASTAL ZONE INFORMATION		
		ne discharge(s) located within the 10-foot elevation contour and within the limits of Moss, complete items $F.1 - F.12$:	obile or Baldwin County? XYes	□ No
	ii yoo	is, complete items r.1 - r.12.	Yes	No
	1.	Does the project require new construction?		No M
	2.	Will the project be a source of new air emissions?		网
	3.	Does the project involve dredging and/or filling of a wetland area or water way?		X
		If Yes, has the Corps of Engineers (COE) permit been received? COE Project No.		X
	4.	Does the project involve wetlands and/or submersed grassbeds?		স্থ
	5.	Are oyster reefs located near the project site?		IX
	0.	If Yes, include a map showing project and discharge location with respect to oyster		74
	6.	Does the project involve the site development, construction and operation of an en ADEM Admin. Code r. 335-8-102(bb)?		X
	7.	Does the project involve mitigation of shoreline or coastal area erosion?		X
	8.	Does the project involve construction on beaches or dune areas?		X
	9.	Will the project interfere with public access to coastal waters?		M
	10.	Does the project lie within the 100-year floodplain?		X
	11.	. Does the project involve the registration, sale, use, or application of pesticides?		X
		Does the project propose or require construction of a new well or to alter an existin pump more than 50 gallons per day (GPD)?	ng groundwater well to	M
		If yes, has the applicable permit for groundwater recovery or for groundwater well in obtained?	installation been	
SEC	TION	N G - ANTI-DEGRADATION EVALUATION		
DIO	rided.	dance with 40 CFR §131.12 and the ADEM Admin. Code r. 335-6-1004 for anti-deg i, if applicable. It is the applicant's responsibility to demonstrate the social and econ- nformation is required to make this demonstration, attach additional sheets to the app	ornic importance of the proposed	n must be activity. I
1.	s this f yes,	s a new or increased discharge that began after April 3, 1991? Yes Nos, complete G.2 below. If no, go to Section H.		
2. Has an Anti-Degradation Analysis been previously conducted and submitted to the Department for the new or referenced in G.1?		rtment for the new or increased di	scharge	
1	335-6	s, do not complete this section. If no, and the discharge is to a Tier II waterb 6-1012(4), complete G.2.A – G.2.F below and ADEM Forms 311 and 313 (attache atternative considered technically viable.	oody as defined in ADEM Admir ed). ADEM Form 313 must be pr	n. Code rovided fo

A.	What environmental or public health problem will the discharger be correcting?
В.	How much will the discharger be increasing employment (at its existing facility or as the result of locating a new facility)?
C.	How much reduction in employment will the discharger be avoiding?
D.	How much additional state or local taxes will the discharger be paying?
	· ·
E.	What public service to the community will the discharger be providing?
F.	What economic or social benefit will the discharger be providing to the community?
TIC	ON H – EPA Application Forms
num	icants must submit EPA permit application forms. More than one application form may be required from a facility depending the and types of discharges or outfalls found. The EPA application forms are found on the Department's website at www.adem.alabama.gov/programs/water/waterforms.cnt . The EPA application forms must be submitted in duplicate as follow
1.	All applicants must submit Form 1.
2.	Applicants for existing industrial facilities (including manufacturing facilities, commercial facilities, mining activities, and silvicultural activities) which discharge process wastewater must submit Form 2C.
3.	Applicants for new industrial facilities which propose to discharge process wastewater must submit Form 2D.
4.	Applicants for new and existing industrial facilities which discharge only non-process wastewater (i.e., non-contact cooling water and/or sanitary wastewater) must submit Form 2E.

Applicants for new and existing facilities whose discharge is composed entirely of storm water associated with industrial
activity must submit Form 2F, unless exempted by § 122.26(c)(1)(ii). If the discharge is composed of storm water and nonstorm water, the applicant must also submit Forms 2C, 2D, and/or 2E, as appropriate (in addition to Form 2F).

SECTION I - ENGINEERING REPORT/BMP PLAN REQUIREMENTS

See ADEM 335-6-6-.08(i) & (j)

Outfall No. Receiving Water(s) 303(d) Segment? Included in TMDL?*

∐ Yes	□No	☐ Yes	□No
Yes	□No	Yes	□No
☐ Yes	□No	Yes	□No
Yes	□No	Yes	□No
ΠYes	□No	☐ Yes	ПNо

*If a TMDL Compliance Schedule is requested, the following should be attached as supporting documentation:

- (1) Justification for the requested Compliance Schedule (e.g. time for design and installation of control equipment, etc.);
- (2) Monitoring results for the pollutant(s) of concern which have not previously been submitted to the Department (sample collection dates, analytical results (mass and concentration), methods utilized, MDL/ML, etc. should be submitted as available);
- (3) Requested interim limitations, if applicable;

SECTION J- RECEIVING WATERS

- (4) Date of final compliance with the TMDL limitations; and,
- (5) Any other additional information available to support requested compliance schedule.

SECTION K - APPLICATION CERTIFICATION

The information contained in this form must be certified by a responsible official as defined in ADEM Administrative Code r. 335-6-6-.09 "signatories to permit applications and reports" (see below).

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, acquirate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment for knowing violations."

Signature of Responsible Official Title:

If the Responsible Official signing this application is not identified in Section A.7, provide the following information:

Mailing Address State:

Email Address Phone Number

335-6-6-.09 SIGNATORIES TO PERMIT APPLICATIONS AND REPORTS.

- (1) The application for an NPDES permit shall be signed by a responsible official, as indicated below:
 - In the case of a corporation, by a principal executive officer of at least the level of vice president, or a manager assigned or delegated in accordance with corporate procedures, with such delegation submitted in writing if required by the Department, who is responsible for manufacturing, production, or operating facilities and is authorized to make management decisions which govern the operation of the regulated facility;
 - (b) In the case of a partnership, by a general partner;
 - (c) In the case of a sole proprietorship, by the proprietor; or
 - In the case of a municipal, state, federal, or other public entity, by either a principal executive officer, or ranking elected official.

NPDES Permit Number

Facility Name

OMB No. 2040-0004 Expires 07/31/2026

Form 1 NPDES

SEPA

AL0068491 U.S. Environmental Protection Agency Application for NPDES Permit to Discharge Wastewater

GENERAL INFORMATION

SECTIO	N 1. AC	TIVITIES REQUIRING AN NPDES PERMIT (40 CFR 122.	21(F) AN	ND (F)(1))							
	1.1	Applicants Not Required to Submit Form 1									
	1.1.1	Is the facility a new or existing <u>publicly owned</u> <u>treatment works</u> or has your permitting authority directed you to submit Form 2A?	1.1.2	is the facility a <u>sludge-only facility</u> (i.e., a facility that does not discharge wastewater to surface waters)?							
		If yes, STOP. Do NOT complete Form 1. Complete Form 2A. If the facility is also a treatment works treating domestic sewage, you must also complete Form 2S.		If yes, STOP. Do NOT complete No Form 1. Complete Form 2S.							
=	1.2	Applicants Required to Submit Form 1									
an NPDES Perm	1.2.1	Is the facility a concentrated animal feeding operation or a concentrated aquatic animal production facility? ☐ Yes → Complete Form 1 and No Form 2B.	1.2.2	Is the facility an existing manufacturing, commercial, mining, or silvicultural facility that is currently discharging process wastewater? Yes → Complete Form No 1 and Form 2C.							
Activities Requiring an NPDES Permit	1.2.3	mining, or silvicultural facility that has not yet commenced to discharge? ☐ Yes → Complete Form 1 and Form 2D. Commercial, mining, or silvicultural facility that has not yet commercial, mining, or silvicultural facility that has not yet discharges only nonprocess wasted.									
	1.2.5	Is the facility a new or existing facility whose discharge is composed entirely of stormwater associated with industrial activity or whose discharge is composed of both stormwater and non-stormwater? ☐ Yes → Complete Form 1 and No Form 2F unless exempted by 40 CFR 122.26(b)(14)(x) or (b)(15).	1.2.6	Is the facility a new or existing treatment works treating domestic sewage that discharges wastewater to surface waters? Yes Complete Form 1. No Form 2S, and any other applicable forms, as directed by your permitting authority.							
SECTIO	N 2. NA	ME, MAILING ADDRESS, AND LOCATION (40 CFR 122	.21(F)(2)								
61ga (a. 161 a.	2.1	Facility Name									
ocation		Billy's SEAFOOD INC									
3	2.2	EPA Identification Number	To the same								
F .											
3	2.3	Facility Contact		A Company of the Comp							
ş		Name (first and last) Title	Phone number								
è		Billy PADVG 1000	251-949-1,288								
Name, Mailing Address, and L		Email address									
- E		Billy PARKS OWNER 251-949-628 Email address billy parks 57@ yahoo.com									

EPA	A Identifica	ation Number		DES Permit Numb		Pacility Pacility	Name GEAFOOD I	- 1	OMB No. 2040-0004 Expires 07/31/2026
	2.4	Facility Mail	ing Address	0607	1 /	Dind.25	JEMOULA	<i>.</i>	
					\$0.00 miles				
		Street or P.O	~	200					
		City or town	DUY	309	State	^ -		ZIP code	
			ecour		State	AL		2/	511
w 7	2.5	Facility Loca					Control of the Contro		011
B B		Address to the same of the sam	A STATE OF THE PARTY OF THE PAR	ther specific is	dentifier	Section of the sectio		LANA A DESCRIPTION COMMANDE DE COMMANDO	
Mailing Address cation Continue		1678	O'RI	VER "	Kd.				
5 5		County name		County co	ode (if kno	own)			200 (200 (200 (200 (200 (200 (200 (200
2 8		BAld	DIN					200,000	on the state of the second of
ğ į		City or town		State	11			ZIP code 36	<11
CECTIO	M 2 CI	BONSEL C AND NAICS		FD 122 24/F	1/211			30.	311
SECTIO	3.1	PRODUCTION OF THE PROPERTY OF	ode(s)	Descripti	Z-MANAMANIAN WALLAND	nell	High code, play 1770 magazine Carlostyrapia Northbridge		
	9.1			Control	ioti (opto	(IGI)	Part and the second sec		
		20	42				7		was a second
- 8							-		
ပ် (၁			- Humphille - Con-tra-			A STATE OF THE STA		Manufacture Co. Co.	
3	3.2	NAICS	Code(s)	Descripti	lea (cetic	nali		St. Married	
SIC and NAICS Codes	2.2	MAICS	cona(s)	Descripti	ion (opeo	ilai)			
200								A MINISTER OF THE PARTY OF THE	
			_						
Action (Action to				(A OFF 400 0	775.778				
SECTIO		PERATOR INFO	- A torre with a succession and the	40 CFR 12242	1(F)(4))		Constitution of the second of		
	3.1								manufacture and the second
-		Billy							
- 8	4.2	Is the name y	ou listed in It	tem 4.1 also th	he owner	?			
ş		☑ Yes □] No						
5	4.3	Operator Sta	itus						
Operator Information		Public—	federal		-state		☐ Other publ	ic (specify)	
ਰੰ		Phone Numb			(specify)				
	4.4	Priorie Numi	○ II	- 62	100				
X		651	944	- 02	00				

EPA	Identifica	tion Number	NPDES Permit I		Facility Name	1	OMB No. 2040-0004			
			AL0684	97	Billy's SEATO	ed In	Expires 07/31/2026			
Operator Information Continued	4.5	Street or P.O. P. D. I	Box 309 ecour	tale A		ZIP code	36511			
SECTIO	N 5. INC	IAN LAND (40	CFR 122.21(F)(5))			I WAS AND				
in the second	5.1		ocated on Indian Land	1?						
SECTIO	N 6. EX	STING ENVIR	ONMENTAL PERMIT	S (40 CFR 12	22.21(F)(6))					
Existing Environmental Pennits	<u>6.1</u>	NPDES (surface w ALO(discharges to	RCRA	(hazardous wastes)	UIC fluid	(underground injection of			
Existing		Ocean du	umping (MPRSA)	☐ Dredg	e or fill (CWA Section 404)	Othe	er (specify)			
SECTIO		P (40 CFR 122	.21(F)(7))							
Map	7.1	Have you attached a topographic map containing all required information to this application? (See instructions for specific requirements.) Yes CAFO—Not Applicable (See requirements in Form 2B.)								
SECTIO	N 8. NA	TURE OF BUS	INESS (40 CFR 122.2	1(F)(8))	THE STATE OF	Your State				
Nature of Business	8.1	NATURE OF BUSINESS (40 CFR 122.21(F)(8)) Describe the nature of your business. SEA food Retail SEA food Packing and Freezing								
SECTIO	COLUMN THE	THE R. P. LEWIS CO., LANSING	R INTAKE STRUCTU		(122.21(F)(9))					
	9.1		cility use cooling water							
Cooling Water Intake Structures	9.2	Yes. No → SKIP to Item 10.1. Identify the source of cooling water. (Note that facilities that use a cooling water intake structure as described at 40 CFR 125, Subparts I and J may have additional application requirements at 40 CFR 122.21(r). Consult with you NPDES permitting authority to determine what specific information needs to be submitted and when.)								

OMB No. 2040-0004 NPDES Permit Number **EPA Identification Number** Expires 07/31/2026 SECTION 10. VARIANCE REQUESTS (40 CFR 122.21(F)(10)) 10.1 Do you intend to request or renew one or more of the variances authorized at 40 CFR 122.21(m)? (Check all that apply, Consult with your NPDES permitting authority to determine what information needs to be submitted and when.) Water quality related effluent limitations (CWA Section Fundamentally different factors (CWA Section 301(n)) Non-conventional pollutants (CWA Thermal discharges (CWA Section 316(a)) Section 301(c) and (g)) X Not applicable SECTION 11. CHECKLIST AND CERTIFICATION STATEMENT (40 CFR 122.22(A) AND (D)) 11.1 In Column 1 below, mark the sections of Form 1 that you have completed and are submitting with your application. For each section, specify in Column 2 any attachments that you are enclosing to alert the permitting authority. Note that not all applicants are required to provide attachments. Column 1 Column 2 Section 1: Activities Requiring an NPDES M w/ attachments Permit Section 2: Name, Mailing Address, and M w/ attachments Location w/ attachments M 2092 Section 3: SIC Codes w/ attachments Section 4: Operator Information П w/ attachments Section 5: Indian Land w/ attachments Section 6: Existing Environmental Permits ☐ w/ additional X w/ topographic map Section 7: Map attachments w/ attachments M Section 8: Nature of Business and Certification Section 9: Cooling Water Intake Structures w/ attachments w/ attachments Section 10.: Variance Requests Section 11: Checklist and Certification w/ attachments Statement 11,2 Provide the following certification, (See instructions to determine the appropriate person to sign the application.) **Certification Statement** I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly

responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Official title Name (print or type first and last name) Owner Date signed 5-29-2025 Signature

NPDES Permit Number EPA Identification Number Facility Name OMB No. 2040-0004 Expires 07/31/2026 AL0068497 U.S. Environmental Protection Agency Form Application for NPDES Permit to Discharge Wastewater **SEPA** 2C NPDES EXISTING MANUFACTURING, COMMERCIAL, MINING, AND SILVICULTURE OPERATIONS SECTION 1. OUTFALL LOCATION (40 CFR 122.21(G)(1)) Provide information on each of the facility's outfalls in the table below. Outfall **Receiving Water Name** Latitude Longitude Number unload 30' 17' 88' TANK WASH 30' 18' 21' DOWN **SECTION 2. LINE DRAWING (40 CFR 122.21(G)(2))** Have you attached a line drawing to this application that shows the water flow through your facility with a water balance? (See instructions for drawing requirements. See Exhibit 2C-1 at end of instructions for example.) SECTION 3. AVERAGE FLOWS AND TREATMENT (40 CFR 122.21(G)(3)) 3.1 For each outfall identified under Item 1.1, provide average flow and treatment information. Add additional sheets if necessary. "Outfall Number" Operations Contributing to Flow Operation Average Flow Shainp into vat tank 1500 mgd Average Flows and Treatment mgd mgd mgd **Treatment Units** Description Final Disposal of Solid or Code from Liquid Wastes Other Than (include size, flow rate through each treatment unit, Exhibit 2C-2 by Discharge retention time, etc.)

EPA Identification Number NPDES Permit Number OMB No. 2040-0004 Billy's SEATOOD INC Expires 07/31/2026 AL0068497 "Outfall Number" 3.1 cont. Operations Contributing to Flow Operation Average Flow mgd mgd mgd mgd **Treatment Units** Final Disposal of Solid or Description Code from Liquid Wastes Other Than (include size, flow rate through each treatment unit, Exhibit 2C-2 retention time, etc.) by Discharge Flows and Treatment Continued "Outfall Number" Operations Contributing to Flow Operation Average Flow mgd mgd mgd mgd **Treatment Units** Final Disposal of Solid or Description Code from Liquid Wastes Other Than (include size, flow rate through each treatment unit, Exhibit 2C-2 by Discharge retention time, etc.) 3.2 Are you applying for an NPDES permit to operate a privately owned treatment works? No → SKIP to Section 4. Have you attached a list that identifies each user of the treatment works? 3.3

EPA	Identificati	on Number	NPDES Pem		Facility Name	1		No. 2040-0004				
			AL0068	3497 Bi	This States	dINC.	Ехри	es 07/31/2026				
SECTIO	-		FLOWS (40 CFR 12	2.21(G)(4))	医多类性 经现代人			S. I. S. WAR				
	4.1	Except for s	torm runoff, leaks, o	r spills, are any discha				easonal?				
		Yes					CIP to Section 5.					
	4.2	Provide info necessary.	rmation on intermitte	ent or seasonal flows f	or each applicable o	utfall. Attach add	ditional pages, i	f				
				Frequ	uency	Flow	low Rate					
		Outfall Number	Operation (list)	Average	Average	Long-Term	Maximum	Duration				
			(I1)	Days/Week	Months/Year	Average	Daily					
entra e			-	days/week	months/year	mgd	mgd	days				
F				days/week	months/year	mgd	mgd	days				
ı			,	days/week	months/year	mgd	mgd	days				
risermittent Flows				days/week	months/year	mgd	mgd	days				
				days/week	months/year	mgd	mgd	days				
e i loue o				days/week	months/year	mgd	mgd	days				
				days/week	months/year	mgd	mgd	days				
				days/week	months/year	mgd	mgd	days				
				days/week	months/year	mgd	mgd	days				
SECTIO	N 5 PR	ODUCTION	10 CFR 122.21(G)(5)			THE REAL PROPERTY.	EFFE					
SECTION	5.1	Charles of the latest of the l	The same of the sa	nes (ELGs) promulgat	ted by EPA under Se	ection 304 of the	CWA apply to	your				
		facility?										
400		☐ Yes			No → S	SKIP to Section	6.					
8	5.2	Provide the	following information									
4			G Category		Regulatory Citation							
Applicable ELGs												
ğ												
4												
			× 1 × 1 × 1 × 1 × 1 × 1 × 1 × 1 × 1 × 1									
ondo official A	5.3	Are any of	the applicable ELGs	expressed in terms of	production (or other	measure of ope	ration)?					
2		☐ Yes			□ No →	SKIP to Section	6.					
ğ	5.4	Provide an	actual measure of d	aily production express	sed in terms and unit	ts of applicable E	LGs.					
1		Outfall		ration, Product, or M		Quantity	er Day	Unit of				
8		Number	- Upt	ation, r roctice, or in	dis) (di			feasure				
88												
5		-										
Production-Based Limitations												
P.												
						4.						
The second second	10											

EPA	Identificati	on Number NPDES Permit Number AL0068497	Billy's	Seatond In		OMB No. 2040-0004 Expires 07/31/2026							
	<u>5.5</u>	Are you requesting alternative limits base term? (Consult with your NPDES permitti when.)	ed on an anticipated i	ncrease in the actual pr	oduction during eeds to be subm	the next permit itted and							
		Yes	Þ	No									
SECTIO	N 6. IMF	PROVEMENTS (40 CFR 122.21(G)(6))				A							
	6.1	Are you presently required by any federa constructing, upgrading, or operating was programs that could affect the discharges Yes	stewater treatment ed s described in this ap	quipment or practices or	any other enviro								
	6.2	Briefly identify each applicable project in											
1			Affected	Control of the Contro	Final Comp	oliance Dates							
Upgrades and Improvements		Brief Identification and Description of Project	Outfalls (list outfall number)	Source(s) of Discharge	Required	Projected							
Upgrades				ę									
	6.3 Have you attached sheets describing any additional water pollution control programs (or other environment projects that may affect your discharges) that you now have underway or planned? (optional item) Yes No No Not applicable												
		☐ Yes I	No	×	Not applicable								
SECTIO	N 7. EFI	FLUENT AND INTAKE CHARACTERISTIC	S (40 CFR 122.21(G	(7)									
		the instructions to determine the pollutants and parameters you are required to monitor and, in turn, the tables you must implete. Not all applicants need to complete each table.											
	Table	ile A. Conventional and Non-Conventional Pollutants											
	7.1	Are you requesting a waiver from your NPDES permitting authority for any Table A pollutants for any of your outfalls?											
	7.0	Yes	<u>P</u>	No → SKIP to Item									
site	7.2	If yes, indicate the applicable outfalls belonged for all outfalls. Attach waiver request and				esting a waiver							
- to		Outfall number	Outfall numbe	r	Outfall numbe	r							
Effluent and Intake Characteris		☐ I am requesting a waiver for some p	ollutants at all outfall	S									
		I am requesting a waiver for all pollu											
	7.3	Have you completed monitoring for all Ta requested and attached the results to this		0	hich a waiver ha	s not been							
		requested and attached the results to this application package?											
		L res											
	Table	B. Toxic Metals, Cyanide, Total Phenois,		Pollutants									
ā	Table 7.4	B. Toxic Metals, Cyanide, Total Phenols, Do any of the facility's processes that coulisted in Exhibit 2C-3? (See end of instru	ntribute wastewater fa actions for exhibit.)	Pollutants all into one or more of the		try categories							
A	-	B. Toxic Metals, Cyanide, Total Phenols, Do any of the facility's processes that con	ntribute wastewater factions for exhibit.)	Pollutants all into one or more of the	7.8.								

	7.6	List the applicable primary industry categories and cr identified in Exhibit 2C–3.	heck the boxes indicating the required GC/MS fraction(s)										
		Primary Industry Category	Required GC/MS Fraction(s) (check applicable boxes)										
			□ Volatile □ Acid □ Base/neutral □ Pesticide										
		NIA	☐ Volatile ☐ Acid ☐ Base/neutral ☐ Pesticide										
		□ Volatile □ Acid □ Base/neutral □ Pestic											
	7.7	Have you checked "Testing Required" for all required pollutants in Sections 2 through 5 of Table B for each of the GC/MS fractions checked in Item 7.6? Yes Yes											
	7.8	Have you checked "Believed Present" or "Believed Absent" for all pollutants listed in Sections 1 through 5 of Table B where testing is not required? Yes Have you provided (1) quantitative data for those Section 1, Table B, pollutants for which you have indicated testing											
	7.9		nformation for those Section 1, Table B, pollutants that you										
	7.10	Does the applicant qualify for a small business exem Yes → Note that you qualify at the top of Table then SKIP to Item 7.12.											
aracteristics Continued	<u>7.11</u>	Have you provided (1) quantitative data for those Sed determined testing is required or (2) quantitative data pollutants you have indicated are "Believed Present" Yes	ctions 2 through 5, Table B, pollutants for which you have a or an explanation for those Sections 2 through 5, Table B, in your discharge?										
#	Table	C. Certain Conventional and Non-Conventional Poll	lutants										
5	7.12	Have you indicated whether pollutants are "Believed for all outfalls? Yes	Present" or "Believed Absent" for all pollutants listed in Table C										
	7.13	Have you completed Table C by providing quantitative data for those pollutants that are limited either directly or indirectly in an ELG? You must provide quantitative data even if the pollutant is "Believed Absent." Yes Not applicable											
	7.14		ve data or an explanation for those pollutants for which you have										
	Table	D. Certain Hazardous Substances and Asbestos											
	7.15	Have you indicated whether pollutants are "Believed for all outfalls? Yes	Present" or "Believed Absent" for all pollutants listed in Table D										
	7.16	Have you completed Table D by (1) describing the read (2) providing quantitative data, if available? Yes	easons the applicable pollutants are expected to be discharged No										
	Table	E. 2,3,7,8-Tetrachlorodibenzo-p-Dioxin (2,3,7,8-TCD											
	7.17	Does the facility use or manufacture one or more of know or have reason to believe that TCDD is or may	the 2,3,7,8-TCDD congeners listed in the instructions, or do you										
		☐ Yes → Complete Table E.	No → SKIP to Section 8.										

EPA	Identificati	on Number ALO	NPDES Permit Number PLoS497 Bil	ly's Seatond Inc	OMB No. 2040-0004 Expires 07/31/2026				
SECTIO	N 8. USI	ED OR MANUFACTURE	ED TOXICS (40 CFR 122.21(G)(
100 me	8.1	Is any pollutant listed	in Table B a substance or a comp al product or byproduct?						
Jsed or Manufactured Toxics	8.2	List the pollutants belo	ow. Attach additional sheets, if ne 4.	cessary.) A				
Used or		2.	5.	8.					
	1001	3.	6.	9.					
	9.1	Do you have any know within the last three year. Yes	ESTS (40 CFR 122.21(G)(11)) wledge or reason to believe that a ears on (1) any of your discharge.		on to your discharge?				
elty T	9.2	Identify the tests and t	Purpose of Test(s)	Submitted to NPDES	Date Submitted				
Biological Toxicity Tests				Permitting Authority? ☐ Yes ☐ No					
		b		Yes No					
				☐ Yes ☐ No					
SECTIO	N 10. CO 10.1	Were any of the analy Yes	(40 CFR 122.21(G)(12)) ses reported in Section 7 perform	ned by a contract laboratory or co					
	10.2	-	r each contract laboratory or con	sulting firm below.					
			Laboratory Number 1	Laboratory Number 2	Laboratory Number 3				
		Name of laboratory/firm	HACE ANAlyticaL						
Contract Analyses		Laboratory address	4320 Midnost. Mobile, AL365	DR. 09					
60		Phone number	251-344-9106		-				
		Połlutant(s) analyzed	5-7-2025						

EPA	Identification	on Numb	A		Facility Name	-	OMB No. 2040-0004
			ALDO68491	7	Billy's Sectood 1	DO	Expires 07/31/2026
SECTIO	N 11. AE	DITIO	NAL INFORMATION (40 CFR 122.	21(G)			
	11,1	Has	the NPDES permitting authority req	uested	dadditional information?		
5			Yes		No → SKIP to	o Sectio	n 12.
Ī	11,2	List t	he information requested and attac	h it to t	his application.		
ġ.		1.			4.		
1							
Additional Information		2.			5.		
4		3.			6.		
					dama and the second		
ECTIO			IST AND CERTIFICATION STATE				Maria de la compania del compania de la compania del la compania del compania de la compania de la compania de la compania del compania
	12.1		blumn 1 below, mark the sections of each section, specify in Column 2 at				
			not all applicants are required to con		all sections or provide attachment	s.	
			Column 1		Colum	ın 2	
			Section 1: Outfall Location		w/ attachments		
and Certification Statement		×	Section 2: Line Drawing		w/ line drawing		w/ additional attachments
			Section 3: Average Flows and Treatment		w/ attachments		w/ list of each user of privately owned treatment works
		X	Section 4: Intermittent Flows		w/ attachments		
			Section 5: Production		w/ attachments		
			Section 6: Improvements		w/ attachments		w/ optional additional sheets describing any additional pollution control plans
ŧ			-	П	w/ request for a waiver and	X	w/ explanation for
Ö					supporting information w/ small business exemption		identical outfalls
			0 0 7 50	Ш	request		w/ other attachments
Checklis		M	Section 7: Effluent and Intake Characteristics		w/ Table A		w/ Table B
					w/ Table C		w/ Table D
					w/ Table E		w/ analytical results as an attachment
1944			Section 8: Used or Manufactured Toxics		w/ attachments		
			Section 9: Biological Toxicity Tests		w/ attachments		
		Ø	Section 10: Contract Analyses		w/ attachments		
			Section 11: Additional Information		w/ attachments		
			Section 12: Checklist and Certification Statement		w/ attachments		

SECTION 12. CHECKLIST AND CERTIFICATION STATEMENT (40 CFR 122.22(a) and (d)) (Continued) Provide the following certification, (See instructions to determine the appropriate person to sign the application.) **Certification Statement** Statement I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons Checklist and Certification directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. Name (print or type first and last name) Date signed 5-29-2025 Signature

NPDES Permit Number ALOO 68494

OMB No. 2040-0004 Expires 07/31/2026



U.S Environmental Protection Agency

2F IPDES	8	EPA	STORMW			ASSOCIATED W			TY	
ECTIO	N 1. OU		ATION (40 CFR 122.2							
	1.1	Provide in	formation on each of t	ALCOHOLD NO.	Speciment work Williams				No. 27 Audion Co.	
		Number	Receiving Water			ititude []		Longitude		
Outfall Location		NOWN	BoySecou	,2	30' 18	3'21'	8r	87' 43' 30		
	N 2. IMP	ROVEMENT	S (40 CFR 122.21(G))(6))						
	2.1	construction	resently required by a ng, upgrading, or oper that could affect the d	rating wast	ewater treatme	nt equipment or pra	ctices or any	other environm		
	2.2	Briefly idea	ntify each applicable p	project in th	ne table below.					
Improvements			Identification and ription of Project	MORE SOCIALISMANANA	ed Outfalls (all numbers)	Source(s) of D	ischarge		mpliance tes Projected	
	2.3	Have you projects the	attached sheets desc at may affect your dis	ribing any scharges) t	additional wate hat you now ha	r pollution control p ve underway or pla	rograms (or o nned? (option	ther environme	ntal	

SECTION 3. SITE DRAINAGE MAP (40 CFR 122.26(C)(1)(I)(A)																														
	•	F	6	TIC	11	12	9	IT	= n	R	All	MA	C	F	M.	AP	112	10	CF	Ë	10	2	26	11	2	11	W	W	Δ	١

Site Drainage Map

Have you attached a site drainage map containing all required information to this application? (See instructions for specific guidance.)

10 mg		X Yes				
SECTIO	N 4. POI		JRCES (40 CFR 122.26(C)(1)(I) mation on the facility's pollutan		below.	
		Outfall Number	Impervious Surface (within a mile radius of the	o Area	Total Surface Area (within a mile radius of the	
		1	10,000 sq.ft	specify units SG Ft.	3 Acres	specify units ACRUS
		-21		specify units		specify units
				specify units		specify units
				specify units	e personal estados de sua sua sua sucesa de ser en	specify units
				specify units	ę	specify units
				specify units	- Alline	specify units
Pollutant Sources		W	e don't use Solu	any ha	zapdest pol	lutant
	4.3		ocation and a description of exi or runoff. (See instructions for sp		non-structural control measures	to reduce pollutants
		Outfall Number		Stormwaler Treal Control Measures an		Codes from Exhibit 2F-1 (list)
		•				

SECTION 7. DISCHARGE INFORMATION (40 CFR 122.26(C)(1)(I)(E))

See the instructions to determine the pollutants and parameters you are required to monitor and, in turn, the tables you must complete. Not all applicants need to complete each table.

7.1 Is this a new source or new discharge?

Yes → See instructions regarding submission of estimated data.

 No → See instructions regarding submission of actual data.

Tables A, B, C, and D

7.2 Have you completed Table A for each outfall?

Yes Yes


Discharge

EFA	dentificatio	an Mumber	ALOO68497	Billuis	SEA food The	OMB No. 2040-000 Expires 07/31/202							
	7.3	process w	ity subject to an effluent limitation astewater?	n guideline (ELG) or e	effluent limitations in an NPDE No → SKIP to Item 7.5.	S permit for its							
		☐ Yes		<u> </u>	NO 7 SAP to item 7.5.								
	7.4												
	7.5	Do you kno	ow or have reason to believe an	y pollutants in Exhibit	2F-2 are present in the disch	arge?							
		☐ Yes		ra/	No → SKIP to Item 7.7.								
	7.6		listed all pollutants in Exhibit 2F- led quantitative data or an expla			ent in the discharge							
	7.7	Do you qu	alify for a small business exemp	tion under the criteria	specified in the Instructions?								
, de		☐ Yes	⇒SKIP to Item 7.18.	IQ'	No								
8	7.8	Do you kno	ow or have reason to believe an			arge?							
		☐ Yes		Q	No → SKIP to Item 7.10.								
Discharge Information Continued	7.9	Have you I Table C?	listed all pollutants in Exhibit 2F-	-3 that you know or ha	ave reason to believe are pres	sent in the discharge i							
THOM:		☐ Yes											
age .	7.10	Do you expect any of the pollutants in Exhibit 2F–3 to be discharged in concentrations of 10 ppb or greater?											
Jisch		☐ Yes		回	No → SKIP to Item 7.12.								
	7.11	in concent	provided quantitative data in Tal rations of 10 ppb or greater?	ble C for those pollutar	nts in Exhibit 2F-3 that you ex	spect to be discharged							
		Yes Yes											
	7.12		pect acrolein, acrylonitrile, 2,4-d ions of 100 ppb or greater?			charged in							
		☐ Yes	í	回	No → SKIP to Item 7.14.								
	7.13		provided quantitative data in Tal d in concentrations of 100 ppb or		identified in Item 7.12 that yo	ou expect to be							
		☐ Yes											
	7,14	discharge	provided quantitative data or an at concentrations less than 10 p										
		☐ Yes											
	7.15	Do you kno	ow or have reason to believe an	y pollutants in Exhibit	2F-4 are present in the discha	arge?							
		□ Yes		TQ.	No → SKIP to Item 7.17.								

		ALOO	68497 Killy	's Secropt In	Expires 07/31/202							
	7.16	Have you listed pollutants in explanation in Table C? Yes	in Exhibit 2F-4 that you know or be	elieve to be present in the disc	harge and provided an							
	7.17	Have you provided informa	tion for the storm event(s) sampled	d in Table D?	-							
8												
Discharge Information Continued	7.18		hibits 2F–2 through 2F–4 a substa ediate or final product or byproduct									
Ĭ	7.19	List the pollutants below, inc	cluding TCDD if applicable. Attach	Attach additional sheets, if necessary.								
8		1.	4.	7.								
		2.	5.	8.								
2		3. 6. 9.										
SECTIO	ON 8. BIO	LOGICAL TOXICITY TESTI	NG DATA (40 CFR 122.21(G)(11))									
Biological Toxicity Testing Data	8.2	Do you have any knowledge or reason to believe that any biological test for acute or chronic tox on any of your discharges or on a receiving water in relation to your discharge within the last thr Yes No → SKIP to Section Identify the tests and their purposes below.										
Þ	0.2	Test(s)	Purpose of Test(s)	Submitted to NPDES	Date Submitted							
Toxic		(and a)	Fulpose of Yasqa)	Permitting Authority?	Date outstilled.							
gical				☐ Yes ☐ No								
		The state of the s										
Biolo												
		NITBACT ANALYSIS INCOD	MATION (40, CER 122 21/G)(12))	Yes No								
	ON 9. CO 9.1		MATION (40 CFR 122.21(G)(12)) eported in Section 7 (in Tables A th	Yes No	ract laboratory or							
	0.4	Were any of the analyses re		Yes No								
SECTIO	0.4	Were any of the analyses reconsulting firm? Yes	eported in Section 7 (in Tables A the	Yes No Irough C) performed by a control No → SKIP to Section	tion 10.							
SECTIO	9.1	Were any of the analyses reconsulting firm? Yes Provide information for each	eported in Section 7 (in Tables A the contract laboratory or consulting to Laboratory Number 1	Yes No rough C) performed by a control No → SKIP to Sec	tion 10.							
SECTIO	9.1	Were any of the analyses reconsulting firm? Yes	ported in Section 7 (in Tables A the contract laboratory or consulting to Laboratory Number 1 PACE ANALUTICAL	Yes No Prough C) performed by a control No → SKIP to Section								
SECTIO	9.1	Were any of the analyses reconsulting firm? Yes Provide information for each	ported in Section 7 (in Tables A the contract laboratory or consulting to Laboratory Number 1 PACE ANALUTICAL	Yes No Prough C) performed by a control No → SKIP to Section	tion 10.							
	9.1	Were any of the analyses reconsulting firm? Yes Provide information for each Name of laboratory/firm	ported in Section 7 (in Tables A the contract laboratory or consulting to Laboratory Number 1	Yes No Prough C) performed by a control No → SKIP to Section No → SKIP to Section	tion 10.							

EPA	Identific	ation	Number

ALOO 68497



SECTIO	N 10. C 10.1	In Column 1 below, mark the For each section, specify in	TION STATEMENT (40 CFR 122.22(A) AND (D)) ne sections of Form 2F that you have completed and are submitting with your application. n Column 2 any attachments that you are enclosing to alert the permitting authority. Note equired to complete all sections or provide attachments.
		Column 1	Column 2
		Section 1	w/ attachments (e.g., responses for additional outfalls)
di de dedi con		☐ Section 2	w/ attachments
		Section 3	w/ site drainage map
		☐ Section 4	w/ attachments
Replacement		☐ Section 5	w/ attachments
		☐ Section 6	☐ w/ attachments
Checklist and Certification Statement		☐ Section 7	□ Table A □ w/ small business exemption request □ Table B □ w/ analytical results as an attachment □ Table C □ Table D
Certifica		Section 8	w/ attachments
# # # # # # # # # # # # # # # # # # #		Section 9	w/ attachments (e.g., responses for additional contact laboratories or firms)
3		Section 10	
5	10.2	Certification Statement I certify under penalty of lat in accordance with a system submitted. Based on my inc for gethering the informatio	cation. (See instructions to determine the appropriate person to sign the application.) w that this document and all attachments were prepared under my direction or supervision in designed to assure that qualified personnel properly gather and evaluate the information quiry of the person or persons who manage the system or those persons directly responsible in, the information submitted is, to the best of my knowledge and belief, true, accurate, and there are significant penalties for submitting false information, including the possibility of fine ring violations.
		Name (print or type first and Billy PAR	Official title Owner Date signed
A COURT PER STATE OF THE STATE	C	Signature	Date signed 5-29-2025

EPA Identification Number

ALDO 68497

Billy & Sectod Tre

Outfall Number

OMB No. 2040-0004 Expires 07/31/2026

TABLE A. CONVENTIONAL AND NON CONVENTIONAL PARAMETERS (40 CFR 122.26(C)(1)(I)(E)(3))1 You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details and requirements. Average Dally Discharge Maximum Daily Discharge Source of (specify units) (apacify units) Information Number of Storm Pollutant or Parameter Grab Sample Taken Grab Sample Taken Inew source/new **Events Sampled** Flow-Weighted Flow-Weighted dischargers only; use **During First During First** Composite Composite codes in instructions) 30 Minutes 30 Minutes Oil and grease 5.0 Biochemical oxygen demand (BODs) Chemical oxygen demand (COD) 10.0 Total suspended solids (TSS) Total phosphorus 5. 63 Total Kjeldahl nitrogen (TKN) 6. Total nitrogen (as N) pH (minimum) 10. 0 8. pH (maximum)

EPA Form 3510-2F (Revised 7/2023)

Page 7

¹ Sampling shall be conducted according to sufficiently sensitive test procedures (i.e., methods) approved under 40 CFR 136 for the analysis of pollutants or pollutant parameters or required under 40 CFR Chapter I, Subchapter N or O. See instructions and 40 CFR 122.21(e)(3).

This page intentionally left blank.

AL-DOLOSUS Permit Number Billus Scalar

						\$556 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	Avent		intal (aption	a)
	Pollutant	Walver Requested (if applicable)	Units (specify)		Maximum Daily Discharge (required)	Maximum Monthly Discharge (if available)	Long-Term Average Daily Discharge (flavalstie)	Number of Analyses	Long-Term Average Value	Number of Analyses
	Check here if you have applied	to your NPDI	ES permitting author	ority for a wai	ver for all of the po	llutants listed or	this table for the not	ed outfall.	-	
1.	Biochemical oxygen demand		Concentration	Mg/L	dn					
1.	(BOD ₅)		Mass	-						
•	Chemical oxygen demand		Concentration	Mall	ND					
2.	(COD)	Ш	Mass						,	
			Concentration	Mall	ND					
3.	Total organic carbon (TOC)		Mass	3						
4	T		Concentration	Mg/L	ND					
4.	Total suspended solids (TSS)		Mass							
_			Concentration	MalL	ND					
5.	Ammonia (as N)		Mass							
6.	Flow		Rate		7800 gals					
_	Temperature (winter)		°C	°C	19.3					4.70.44
7.	Temperature (summer)		°C	°C	25.1 C					
	pH (minimum)		Standard units	s.u.	6.18				4	The state of the s
8.	pH (maximum)		Standard units	s.u.	6.85					

¹ Sampling shall be conducted according to sufficiently sensitive test procedures (i.e., methods) approved under 40 CFR 136 for the analysis of pollutants or pollutant parameters or required under 40 CFR Chapter I, Subchapter N or O. See instructions and 40 CFR 122.21(e)(3).

EPA Identification Number

NPDES Permit Number

A) - FO (-8494)

Rillu's Section Tark

ed and	H	L-00	0844	7 Bi	14 6 Seatoo	LNC				Expire	es 07/31/2026
TABL	E B. TOXIC METALS, CYANIDE	TOTAL PHE	Presence	ORGANICE or Absence ok one)	TOXIC POLLUTANTS (4	10 CFR 122.21(g)(7	and the second	uent			take ((onal)
	Pollutant/Parameter (and CAS Number, if available)	Testing Required	Belleved Present	Believed Absent	Units (apecify)	Maximum Daily Discharge (required)	Maximum Monthly Discharge (favallable)	Long-Term Average Daily Discharge (favallable)	Number of Analyses	Long- Term Average Value	Number of Analyses
	Check here if you qualify as a si 2 through 5 of this table. Note, h										
Section	on 1. Toxic Metals, Cyanide, and	i Total Pheno	ols								
1.1	Antimony, total (7440-36-0)			Ø	Concentration Mass						
1.2	Arsenic, total (7440-38-2)			X	Concentration Mass						
1.3	Beryllium, total (7440-41-7)			X	Concentration Mass						
1.4	Cadmium, total (7440-43-9)			Ø	Concentration Mass						
1.5	Chromium, total (7440-47-3)			×	Concentration Mass						
1.6	Copper, total (7440-50-8)			Ø	Concentration Mass						
1.7	Lead, total (7439-92-1)			M	Concentration Mass						
1.8	Mercury, total (7439-97-6)			Ø	Concentration Mass						
1.9	Nickel, total (7440-02-0)			×	Concentration Mass						
1.10	Selenium, total (7782-49-2)			×	Concentration Mass						
1.11	Silver, total (7440-22-4)			×	Concentration Mass						

OMB No. 2040-0004 Expires 07/31/2026

PPA Identification Number

AL-0068497 Billy's SEAFood Toc

Outfall Number

	E B. TOXIC METALS, CYANIDE,		Presence	or Absence ok one)				vent		in (op	laice (onal)
	Pollutant/Parameter (and CAS Number, if available)	Testing Required	Belleved Present	Believed Absent	Units (specify)	Maximum Daily Discharge (required)	Maximum Monthly Discharge (If available)	Long-Term Average Daily Discharge (favalable)	Number of Analyses	Long- Term Average Value	Number of Analyses
1.12	Thallium, total (7440-28-0)			X	Concentration Mass						
1.13	Zinc, total (7440-66-6)			⊠	Concentration Mass						
1.14	Cyanide, total (57-12-5)			[X	Concentration Mass						
1.15	Phenols, total			X	Concentration Mass						
Section	on 2. Organic Toxic Pollutants (GC/MS Fract	ion-Volatil	le Compound					1		
2.1	Acrolein (107-02-8)			Ø	Concentration Mass						
2.2	Acrylonitrile (107-13-1)			X	Concentration Mass						
2.3	Benzene (71-43-2)			(X	Concentration Mass						
2.4	Bromoform (75-25-2)			M	Concentration Mass	7					
2.5	Carbon tetrachloride (56-23-5)			Ø	Concentration Mass						
2.6	Chlorobenzene (108-90-7)			×	Concentration Mass						
2.7	Chlorodibromomethane (124-48-1)			X	Concentration Mass						
2.8	Chloroethane (75-00-3)			M	Concentration Mass						

PA Identification Number

AL-0068497

BILLY'S SEAFOR THE.

Outfall Number

			Presence (che:	or Absence ok one)			EM	uent		in (ap	take limal)
	Pollutant/Parameter (and CAS Number, if available)	Testing Required	Believed Present	Believed Absent	Units (specify)	Maximum Daily Discharge (required)	Maximum Monthly Discharge (If evaluable)	Long-Term Average Daily Discharge (f available)	Number of Analyses	Long- Term Average Value	Number of Analyses
2.9	2-chloroethylvinyl ether			Ø	Concentration						
	(110-75-8)				Mass Concentration						
2.10	Chloroform (67-66-3)			X	Mass						
2.11	Dichlorobromomethane (75-27-4)			N.	Concentration Mass						
2.12	1,1-dichloroethane (75-34-3)			X	Concentration Mass						
2.13	1,2-dichloroethane			M	Concentration						
2.14	(107-06-2) 1,1-dichloroethylene			X	Mass Concentration						
2.15	(75-35-4) 1,2-dichloropropane			M	Mass Concentration						
2.16	(78-87-5) 1,3-dichloropropylene			×	Mass Concentration						
2.17	(542-75-6) Ethylbenzene			M M	Mass Concentration						
	(100-41-4) Methyl bromide			×	Mass Concentration						
2.18	(74-83-9)				Mass Concentration						
2.19	Methyl chloride (74-87-3)			×	Mass						
2.20	Methylene chloride (75-09-2)			×	Concentration Mass						-
2.21	1,1,2,2- tetrachloroethane (79-34-5)			×	Concentration Mass						

Outfall Number OMB No. 2040-0004

	1	1L-00	6849	7 Bi	UN'S SEATOOD IN	sc.				Expir	res 07/31/2026
TABL	E B. TOXIC METALS, CYANIDE		NOLS, AND	ORGANIC 1			(v))'				Lessie
				or Absence of one)			Eff	vent			take tional)
	Pollutant/Parameter (and CAS Number, if available)	Testing Required	Belleved Present	Believed Absent	Units (specify)	Maximum Dally Discharge (required)	Maximum Monthly Discharge (favalable)	Long-Term Average Daily Discharge (flavelable)	Number of Analyses	Long- Term Average Value	Number of Analyses
2.22	Tetrachloroethylene			×	Concentration						
6.64	(127-18-4)			-	Mass						
2.23	Toluene			X	Concentration						
2.23	(108-88-3)		U)A	Mass						
2.24	1,2-trans-dichloroethylene			X	Concentration						
2.24	(156-60-5)			12	Mass						
2.25	1,1,1-trichloroethane			M	Concentration						
2.25	(71-55-6)				Mass						
2.26	1,1,2-trichloroethane				Concentration						
2.20	(79-00-5)			D	Mass						
2.27	Trichloroethylene			123	Concentration						
2.21	(79-01-6)		<u> </u>	VA)	Mass						
2.28	Vinyl chloride			区	Concentration						
	(75-01-4)				Mass						
Secti	on 3. Organic Toxic Pollutants	(GC/MS Frac	ion—Acid C	compounds)					T	1	<u> </u>
3.1	2-chlorophenol			X	Concentration	7					1
	(95-57-8)				Mass	1					
3.2	2,4-dichlorophenol			X	Concentration						
	(120-83-2)				Mass				-	-	
3.3	2,4-dimethylphenol			X	Concentration						
	(105-67-9)	-		-	Mass					-	4
3.4	4,6-dinitro-o-cresol			X	Concentration					-	
-	(534-52-1)				Mass						
3.5	2,4-dinitrophenol			M	Concentration						
	(51-28-5)				Mass						

Facility Name

NPDES Permit Number

EPA Form 3510-2C (Revised 7/2023)

EPA Identification Number

A Identification Number	AL-OOL8497	Billy 'S SEAFOOD IN	Outfall Number
. TOXIC METALS, C	CONTRACTOR AND	GANIC TOXIC POLLUTANTS (40 CFR 1	22.21(g)(7)(v))¹
. TOXIC METALS, C	ANIDE TOTAL PHENOLS, AND ORG	контронения в применя в пр	2

		dise		or Absence % one)			Effli	jent		in (op	take tional)
	Pollutant/Parameter (and CAS Number, if available)	Testing Required	Believed Present	Belleved Absent	Units (specify)	Maximum Daily Discharge (required)	Maximum Monthly Discharge (If available)	Long-Term Average Daily Discharge (if available)	Number of Analyses	Long- Term Average Value	Number of Analyses
3.6	2-nitrophenol			×	Concentration						
	(88-75-5)				Mass						
3.7	4-nitrophenol			区	Concentration						
	(100-02-7)				Mass						
3.8	p-chloro-m-cresol			×	Concentration						-
	(59-50-7)				Mass						-
3.9	Pentachlorophenol			X	Concentration						-
	(87-86-5)				Mass						-
3.10	Phenol (108-95-2)			Def	Concentration			***************************************			-
					Mass						-
3.11	2,4,6-trichlorophenol			X	Concentration				-	-	-
5940	(88-05-2) on 4. Organic Toxic Pollutants (COMS Erac	ion Bass		Mass						
Secu	The state of the s				Concentration						
4.1	Acenaphthene (83-32-9)				Mass						
	Acenaphthylene				Concentration	- A - N					
4.2	(208-96-8)			M	Mass						
	Anthracene	_			Concentration						
4.3	(120-12-7)			X	Mass						
	Benzidine			-	Concentration						
4.4	(92-87-5)			X	Mass						
	Benzo (a) anthracene			57	Concentration						
4.5	(56-55-3)			X	Mass						
4.0	Benzo (a) pyrene			pel	Concentration				-		
4.6	(50-32-8)			M	Mass						

EPA Identification Number

AL DO 108497 Billius Sea Ton Tr

Outfall Number

					DIM SOUTH TREE						
TABL	E B. TOXIC METALS, CYANIDE	TOTAL PHE	Presence	ORGANIC I or Absence stone	OXIC POLLUTANTS (40 C	FR 122.21(g)(7		uent.			take (lonal)
	Pollutant/Parameter (and CAS Number, if evallable)	Testing Required	Belleved Present	Belleved Absent	Units (specify)	Maximum Daily Discharge (required)	Maximum Monthly Discharge (f svelable)	Long-Term Average Daily Discharge (If available)	Number of Analyses	Long- Term Average Value	Number of Analyses
4.7	3,4-benzofluoranthene (205-99-2)			×	Concentration Mass						
4.8	Benzo (ghi) perylene (191-24-2)			×	Concentration Mass						
4.9	Benzo (k) fluoranthene (207-08-9)			×	Concentration Mass						
4.10	Bis (2-chloroethoxy) methane (111-91-1)			×	Concentration Mass						
4.11	Bis (2-chloroethyl) ether (111-44-4)			×	Concentration Mass						
4.12	Bis (2-chloroisopropyl) ether (102-80-1)			×	Concentration Mass						
4.13	Bis (2-ethylhexyl) phthalate (117-81-7)			×	Concentration Mass						
4.14	4-bromophenyl phenyl ether (101-55-3)			Ø	Concentration Mass	<i>y</i> = \(\(\)					
4.15	Butyl benzyl phthalate (85-68-7)			区	Concentration Mass	1					
4.16	2-chloronaphthalene (91-58-7)			×	Concentration Mass						
4.17	4-chlorophenyl phenyl ether (7005-72-3)			×	Concentration Mass						
4.18	Chrysene (218-01-9)			×	Concentration Mass						
4.19	Dibenzo (a,h) anthracene (53-70-3)			A	Concentration Mass						

OMB No. 2040-0004 Expires 07/31/2026

TABLE B. TOXIC METALS, CYANIDE, TOTAL PHENOLS, AND ORGANIC TOXIC POLLUTANTS (40, CFR 122.21(9)(7)(V))¹

Presence of Absence

	E B. TOXIC METALS, CYANIDE		Presence	or Absence (kone)	Uniffs (apacity)			uent			talce llonal)
	Pollutant/Parameter (and CAS Number, if available)	Testing Required		Belleved Absent		Maximum Daily Discharge (required)	Maximum Monthly Discharge (If available)	Long-Term Average Daily Discharge (Ravalable)	Number of Analyses	Long- Term Average Value	Number of Analyses
4.20	1,2-dichlorobenzene (95-50-1)			Ø	Concentration Mass						
4.21	1,3-dichlorobenzene (541-73-1)			×	Concentration Mass						
4.22	1,4-dichlorobenzene (106-46-7)			×	Concentration Mass						
4.23	3,3-dichlorobenzidine (91-94-1)			×	Concentration Mass						
4.24	Diethyl phthalate (84-66-2)			×	Concentration Mass						
4.25	Dimethyl phthalate (131-11-3)			Ø	Concentration Mass						
4.26	Di-n-butyl phthalate (84-74-2)			×	Concentration Mass						
4.27	2,4-dinitrotoluene (121-14-2)			×	Concentration Mass						
4.28	2,6-dinitrotoluene (606-20-2)			X	Concentration Mass						
4.29	Di-n-octyl phthalate (117-84-0)			A	Concentration Mass						
4.30	1,2-Diphenylhydrazine (as azobenzene) (122-66-7)			Ø	Concentration Mass						
4.31	Fluoranthene (206-44-0)			X	Concentration Mass						
4.32	Fluorene (86-73-7)			×	Concentration Mass						

			08491		IVIS SEATOOD					Expire	es 07/31/2026
TABL	E B. TOXIC METALS, CYANIDE	TOTAL PHE	Presence	ORGANICA or Absence ck one)		R 122.21(g)(7)		vent		In (op	take tonal)
	Pollutant/Parameter (and CAS Number, if available)	Testing Required	Believed Present	Belleved Absent	Units (specify)	Maximum Daily Discharge (required)	Maximum Monthly Discharge (if available)	Long-Term Average Daily Discharge (if available)	Number of Analyses	Long- Term Average Value	Number of Analyses
4.33	Hexachlorobenzene (118-74-1)			×	Concentration Mass			COMMAN SOCIAL COMMAND AND AND AND AND AND AND AND AND AND			
4.34	Hexachlorobutadiene (87-68-3)			×	Concentration Mass						
4.35	Hexachlorocyclopentadiene (77-47-4)			X	Concentration Mass						
4.36	Hexachloroethane (67-72-1)			×	Concentration Mass						
4.37	Indeno (1,2,3-cd) pyrene (193-39-5)			X	Concentration Mass		-				
4.38	isophorone (78-59-1)			Ø	Concentration Mass			1			
4.39	Naphthalene (91-20-3)			×	Concentration Mass						
4.40	Nitrobenzene (98-95-3)			×	Concentration Mass	× an,	1-9				
4.41	N-nitrosodimethylamine (62-75-9)			Ø	Concentration Mass						
4.42	N-nitrosodi-n-propylamine (621-64-7)			X	Concentration Mass			-			
4.43	N-nitrosodiphenylamine (86-30-6)			Ø	Concentration Mass	-					
4.44	Phenanthrene (85-01-8)			M	Concentration Mass						
4.45	Pyrene (129-00-0)			Ø'	Concentration Mass						

EPA Identification Number	ALDO(08497	Billy's SEA-ODD INC.	Outfall Number
		TO GUATUULIA.	

	E B. TOXIC METALS. CYANIDE		Presence	or Absence kone)				vent			take (local)
	Pollutant/Parameter (and CAS Number, if available)	Testing Required	Belleved Present	Belleved Absent	Units (specify)	Maximum Daily Discharge (required)	Maximum Monthly Discharge (If available)	Long-Term Average Daily Discharge (favelable)	Number of Analyses	Long- Term Average Value	Number of Analyses
1.46	1,2,4-trichlorobenzene (120-82-1)			Ø	Concentration Mass						
	on 5. Organic Toxic Pollutants (GC/MS Fract	ion-Pestic	des)	Mass						
5.1	Aldrin (309-00-2)			X	Concentration Mass						
5.2	a-BHC (319-84-6)			X	Concentration Mass						
5.3	β-BHC (319-85-7)			X	Concentration Mass						
5.4	ү-ВНС (58-89-9)			M	Concentration Mass						
5.5	δ-BHC (319-86-8)			×	Concentration Mass						
5.6	Chlordane (57-74-9)			×	Concentration Mass						
5.7	4,4'-DDT (50-29-3)			X	Concentration Mass						
5.8	4,4'-DDE (72-55-9)			M	Concentration Mass	N. Carlot					
5.9	4,4'-DDD (72-54-8)			M	Concentration Mass						
5.10	Dieldrin (60-57-1)			×	Concentration Mass						
5.11	a-endosulfan (115-29-7)			M	Concentration Mass						

EPA Identification Number

ALODIO BILLY'S Sea food Two.


Outfall Number

			Presence or Absence (check one)				EM	vent		In lop	take tonan
	Pollutant/Parameter (and CAS Number, If available)	Testing Required	Believed Present	Belleved Absent	Units (specify)	Maximum Daily Discharge (required)	Maximum Monthly Discharge (flavalable)	Long-Term Average Daily Discharge (if available)	Number of Analyses	Long- Term Average Value	Number of Analyses
5.12	β-endosulfan			×	Concentration			(market)		A similar de mila e de la designa	
	(115-29-7)				Mass						
5.13	Endosulfan sulfate (1031-07-8)			M	Concentration						
					Mass Concentration						
5.14	Endrin (72-20-8)			X	Mass						-
					Concentration						
5.15	Endrin aldehyde (7421-93-4)			M	Mass		-				
	Heptachlor			700	Concentration						
5.16	(76-44-8)			120	Mass						
- 4-	Heptachlor epoxide				Concentration						
5.17	(1024-57-3)			X	Mass						
5.18	PCB-1242			×	Concentration						
0.10	(53469-21-9)			M	Mass						
5.19	PCB-1254 (11097-69-1)			×	Concentration						
0.10				-	Mass						
5.20	PCB-1221 (11104-28-2)			这	Concentration				-		
	PCB-1232			-	Mass						
5.21	(11141-16-5)			X	Concentration Mass						
	PCB-1248				Concentration						
5.22	(12672-29-6)			区	Mass						
	PCB-1260				Concentration						
5.23	(11096-82-5)			M	Mass						
	PCB-1016			tot	Concentration				1		
5.24	(12674-11-2)			A	Mass						

	EPA Identification Number	LOOLO	emit Number 849r	7 Bil	LYB SEAFOOD	-	outfall Number				lo. 2040-0004 s 07/31/2026
TABL	E B. TOXIC METALS, CYANIDE.	TOTAL PHE	NOLS, AND	ORGANIC T	GXIC POLLUTANTS (40	CFR 122.21(g)(7)	(v))¹				
		1.0		or Absence kone)			Eff	uent		15.818.512.010.000.512.000	aice ional)
	Pollutant/Parameter (and CAS Number, if available)	Testing Required	Belleved Present	Belleved Absent	Units (apecify)	Maximum Daily Discharge (required)	Maximum Monthly Discharge (If available)	Long-Term Average Daily Discharge (if available)	Number of Analyses	Long- Term Average Value	Number of Analyses
5.25	Toxaphene (8001-35-2)			M	Concentration Mass						

EPA Form 3510-2C (Revised 7/2023)

¹ Sampling shall be conducted according to sufficiently sensitive test procedures (i.e., methods) approved under 40 CFR 136 for the analysis of pollutants or pollutant parameters or required under 40 CFR Chapter I, Subchapter N or O. See instructions and 40 CFR 122.21(e)(3).



	tification	

NPDES Permit Number


Rilly 8 SEA Food Two

Outfall Number

TAB	LE C. CERTAIN CO			ONVENTIONAL POLLUTA	ANTS (40 CFR 122.21(g)	(7)(vi)) ¹				
		Presence o	or Absence kone)		. The William	Effloent				
	Pollutant	Believed Believed Present Absent		Units (specify)	Maximum Daily Discharge (required)	Maximum Monthly Discharge (if evaluable)	Long-Term Average Daily Discharge (If available)	Number of Analyses	Long-Term Average Value	Number of Analyses
	each pollutant. Check here if you be			C to be <i>present</i> in your disc						
	each pollutant.									,
1.	Bromide		M	Concentration						
••	(24959-67-9)		J	Mass						
2.	Chlorine, total		M	Concentration						
	residual			Mass						
3.	Color		卤	Concentration						
0.	0000			Mass		W-1-2-0-				
4.	Fecal coliform		M	Concentration						
٧.	T COCH COMOTH		100	Mass						
5.	Fluoride		X	Concentration						
0.	(16984-48-8)	-	H	Mass						
6	Nitrate-nitrite		M	Concentration		,01				
	THE GLO-INGTO			Mass		.,				
7.	Nitrogen, total		X	Concentration		1				
1.	organic (as N)			Mass		- Sandalan				
8.	Oil and grease		A	Concentration						
0.	On and grouse		1	Mass						
9.	Phosphorus (as		X	Concentration						
٥.	P), total (7723-14-0)		1	Mass						
10.	Sulfate (as SO ₄)		M	Concentration						
10.	(14808-79-8)			Mass						
11.	Sulfide (as S)		M	Concentration						
11.	Guilde (as O)			Mass						

EPA Identification Number

ALDOLOSUATION NUMBER



Outfall Number

		Presence or Absence (check one)				Inta (opto	ke nali			
	Pollutant	Believed Believe Present Absen		Units (specify)	Maximum Daily Discharge (required)	Maximum Monthly Discharge (If available)	Long-Term Average Daily Discharge (favalable)	Number of Analyses	Long-Term Average Value	Number of Analyses
12.	Sulfite (as SO ₃) (14265-45-3)		×	Concentration						
			5 7	Mass Concentration						
13.	Surfactants		M	Mass						
14.	Aluminum, total (7429-90-5)		N/	Concentration Mass						
15.	Barium, total (7440-39-3)		M	Concentration Mass						
16.	Boron, total (7440-42-8)		X	Concentration Mass						
17.	Cobalt, total (7440-48-4)		Ø	Concentration Mass						
18.	Iron, total (7439-89-6)		×	Concentration Mass			-			-
19.	Magnesium, total (7439-95-4)		Ø	Concentration Mass						
20.	Molybdenum, total (7439-98-7)		M	Concentration Mass		-				
21.	(7439-98-7) Manganese, total (7439-96-5)		×	Concentration Mass						
22.	Tin, total (7440-31-5)		Ø	Concentration Mass						
23.	Titanium, total (7440-32-6)		Ø	Concentration Mass						4

Billy's Seatood Ive **EPA Identification Number** OMB No. 2040-0004 Expires 07/31/2028 TABLE C. CERTAIN CONVENTIONAL AND NON CONVENTIONAL POLLUTANTS ((40 CFR 122.21(g)(7)(vi))1 Presence or Absence Intake (check one) Effluent (optional) Units Long-Term Maximum **Pollutant** Long-Term **Maximum Daily** Belleved Belleved (specify) Number of Number of Monthly Average Daily Discharge Absent Average Present Analyses Discharge (if available) Analyses Discharge (required) Value (if available) 24. Radioactivity Concentration X Alpha, total Mass Concentration

Outfall Number

NPDES Permit Number

Beta, total

Radium, total

Radium 226, total

X

X

X

Mass

Mass

Concentration

Concentration

EPA Form 3510-2C (Revised 7/2023)

Page 25

¹ Sampling shall be conducted according to sufficiently sensitive test procedures (i.e., methods) approved under 40 CFR 136 for the analysis of pollutants or pollutant parameters or required under 40 CFR Chapter I, Subchapter N or O. See instructions and 40 CFR 122.21(e)(3).

			_	***************************************	*****
FPA	Iden	ifica	tion	Nur	nhe

ALODG8497 Billy's SEA FOOLTIC

Outfall Number

OMB No. 2040-0004 Expires 07/31/2026

TAE	LE D. CERTAIN HAZARDOUS SUBS		OS (40,CFR 122.2			
	Pollutant	Presence o	r Absence	garte Maria Ambana Tipanga ini	Available Quantitative Data	
Politait.	Believed Believed Present Absent		Reason Pollutant Belleved Present in Discharge	(specify units)		
1.	Asbestos		X			
2.	Acetaldehyde .		M			
3.	Allyl alcohol		図	7		
4.	Allyl chloride		Ø			
5.	Amyl acetate					
6.	Aniline		X			
7.	Benzonitrile		X			
8.	Benzyl chloride		X			
9.	Butyl acetate		X			
10.	Butylamine		X			
11.	Captan		X			
12.	Carbaryl		×			
13.	Carbofuran		×	, a 4		
14.	Carbon disulfide		Ø			
15.	Chlorpyrifos		Ø			
16.	Coumaphos		×			
17.	Cresol		Ø			
18.	Crotonaldehyde		X			
19.	Cyclohexane		M			

EPA Identification Number

NPDES Permit Number

NPDES Permit Number

ALODIO 84197

Billy S SEA Food Zuc

Outfall Number

Outfall Number

Outfall Number

TAR	LE D. CERTAIN HAZARDOUS SUBSTANC			1(a)(7)(vii))!	型。 使数据 计中心知识	
IAD		Presence o	r Absence		Available Quantitative Data	
	Pollutant	Believed Believed Present Absent		Reason Pollutant Believed Present in Discharge	(specify units)	
20.	2,4-D (2,4-dichlorophenoxyacetic acid)		×			
21.	Diazinon		×	4		
22.	Dicamba		Ø		3	
23.	Dichlobenil					
24.	Dichlone		Ø			
25.	2,2-dichloropropionic acid					
26.	Dichlorvos		Ø			
27.	Diethyl amine		Ø			
28.	Dimethyl amine					
29.	Dintrobenzene		8			
30.	Diquat		Ø			
31.	Disulfoton		Ø			
32.	Diuron			1		
33.	Epichlorohydrin					
34.	Ethion					
35.	Ethylene diamine		Z '			
36.	Ethylene dibromide					
37.	Formaldehyde		☑*			
38.	Furfural		Ø			

			_	_
FPA	Iden	lification	N	mbe

ALOO68497



Outfall Number

OMB No. 2040-0004 Expires 07/31/2026

TAB	LE D. CERTAIN HAZARDOUS SUBSTAN			21(g)(7)(vii)) ¹		
		Presence of ligheck			Available Quantitative Data	
	Pollutant	Believed Present	Believed Absent	Reason Pollutant Belleved Present in Discharge	(apacity units)	
39.	Guthion		Ø			
40.	Isoprene .					
41.	Isopropanolamine		U			
42.	Kelthane		Ø.			
43.	Kepone					
44.	Malathion		Ø			
45.	Mercaptodimethur					
46.	Methoxychlor		Ø			
47.	Methyl mercaptan		Ø			
48.	Methyl methacrylate		Y			
49.	Methyl parathion		Ø			
50.	Mevinphos					
51.	Mexacarbate		Ø			
52.	Monoethyl amine			· sales		
53.	Monomethyl amine		团			
54.	Naled		Ø			
55.	Naphthenic acid		Ø			
56.	Nitrotoluene		Ø			
57.	Parathion		Ø			

FPA	Ide	ntification	Numbe

ALOO68497

	Facility Name	
2.11	CAR	Tin
Dilly8	SEAFOOD	THE

Outfall Number

OMB No. 2040-0004 Expires 07/31/2026

TAB	ABLE D. CERTAIN HAZARDOUS SUBSTANCES AND ASBESTOS (40 CFR 122.21(g)(7)(vii))1							
		Presence o	r Absence		Available Quantitative Data			
	Pollutant	Believed Present	Believed Absent	Reason Pollutant Believed Present In Discharge	(specify units)			
58.	Phenolsulfonate		D/					
59.	Phosgene		区	*				
60.	Propargite		Ø					
61.	Propylene oxide		Ø					
62.	Pyrethrins							
63.	Quinoline		र्					
64.	Resorcinol		Ø					
65.	Strontium		V					
66.	Strychnine		Ø					
67.	Styrene		V					
68.	2,4,5-T (2,4,5-trichlorophenoxyacetic acid)		U					
69.	TDE (tetrachlorodiphenyl ethane)		प					
70.	2,4,5-TP [2-(2,4,5-trichlorophenoxy) propanoic acid]		Ø					
71.								
72.	Triethanolamine		Ø					
73.	Triethylamine		Ø					
74.	Trimethylamine		□					
75.	Uranium		3					
76.	Vanadium		ď					

EPA Identification Number	ALOO 68497	Billy a Statood In	Outfall Number	OMB No. 2040-0004 Expires 07/31/2026

		Presence o	20 9 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		Available Quantitative Data
Pollutant	Believed Present	Believed Absent	Reason Pollutant Believed Present in Discharge	(specify Linits)	
77.	Vinyl acetate				94-30-30-30
78.	Xylene .		Ø		
79.	Xylenol				
80.	Zirconium				

¹ Sampling shall be conducted according to sufficiently sensitive test procedures (i.e., methods) approved under 40 CFR 136 for the analysis of pollutants or pollutant parameters or required under 40 CFR Chapter I, Subchapter N or O. See Instructions and 40 CFR 122.21(e)(3).

Page 31

EPA Identification Number	ALOO6		Bill	ys SEAFOOD In	Outfall Number	OMB No. 2040-0004 Expires 07/31/2026
TABLE E. 2,3,7,8 TETRACHLOROI	DIBENZO P DIOX	IN (2,3.7,8 T	CDD) (40 CF	R 122.21(g)(7)(viii))		
Pollutant	TCDD Congeners Used or	Abse (check			Results of Screening Proc	edure
	Manufactured	Believed Present	Believed Absent			
2,3,7,8-TCDD			E/			

NPDES Permit Number

Billy's Seafood Ive

Outfall Number

OMB No. 2040-0004 Expires 07/31/2026

TABLE B. CERTAIN CONVENTIONAL AND NON CONVENTIONAL POLLUTANTS (40 CFR 122.26(C)(1)(I)(E)(4) AND 40 CFR 122.21(G)(7)(VI)(A))

List each pollutant that is limited in an effluent limitation guideline (ELG) that the facility is subject to or any pollutant listed in the facility's NPDES permit for its process wastewater (if the facility is operating under an existing NPDES permit). Complete one table for each outfall. See the instructions for additional details and requirements.

0.11.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2	Maximum Dail (specify	y Discharge units)	Average Daily (specify	/ Discharge unts)	- Number of Storm	Source of Information (new sourcement disprargers only; use codes in instructions)
Pollutant and CAS Number (Favailable)	Grab Sample Taken During First	Flow-Weighted Composite	Grab Sample Taken During First 30 Minutes	Flow-Weighted Composite	Events Sampled	
				man and the contract of the co		
					1	
				9 11		
			1			
				. attached		
				-		

¹ Sampling shall be conducted according to sufficiently sensitive test procedures (i.e., methods) approved under 40 CFR 136 for the analysis of pollutants or pollutant parameters or required under 40 CFR Chapter I, Subchapter N or O. See instructions and 40 CFR 122.21(e)(3).

EPA Form 3510-2F (Revised 7/2023)

ALOOL8497

Bill	4'S SEA Food INC
	1 10 - 17

Outfall Number

OMB No. 2040-0004 Expires 07/31/2026

TABLE C. TOXIC POLLUTANTS, CERTAIN HAZARDOUS SUBSTANCES, AND ASBESTOS (40 CFR 122.26(C)(1)(I)(E)(4) AND 40 CFR 122.21(G)(7)(VI)(B) AND (VII))

List each pollutant shown in Exhibits 2F-2, 2F-3, and 2F-4 that you know or have reason to believe is present. Complete one table for each outfall. See the instructions for additional details and requirements.

Pollutant and CAS Number (if available)	Maximum Daily Discharge (specify units)		Average Daily Discharge (specify units)		1	Source of
	Grab Sample Taken During First 30 Minutes	Flow-Waighted Composite	Grab Sample Taken During First 30 Minutes	Flow-Weighted Composite	Number of Storm Events Sampled	Information (new source/new dischargers only; use codes in instructions)
				-		
	'					
,						
			-	P (1)		
			1			
	1-1					
Complian shall be conducted according to						

¹ Sampling shall be conducted according to sufficiently sensitive test procedures (i.e., methods) approved under 40 CFR 136 for the analysis of pollutants or pollutant parameters or required under 40 CFR Chapter I, Subchapter N or O. See instructions and 40 CFR 122.21(e)(3).

EPA Form 3510-2F (Revised 7/2023)

NPDES Permit Number
AL0068497

Billy & Sea God Inc.

Outfall Number

OMB No. 2040-0004 Expires 07/31/2026

Page 13

TARIED	STODM EVENT	INFORMATION	AN CER	122.26(C)(1)(I)(E)(6))
I ABLL D.	OIONIN LAFIA	HAI ON WALLOW	TUUIN	122.20(0)(1)(1)(1)(1)(1)(1)


Provide data for the storm event(s) that resulted in the maximum daily discharges for the flow-weighted composite sample.

Date of Storm Event	Duration of Storm Event (in hours)	Total Rainfall During Storm Event (in Inches)	Number of Hours Between Beginning of Storm Measured and End of Previous Measurable Rain Event	Maximum Flow Rate During Rain Event (in gpm or specify units)	Total Flow from Rain Event (in gallons or specify units)
	•				

Provide a description of the method of flow measurement or estimate.

EPA Form 3510-2F (Revised 7/2023)





Billy Sol Inc.

16780 RIVER Rd. BONSECOUR AL. 36511

