

ALABAMA DEPARTMENT OF
ENVIRONMENTAL MANAGEMENT

| | | |
|--|---|--------------------------|
| IN THE MATTER OF |) | |
| |) | |
| |) | |
| SPENCER MANN |) | CONSENT ORDER 26-???-CLD |
| MANN PROPERTY – MCCAIN ROAD |) | |
| ECLECTIC, ELMORE COUNTY, ALABAMA |) | |
| UNPERMITTED – SITE ID ASNJXH1-Z1B6-1ZM |) | |
| |) | |
| |) | |

PREAMBLE

This Special Order by Consent is made and entered into by the Alabama Department of Environmental Management (hereinafter “Department” or “ADEM”) and Spencer Mann (hereinafter “Operator”) pursuant to the provisions of the Alabama Environmental Management Act, Ala. Code §§ 22-22A-1 to 22-22A-16, as amended, the Alabama Water Pollution Control Act (hereinafter “AWPCA”), Ala. Code §§ 22-22-1 to 22-22-14, as amended, and the regulations promulgated pursuant thereto, and § 402 of the Federal Water Pollution Control Act, 33 U.S.C. § 1342, as amended.

STIPULATIONS

1. The Operator is an individual constructing a residential subdivision at Mann Property – McCain Road (hereinafter “Facility”) located in T20N, R21E, S28, McCain Road near the city of Eclectic, Elmore County, Alabama.
2. The following references and acronyms are used in this Consent Order and, when used, shall have the meaning of the name or title referenced below.

| | |
|-------|---|
| BMPs | Best Management Practices |
| CBMPP | Construction Best Management Practices Plan |
| GP | ADEM NPDES General Permit ALR100000 |
| NOI | Notice of Intent |
| NOV | Notice of Violation |
| NPDES | National Pollutant Discharge Elimination System |
| QCI | Qualified Credentialed Inspector |
| QCP | ADEM-recognized Qualified Credentialed Professional |

3. Sediment (settleable, suspended, and turbid solids) and other pollutants in stormwater runoff from the Facility have the potential to discharge and/or have discharged to Lake Martin, a water of the State.

4. The Department is a duly constituted department of the State of Alabama pursuant to Ala. Code §§ 22-22A-1 to 22-22A-16, as amended.

5. Pursuant to Ala. Code § 22-22A-4(n), as amended, the Department is the state agency responsible for the promulgation and enforcement of water pollution control regulations in accordance with the Federal Water Pollution Control Act, 33 U.S.C. §§ 1251 to 1387, as amended. In addition, the Department is authorized to administer and enforce the provisions of the AWPCA, Ala. Code §§ 22-22-1 to 22-22-14, as amended.

6. Pursuant to ADEM Admin. Code rs. 335-6-6-.03 and 335-6-6-.23(15), the Operator is required to submit to the Department an NOI and obtain NPDES permit coverage prior to commencing and/or continuing regulated disturbance activities. An application for permit coverage was initiated on February 26, 2025, however, as of January 28, 2026, a complete and correct application nor the associated permit fee was ever submitted to the Department.

7. During an inspection of the Facility on February 21, 2025, the Department documented that the Operator had not applied for and obtained NPDES permit coverage prior to commencing regulated disturbance activities, in violation of ADEM Admin. Code rs. 335-6-6-.03 and 335-6-6-.23(15).

8. Pursuant to Part III. A. of the GP, the Operator shall design, install and maintain effective erosion controls and sediment controls, appropriate for site conditions. Sediment control measures, erosion control measures, and other site management practices must be properly selected based on site-specific conditions, must meet or exceed the technical standards outlined in the Alabama Handbook (defined in Part V. of the GP), and the site-specific CBMPP prepared in accordance with Part III. E. of the GP.

9. Pursuant to Part III. A. 14(b) of the GP, sediment control measures, erosion control measures, and other site management practices shall be designed and maintained to minimize erosion and maximize sediment removal resulting from a two (2) year, twenty-four (24) hour storm event.

10. Pursuant to Part III. E. of the GP, construction activity may not commence until a CBMPP has been prepared in a format acceptable to the Department and certified by a QCP as adequate to meet the

requirements of the GP. The Operator shall properly implement and regularly maintain the controls, practices, devices, and measures specified in the CBMPP.

11. Pursuant to Part III. H. of the GP, site inspections shall be performed by a QCI, QCP, or a qualified person under the direct supervision of a QCP. A site inspection shall be performed as often as is necessary until any poorly functioning erosion control or sediment controls, non-compliant discharges, or any other deficiencies observed during a prior inspection are corrected and documented as being in compliance with the requirements of the GP.

12. Pursuant to Part III. H. of the GP, a site inspection shall consist of a complete and comprehensive observation of the entire construction site including all areas of land disturbance, areas used for storage of materials that are exposed to precipitation, affected ditches and other stormwater conveyances, as well as all outfalls, receiving waters and stream banks to determine if, and ensure that, effective erosion controls and sediment controls have been fully implemented and maintained in accordance with the GP, the site CBMPP and the Alabama Handbook; pollutant discharges have been prevented/minimized to the maximum extent practicable; and discharges do not result in a contravention of applicable State water quality standards for the receiving stream(s) or other waters impacted or affected by the Operator.

13. On March 17, 2025, an NOV was sent to the Operator by the Department as a result of the February 21, 2025, inspection. The NOV notified the Operator of deficiencies documented at the Facility and required the Operator to submit to the Department, within ten (10) days of receipt of the NOV, a written report prepared and certified by a QCP documenting that all deficiencies at the Facility had been corrected. The NOV required documentation demonstrating that a site assessment had been conducted of all existing BMPs and that said BMPs are sufficiently designed and properly implemented and maintained to prevent and/or minimize erosion and to maximize sediment removal resulting from a two (2) year, twenty-four (24) hour precipitation event, and to prevent pollution to the maximum extent practicable from leaving the site, entering offsite conveyances, and/or discharging into affected State waters, in accordance with the requirements of the GP and the Alabama Handbook. The NOV also required the Operator to submit to the Department the appropriate permit fee along with a complete and correct NOI application.

14. On April 4, 2025, the Operator requested, and on April 4, 2025, the Department granted an extension of the compliance deadline contained within the March 17, 2025, NOV until April 18, 2025, to provide additional time for the Operator to submit to the Department a complete and correct NOI and to correct all deficiencies. As of February 23, 2026, the requested information had not been submitted to the Department.

15. On April 21, 2025, the Operator proposed hydroseeding and selling the property in lieu of submitting the NOI application and fee required by the March 17, 2025, NOV, and the Department granted this request.

16. On June 9, 2025, the Operator notified the Department that he still had not hydroseeded the property as agreed to by the Department.

17. On June 10, 2025, the Department requested weekly updates from the Operator until full stabilization has been achieved.

18. On July 22, 2025, the Operator proposed that the State hydroseed the property in lieu of the Operator and that the Operator would subsequently reimburse the State. The Department did not approve this request.

19. On July 25, 2025, the Department issued a Notification of NOV Noncompliance requiring the Operator to submit all items required by the March 17, 2025, NOV by July 31, 2025.

20. During an inspection of the Facility on October 10, 2025, the Department observed and documented that the Operator had not properly implemented and maintained effective BMPs in violation of Part III. A. and E. of the GP resulting in discharges of sediment and other pollutants to waters of the State.

21. In addition, during the October 10, 2025, inspection, accumulations of sediment resulting from discharges at the Facility were documented and observed offsite and in Lake Martin, a water of the State, and were documented by the Department in violation of Part III. I. 3. of the GP.

22. Pursuant to Part III. I. 3. of the GP, the Operator shall promptly take all reasonable steps to remove, to the maximum extent practical, pollutants deposited offsite or in any waterbody or stormwater conveyance structure.

23. On December 22, 2025, the Department mailed an inspection notification to the Operator indicating that the information and certification required by the March 17, 2025, NOV had not been submitted to the Department and that an administrative order with potential financial penalty was under consideration.

24. As of February 23, 2026, the information and certification required by the March 17, 2025, NOV had not been submitted to the Department, and the Operator has not contacted the Department.

25. Ala. Code § 22-22-9(e), as amended, requires an operator to respond within the specified time frame to a notice of violation or non-compliance by the Department.

26. The Operator violated Ala. Code § 22-22-9(e), as amended, by failing to respond to the NOV within the specified timeframe.

27. The Operator neither admits nor denies the Department's allegations. The Operator consents to abide by the terms of the following Consent Order and to pay the civil penalty assessed herein.

CONTENTIONS

Pursuant to Ala. Code § 22-22A-5(18)(c), as amended, in determining the amount of any penalty, the Department must give consideration to the seriousness of the violations, including any irreparable harm to the environment and any threat to the health or safety of the public; the standard of care manifested by such person; the economic benefit which delayed compliance may confer upon such person; the nature, extent and degree of success of such person's efforts to minimize or mitigate the effects of such violations upon the environment; such person's history of previous violations; and the ability of such person to pay such penalty. Any civil penalty assessed pursuant to this authority shall not exceed \$25,000.00 for each violation, provided however, that the total penalty assessed in an order issued by the Department shall not exceed \$250,000.00. Pursuant to Ala. Code § 22-22A-5(18)(c), as amended, each day such violation continues shall constitute a separate violation. In arriving at this civil penalty, the Department has considered the following:

A. **SERIOUSNESS OF THE VIOLATIONS:** Considering the general nature of the violations, the seriousness of the violations, their effects, if any on impaired waters, and any available evidence of harm to the environment or threat to the public, the Department determined the base penalty to be \$35,300.

B. THE STANDARD OF CARE: In considering the standard of care manifested by the Operator, the Department noted that effective BMPs had not fully been implemented and regularly maintained and that the standard of care taken by the Operator was not commensurate with the applicable regulatory requirements. In considering the standard of care manifested by the Operator, the Department noted repeated violations at the Facility after issuance of less formal enforcement. These violations could have been avoided by continual implementation and maintenance of effective BMPs. Therefore, the Department enhanced the penalty by an additional \$5,900. In considering this factor, the Department noted that the standard of care taken by the Operator was not commensurate with the applicable regulatory requirements.

C. ECONOMIC BENEFIT WHICH DELAYED COMPLIANCE MAY HAVE CONFERRED: The Operator has delayed certain costs associated with obtaining/maintaining a valid NPDES permit. The Operator has delayed certain costs associated with implementing and maintaining effective BMPs. In consideration of the economic benefit to the Operator, the Department enhanced the penalty by an additional \$800.

D. EFFORTS TO MINIMIZE OR MITIGATE THE EFFECTS OF THE VIOLATIONS UPON THE ENVIRONMENT: The Department is unaware of any efforts by the Operator to minimize or mitigate the effects of the violations upon the environment.

E. HISTORY OF PREVIOUS VIOLATIONS: The Department has documented previous violations by the Operator at this Facility resulting in enforcement action(s). In consideration of the history of previous violations at this Facility, the Department has enhanced the penalty by an additional \$11,800.

F. THE ABILITY TO PAY: The Department is unaware of any evidence regarding the Operator's inability to pay the civil penalty.

G. OTHER FACTORS: It should be noted that this Consent Order is a negotiated settlement and, therefore, the Department has compromised on the amount of the penalty the Department believes is warranted in this matter in the spirit of cooperation and the desire to resolve this matter amicably, without incurring the unwarranted expense of litigation.

H. The civil penalty is summarized in Attachment 1.

ORDER

Therefore, the Operator, along with the Department, desires to resolve and settle the compliance issues cited above. The Department has carefully considered the facts available to the Department and has considered the six (6) penalty factors enumerated in Ala. Code § 22-22A-5(18)(c), as amended, as well as the need for timely and effective enforcement. The Department believes that the following conditions are appropriate to address the violations alleged herein. Therefore, the Department and the Operator agree to enter into this Consent Order with the following terms and conditions:

A. The Operator agrees to pay the Department a civil penalty in the amount of \$30,000 in settlement of the violations alleged herein. Within forty-five (45) days from the date of issuance of this Consent Order, an initial payment of \$15,000 shall be submitted to the Department. Within ninety (90) days from the date of issuance of this Consent Order, the final payment of \$15,000 shall be submitted to the Department. Failure to pay the civil penalty within the time frames specified above may result in the Department's filing a civil action in the Circuit Court of Montgomery County to recover the civil penalty.

B. The Operator agrees that all penalties due pursuant to this Consent Order shall be made payable to the Alabama Department of Environmental Management by certified or cashier's check and shall be remitted to:

Office of General Counsel
Alabama Department of Environmental Management
PO Box 301463
Montgomery, Alabama 36130-1463

C. The Operator agrees, immediately upon the date of issuance of this Consent Order and continuing thereafter, to fully implement and maintain temporary BMPs to prevent/minimize to the maximum extent practicable noncompliant and/or unpermitted discharges of pollutants to waters of the State.

D. The Operator agrees, unless they are relieved of this requirement in writing by the Department, that:

1. All inspections/evaluations shall be performed by a QCP;
2. BMP implementation and maintenance, and other corrective/remediation activities, shall be performed under the direct supervision of a QCP and shall be certified by a QCP;

3. All applications, plans, and information shall be certified by a QCP;
4. All submittals to the Department shall comply with applicable ADEM regulations and shall be signed by the Operator and certified by a QCP; and
5. All applications, plans, reports, and other submittals to the Department shall indicate who prepared the submittal, who conducted and/or supervised the inspection/work including his or her QCP designation, how the inspection/work was conducted, and the results of the inspection/work.

E. The Operator agrees to submit any application, plan, information, report, or other submittal required by this Consent Order to:

Office of Field Services
Field Operations Division
Alabama Department of Environmental Management
PO Box 301463
Montgomery, Alabama 36130-1463

F. The Operator agrees, within five (5) days of the receipt of any written comments from the Department, to modify in writing any application, plan, information, report, or other submittal, and submit additional written information/clarification to the Department to address any comments made by the Department.

G. The Operator agrees, within five (5) days after the date of issuance of this Consent Order, to have a comprehensive inspection conducted of the Facility, offsite conveyances, and affected State waters.

H. The Operator agrees, within ten (10) days after the date of issuance of this Consent Order, to submit to the Department a complete and correct NOI. The NOI, including the appropriate permit fee and greenfield fee, should be submitted electronically via the ADEM e-NOI system for the NPDES Construction General Permit on the ADEM website at <https://app.adem.alabama.gov/eNOI/>.

I. The Operator agrees, within ten (10) days after the date of issuance of this Consent Order, to submit to the Department a CBMPP detailing effective BMPs to be implemented to prevent/minimize to the maximum extent practicable sediment/solids and other pollutants in stormwater leaving the Facility, and to ensure full compliance with the requirements of the GP.

J. The Operator agrees, within ten (10) days after the date of issuance of this Consent Order, to submit to the Department a detailed sediment/solids loss analysis and plan for the removal, remediation, and/or mitigation of any sediment/solids and other pollutants from the Facility deposited offsite and in State waters.

K. The Operator agrees to begin the implementation of the plan for the removal, remediation, and/or mitigation of any sediment/solids and other pollutants from the Facility deposited offsite and in State waters within five (5) days of being notified of the Department's acceptance of the plan.

L. The Operator agrees, within twenty (20) days after the date of issuance of this Consent Order, to fully implement and maintain effective BMPs, implement all plans required by this Consent Order, and correct all deficiencies at the Facility, offsite conveyances, and affected State waters, including sediment/solids removal, remediation, and/or mitigation. The BMPs shall meet or exceed the technical standards outlined in the Alabama Handbook, the site CBMPP plan, and the GP.

M. The Operator agrees, within twenty-five (25) days after the date of issuance of this Consent Order, to submit to the Department certification with photo-documentation that effective BMPs have been implemented, all deficiencies have been corrected, and full compliance with the requirements of the GP has been achieved at the Facility, offsite conveyances, and affected State waters, including sediment/solids removal, remediation, and/or mitigation.

N. The Operator agrees, that immediately upon receipt of this Consent Order and continuing thereafter, the Operator will ensure immediate and future compliance with the AWPCA, applicable ADEM regulations, and all NPDES permit limitations, terms, and conditions for all ADEM NPDES regulated sites/facilities disturbed, operated, owned, and/or controlled by the Operator or responsible officials of the Operator, except as may be provided otherwise by an ADEM-accepted compliance schedule contained in this Consent Order or any other Order executed or issued by the Department.

O. The Department and the Operator (hereinafter "Parties") agree that this Consent Order shall apply to and be binding upon both parties, their directors, officers, and all persons or entities acting under or for them. Each signatory to this Consent Order certifies that he or she is fully authorized by the party he or she

represents to enter into the terms and conditions of this Consent Order, to execute the Consent Order on behalf of the party represented, and to legally bind such party.

P. The Parties agree that, subject to the terms of these presents and subject to provisions otherwise provided by statute, this Consent Order is intended to operate as a full resolution of the violations which are cited in this Consent Order.

Q. The Operator agrees that the Operator is not relieved from any liability if the Operator fails to comply with any provision of this Consent Order.

R. For purposes of this Consent Order only, the Operator agrees that the Department may properly bring an action to compel compliance with the terms and conditions contained herein in the Circuit Court of Montgomery County. The Operator also agrees that in any action brought by the Department to compel compliance with the terms of this Agreement, the Operator shall be limited to the defenses of Force Majeure, compliance with this Agreement and physical impossibility. A Force Majeure is defined as any event arising from causes that are not foreseeable and are beyond the reasonable control of the Operator, including the Operator's contractors and consultants, which could not be overcome by due diligence (i.e., causes which could have been overcome or avoided by the exercise of due diligence will not be considered to have been beyond the reasonable control of the Operator) and which delays or prevents performance by a date required by the Consent Order. Events such as unanticipated or increased costs of performance, changed economic circumstances, normal precipitation events, or failure to obtain federal, state, or local permits shall not constitute Force Majeure. Any request for a modification of a deadline must be accompanied by the reasons (including documentation) for each extension and the proposed extension time. This information shall be submitted to the Department a minimum of ten (10) working days prior to the original anticipated completion date. If the Department, after reviewing the extension request, finds the work was delayed because of conditions beyond the control and without the fault of the Operator, the Department may extend the time as justified by the circumstances. The Department may also grant any other additional time extension as justified by the circumstances, but the Department is not obligated to do so.

S. The Parties agree that the sole purpose of this Consent Order is to resolve and dispose of all allegations and contentions stated herein concerning the factual circumstances referenced herein. Should additional facts and circumstances be discovered in the future concerning the Facility which would constitute possible violations not addressed in this Consent Order, then such future violations may be addressed in Orders as may be issued by the Director, litigation initiated by the Department, or such other enforcement action as may be appropriate, and the Operator shall not object to such future orders, litigation or enforcement action based on the issuance of this Consent Order if future Orders, litigation or other enforcement action address new matters not raised in this Consent Order.

T. The Parties agree that this Consent Order shall be considered final and effective immediately upon signature of all parties. This Consent Order shall not be appealable, and the Operator does hereby waive any hearing on the terms and conditions of the same.

U. The Parties agree that this Consent Order does not preclude, negate, or otherwise affect the Operator's obligation or liability to comply with any Federal, State or local laws, regulations, or permit requirements.

V. The Parties agree that final approval and entry into this Consent Order are subject to the requirements that the Department give notice of proposed penalty orders to the public, and that the public have at least thirty (30) days within which to comment on the Consent Order.

W. The Parties agree that, should any provision of this Consent Order be declared by a court of competent jurisdiction or the Environmental Management Commission to be inconsistent with federal or State law and therefore unenforceable, the remaining provisions herein shall remain in full force and effect.

X. The Parties agree that, except as otherwise set forth herein, this Consent Order is not and shall not be interpreted to be a permit or modification of an existing permit under federal, State or local law, and shall not be construed to waive or relieve the Operator of the Operator's obligations to comply in the future with any permit coverage.

Y. The Parties agree that any modifications of this Consent Order must be agreed to in writing and signed by both parties.

Executed in duplicate with each part being an original.

SPENCER MANN

ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT



(Signature of Authorized Representative)

Edward F. Poolos, Director

Spencer Mann

(Print Name of Authorized Representative)

Date Signed: _____

Owner

Title

Date Signed: 5/6/2026_____

ATTACHMENT 1
ATTACHMENT 1 - PENALTY SYNOPSIS
SPENCER MANN – MANN PROPERTY – MCCAIN ROAD
Eclectic, Elmore County ASNJXH1-Z1B6-1ZM

| Violation | Number of Violations | Seriousness of Violation & Base Penalty* | Standard of Care* | History of Previous Violations* |
|---|----------------------|--|----------------------------|---------------------------------|
| Operating an NPDES construction site without, or outside of, NPDES coverage. | 2 | \$15,000 | \$2,500 | \$5,000 |
| Effective Best Management Practices (BMPs) not implemented and/or maintained | 2 | \$9,000 | \$1,500 | \$3,000 |
| Discharge and/or accumulation of solids/sediment offsite and/or in State waters | 1 | \$7,500 | \$1,300 | \$2,500 |
| Failure to respond to a Notice of Violation | 1 | \$3,800 | \$600 | \$1,300 |
| Totals: | 6 | \$35,300 | \$5,900 | \$11,800 |
| | | | Economic Benefit*: | \$800 |
| | | | Sub-Total: | \$53,800 |
| | | | Mitigating Factors*: | |
| | | | Ability to Pay*: | |
| | | | Other Factors*: | |
| | | | Amount of Initial Penalty: | \$53,800 |
| | | | Total Adjustments: | \$23,800 |
| | | | Final Penalty: | \$30,000 |

*See the Department's "Contentions" portion of the Order for a detailed description of each violation and the penalty factors.